



J-6084




FRAME ASSEMBLY ... 1976/ 80-90

J-5842




FRONT SPRING AND SHOCK ABSORBER...10-20-40



J-4293


FRONT SPRING AND SHOCK ABSORBER ... 1974/1975 80



J-6036


FRONT SPRING AND SHOCK ABSORBER . . . 1976/ 80-90

J-4396



REAR SPRING AND SHOCK ABSORBER . . . 10


J-5659



REAR SPRING AND SHOCK ABSORBER... 20-40




Printed in U.S.A.




J-6038


REAR SPRING AND SHOCK ABSORBER ... 1976/ 80-90


J-4254



PINTLE HOOK AND DRAW BAR . . . 1974/1975 80 (TYPE 1)









DRAW BAR . . . 1977/1978 80-90

J-6130



DRAW BAR . . . 1979/ 80-90

J-6177




LIFTING EYE AND TOW HOOK . . . 80-90

J-6199

SPECIAL INFORMATION

The Engine Build Code Number, the Vehicle Identification Number and the information provided on the Trim Plate are often necessary when determining the proper replacement parts for your vehicle. For their location refer to the General Information Section found at the front of this catalog.

Similar Spring U-Bolts (Clips) have been used on all series. Use the listing below to select the U-Bolt to be ordered.



11.088-1 U-BOLT, Front Spring (Clip)(Refer To Above Illustration)

YEAR	MODEL	A	B	C	THREAD	PART
74/75	10-20-40..... (Ord. 535 2089)	3.40	4.75	2.00	9/16"-18	535 2085
74/77	10-20-40 (* 11-20)	3.40	5.00	2.00	9/16"-18	535 2089
79/	10-20-40.....	3.40	5.50	3.00	9/16"-18	812 9475
76/78	46 (* 11-20)	3.40	5.50	2.00	9/16"-18	535 5488
74/78	10-20-40.....	4.20	5.50	2.00	9/16"-18	535 2454
74/78	10-20-40.....	4.20	5.00	2.00	9/16"-18	535 2455
74/78	10-20-40..... (Use 812 9474)	4.20	6.00	2.00	9/16"-18	535 4408
79/	10-20-40.....	4.20	6.75	4.00	9/16"-18	812 9474
77/78	10-20-40 (* 11-21)	3.60	5.00	1.75	9/16"-18	535 7945
77/78	10-20-40 (* 11-21)	3.60	5.50	2.00	9/16"-18	535 7946
79/	10-20-40.....	3.60	6.00	3.00	9/16"-18	812 9476
74/75	83.....	3.69	4.25	1.75	7/16"-20	999 213
74/75	83-84.....	3.69	5.25	1.75	7/16"-20	999 545
74/75	83.....	3.00	4.25	1.75	7/16"-20	999 211
74/75	83 (RHD).....	3.00	4.75	1.75	7/16"-20	999 212
74/75	83-84.....	3.00	5.25	1.75	7/16"-20	999 546
74/79	80-90..... (Use 813 0369)	3.06	4.50	2.00	1/2"-20	535 3994
80	80-90.....	3.06	5.50	3.25	1/2"-20	813 0369
74/75	83-84.....	3.06	5.00	2.00	1/2"-20	535 3995
74/75	83-84.....	3.06	5.50	2.00	1/2"-20	535 3996
74/	80-90..... (Use 813 0370)	3.75	4.50	2.00	1/2"-20	535 3997
74/75	83-84.....	3.75	5.50	2.00	1/2"-20	535 3998

11.132-1 U-BOLT, Rear Spring (Clip)(Refer To Above Illustration)

YEAR	MODEL	A	B	C	THREAD	PART
74/	10-25-45..... (Use 812 9475)	3.40	5.00	2.00	9/16"-18	535 2089
74/76	10-45..... (Ord. 535 2089)	3.40	4.75	2.00	9/16"-18	535 2085
76/	10-25 (Heavy)..... (Use 812 9475)	3.40	5.50	2.00	9/16"-18	535 5488
74/75	25.....	3.28	5.50	1.75	1/2"-20	999 208
74/75	25.....	3.28	6.00	2.00	1/2"-20	999 209
74/	26-46.....	3.75	5.50	2.00	9/16"-18	535 2088
74/75	26.....	3.75	6.00	2.00	9/16"-18	535 3497
74/	46.....	3.75	5.00	2.00	9/16"-18	535 2090
74/75	80.....	3.28	5.50	1.50	1/2"-20	946 549
74/75	80.....	3.28	5.00	2.00	1/2"-20	999 207
74/75	80.....	3.28	7.00	1.50	1/2"-20	804 696
74/75	80.....	3.28	6.00	2.00	1/2"-20	999 209
74/75	80 (RHD).....	3.28	6.50	2.00	1/2"-20	999 210
76	80-90.....	3.06	4.25	2.00	1/2"-20	535 5792
76/79	80-90.....	3.06	4.50	2.00	1/2"-20	535 3994
80	80-90.....	3.06	5.50	3.25	1/2"-20	813 0369
76	80-90..... (Use 535 3994)	3.06	4.75	2.00	1/2"-20	535 5764
76/	80-90 (Heavy-9 Leaf Spring) (Use 813 0369)	3.06	5.25	2.00	1/2"-20	535 5974

NOTES

- 11-1 The Rear Bushing of Rear Spring is 1-13/16" long.
- 11-2 The Rear Bushing of Rear Spring is 2-3/64" long.
- 11-3 The Front Bushing of Front Spring is 1-13/16" long.
- 11-4 The Front Bushing of Front Spring is 2-3/64" long.
- 11-5 The Draw Bar has two (2) inner and two (2) outer Braces welded to Bar.
- 11-6 The Draw Bar has two (2) outer Braces only welded to Bar.
- 11-7 Has 2" x 2-1/2" Nylon Inserts between leaves at both ends of Spring.
- 11-8 Does not have Nylon Inserts between leaves at both ends of Spring.
- 11-9 The Spring Clips are located 16-3/4" and 22-3/4" from Center Bolt.
- 11-10 ... The Spring Clips are located 9-1/4" and 17-1/2" from Center Bolt.
- 11-11 ... This Kit must also be ordered when ordering 535 3200 Frame.
- 11-12 ... Uses a 5/16" Center Bolt.
- 11-13 ... Uses a 3/8" Center Bolt.
- 11-14 ... Frame has partial inner Subrails.
- 11-15 ... Frame has complete inner Subrails extending to Rear Crossmember.
- 11-16 ... Fuel Tank Strap attaches to Center Crossmember by "J" Bolt.
- 11-17 ... Fuel Tank Strap attaches to Center Crossmember by Standard Bolt.
- 11-18 ... The Spring Eye size at the Shackle End has a 1-1/2" I. D. and 1-1/4" I. D. at the Pivot End.
- 11-19 ... The Spring Eye size at the Shackle End has a 1-1/4" I. D. and 1-1/2" I. D. at the Pivot End.
- 11-20 ... Dimension A on the Spring Clip (Refer Gr 11 - 1 Chart) to be used coordinately with first type Axle and Steering Damper Bracket. Difference of .020" smaller.
- 11-21 ... Dimension A on the Spring Clip (Refer Gr 11 - 1 Chart) to be used coordinately with second type Axle and Steering Damper Bracket. Difference of .020" larger.
- 11-22 ... Overall length of Draw Bar is 42-9/16".
- 11-23 ... Overall length of Draw Bar is 38-1/2".

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.005

GROUP NO. - DESCRIPTION - YEAR and MODEL	PAKS CODE	PRIMARY GROUP NO.	PER CAR	PART NO.	CODE
11.001-1 FRAME (Complete)					
74 10.....			1	535 2004	
75 10.....			1	535 3596	
76 10 (* 11-16).....	(Use 535 6303)		1	535 4600	
76 10 (* 11-17).....			1	535 6303	
77/78 10.....			1	535 6303	
79 10.....			1	535 8590	
80 10.....			1	535 9827	
74 20.....			1	535 2035	
75 20.....			1	535 3601	
76/78 20.....			1	535 4605	
79 25.....			1	535 8591	
80 25.....			1	535 9828	
74 40.....			1	535 2059	
75 40.....			1	535 3616	
76/78 40.....			1	535 4610	
79 40.....			1	535 8592	
80 40.....			1	535 9829	
74 83.....			1	535 2796	
75 83.....			1	535 3559	
76 83 (* 11-14).....			1	535 4615	
76 83 (* 11-15).....			1	535 6324	
77/79 83.....			1	535 6324	
80 83.....			1	535 9824	
74 84.....	(Use 535 4004)		1	535 2795	
75 84.....	(Ref. Pr. List)		1	535 3557	
76 84 (* 11-14).....			1	535 4625	
76 84 (* 11-15).....			1	535 6326	
77/79 84.....			1	535 6326	
80 84.....			1	535 9826	
76 93 (* 11-14).....	(Ord. 1-535 6325, 1-812 8258)		1	535 4620	
76 93 (* 11-15).....			1	535 6325	
77/79 93.....			1	535 6325	
80 93.....			1	535 9825	
11.001-2 REINFORCEMENT KIT, Frame					
74/75 83 (Heavy Duty-* 11-11).....			1	812 7085	
11.005-1 BRACKET, Spring Shackle					
74/75 (Front Spring-Left) 10-20-40.....	11.005		1	535 2011	
74/75 (Front Spring-Right) 10-20-40.....	11.005		1	535 2388	
76/78 (Front Spring-Front) 10-20-40.....			2	812 6802	
79/ (Front Spring-Front) 10-20-40.....			2	812 9561	
76/ (Front Spring-Front) 80-90.....			2	535 5689	
74/75 (Front Spring) 80.....			2	999 387	
74/75 (Rear Spring) 80.....			2	645 966	
76/ (Rear Spring-Rear) 80-90.....			2	535 5281	
11.005-2 ATTACHING PARTS, Spring Shackle Bracket To Frame					
BOLT, Hexagon 74/75 80.....	17.038		1	G123567	
BOLT, Hexagon 76/ (Front Spring) 80-90.....					
..... (7/16"-14 x 1-1/4").....	17.038		4	G180147	
BOLT, Hexagon 76/ (Rear Spring) 80-90.....					
..... (7/16"-14 x 1-1/4").....	17.038		4	G180147	
BOLT, Hexagon 79/ (Rear Spring) 80-90.....					
..... (7/16"-14 x 1-3/4").....	17.038		4	G9419079	
WASHER, Lock 74/75 80.....	17.820		1	G120383	
WASHER, Ribbed 76/ 80-90.....			4	400 4809	
NUT, Hexagon 74/75 80.....	17.406		1	G271506	
NUT, Hexagon 76/ (Front Spring) 80-90.....			4	400 4050	
NUT, Hexagon 76/ (Rear Spring) 80-90.....			4	400 4050	

11.008-1 BRACKET, Spring Pivot

74/75	80		4	535	2603
74/75	(Front Spring-Left) 10-20-40		11.005	1	535 2388
74/75	(Front Spring-Right) 10-20-40		11.005	1	535 2011
76/78	(Front Spring-Rear) 10-20-40		2	812	6802
79/	(Front Spring-Rear) 10-20-40		2	812	9561
76	(Front Spring-Rear) 80-90 (* 11-14)		2	812	6588
76	(Front Spring-Rear) 80-90 (* 11-15)		2	812	7712
77/	(Front Spring-Rear) 80-90		2	812	7712
76	(Rear Spring-Front) 80-90 (* 11-14)		2	812	6588
76	(Rear Spring-Front) 80-90 (* 11-15)		2	812	7712
77/	(Rear Spring-Front)		2	812	7712

11.012-1 GUSSET, Side Rail To Rear Engine Crossmember

75	80		2	535	3206
----	----	-------	---	-----	------

11.012-2 ATTACHING PARTS, Gusset To Rear Engine Crossmember And Side Rail

SCREW, Machine	75	80	17.629	AR	G273773
NUT, Lock	75	80	10.260	AR	400 3909

11.024-1 CROSSMEMBER, Center

74/75	10		1	535	2024
76	10 (* 11-16)		1	812	6842
76	10 (* 11-17)		1	812	7718
77/	10		1	812	7718
74/75	20-40		1	535	0833
76/78	20-40		1	812	6843
79/	20-40		1	813	0308
74/75	80		1	999	962
76	80-90 (* 11-14)		1	812	6594
76	80-90 (* 11-15)		1	812	7709
77/	80-90		1	812	7709

11.024-2 CROSSMEMBER, Intermediate Rear

74	10		1	535	2759
75	10		1	535	3968
76/	10		1	812	6846
74/75	20-40		1	991	694
76/	20-40		1	812	6847
74	80	 (Use 535 4645)	1	992	891
75	80		1	535	4645
76	80-90 (* 11-14)		1	812	6596
76	80-90 (* 11-15)		1	812	7710
77/	80-90		1	812	7710

11.024-3 CROSSMEMBER, Rear

74	10	 (Use 535 4539)	1	535	2400
75	10		1	535	4539
76/78	10		1	812	6848
79/	10		1	812	9560
74/75	20-40		1	535	2028
76/	20-40		1	812	6849
74	80	 (Use 535 4014)	1	535	2404
75	80		1	535	4014
76	80-90 (* 11-14)	 (Ref. Pr. List)	1	812	6597
76	80-90 (* 11-15)		1	812	7711
77/	80-90		1	812	7711

11.024-3a SPACER, Intermediate Rear To Frame

74/75	80		2	909	932
-------	----	-------	---	-----	-----

11.024-4 ATTACHING PARTS, Rear Crossmember To Side Rails

BOLT, Hexagon	74/75	10... (3/8"-24 x 3/4")	17.038	8	G181635
BOLT, Hexagon	74/75	10-20-40... (7/16"-20 x 7/8")	17.038	AR	G123561
BOLT, Hexagon	74	80... (3/8"-24 x 1")	17.038	2	G181637
BOLT, Hexagon	74/75	80... (7/16"-20 x 1")	17.038	4	G123567
WASHER, Lock	74/75	10... (3/8")	17.820	8	G120382
WASHER, Lock	74/75	10-20-40... (7/16")	17.820	AR	G120383
WASHER, Lock	74/75	80...	17.820	4	G120383
WASHER, Plain	74/75	80...	17.814	4	G120395
NUT, Hexagon	74/75	10... (3/8"-24)	17.406	8	G120369
NUT, Hexagon	74/75	10-20-40... (7/16"-20)	17.406	AR	G271506
NUT, Hexagon	74	80... (3/8"-24)	17.412	2	G271193
NUT, Hexagon	74/75	80... (7/16"-20)	17.406	4	G271506

11.054-1 BRACKET, Body Hold Down**10 SERIES**

74/75	(Rear)	2	994 408
74/75	(Clutch Bracket Support)	1	535 1491
74/75	(No. 1)	2	940 416
76/	(No. 1-Left)	1	812 6835
76/	(No. 1-Right)	1	812 6836
74/75	(No. 2)	2	535 2019
74/75	(No. 3)	2	535 2020
76/	(No. 3)	2	812 6840
74/75	(No. 4)	2	535 2021
76/	(No. 4-Left)	1	812 6853
76/	(No. 4-Right)	1	812 6854
74/75	(No. 5-Left)	1	535 2023
74/75	(No. 5-Right)	1	535 2022

20-40 SERIES

74	(Front)... (Bracket Is 15/16" High)	(Use 535 3411)	2	535 2793
74/75	(Front)... (Bracket Is 1-1/4" High)		2	535 3411
76/	(Front)		2	812 6803
74/75	(Rear)		2	994 408
74/75	(Clutch Bracket Support)		1	535 1491
74/75	(No. 1)		2	946 706
76/	(No. 1-Left)		1	812 6837
76/	(No. 1-Right)		1	812 6838
74	(No. 2)... (Mounting Hole Is 5/8" Dia.)		2	929 979
74/75	(No. 2)... (Mounting Hole Is 1-3/16" Dia.)		2	535 2043
76/	(No. 2)		2	812 6839
74/75	(No. 3)		2	930 894
76/	(No. 3)		2	812 6841
74	(No. 4-Left)... (Mounting Hole Is 9/16" Dia.)		1	978 870
74/75	(No. 4-Left)... (Mounting Hole Is 3/4" Dia.)		2	946 743
76/	(No. 4-Left)		1	812 6855
74	(No. 4-Right)... (Mounting Hole Is 9/16" Dia.)		1	978 871
74/75	(No. 4-Right)... (Mounting Hole Is 3/4" Dia.)		2	946 744
76/	(No. 4-Right)	(Use 812 6855)	1	812 6856

80-90 SERIES

74/75	(Front) 80	2	535 2961
74/75	(Rear)	2	994 408
74/75	(Clutch Bracket Support)	1	535 1491
74/75	(No. 1) 80	2	994 408
76/	(No. 1)	2	812 6590
74/75	(No. 2) 80	2	914 201
76/	(No. 2)	2	812 6593
76/	(No. 3)	2	812 6593
76/	(No. 4) 84	2	812 6593

11.066-1 HOOK KIT, Pintle (Complete)

74	20	1	933 474
----	----	---	---------

11.066

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.066-2 HOOK, Pintle

74	20-80.....	(Use 944 955)		1	A 593
76	20-40-80-90.....			1	961 171
77/	20-40.....			1	961 171
75	80.....	(Use 944 955)		1	A 593
77/79	80-90 (Export).....			1	961 171
79/	80-90 (Used With Draw Bar 535 6471 Only).....			1	961 171

11.066-3 ATTACHING PARTS, Pintle Hook To Bracket And Crossmember

BOLT, Hexagon	74	(1-1/4" Long) ..20	17.038	1	G181698
BOLT, Hexagon	74	(2-3/4" Long) ..20	17.038	1	G124186
BOLT, Hexagon	76/	20-40...(1/2"-13 x 2-3/4")	17.038	1	G179892
BOLT, Hexagon	76/	20-40...(1/2"-13 x 1-1/4")	17.038	3	G9419099
BOLT, Hexagon	74/75	80.....	17.038	4	G124133
BOLT, Hexagon	76/	80-90.....	17.038	4	G9419079
BOLT, Hexagon	77/79	80-90 (Export).....	17.038	4	G9419079
WASHER, Lock	74/75	80.....	17.820	4	G120383
NUT, Hexagon	74	20.....	17.406	2	G120371
NUT, Hexagon	76/	20-40.....	17.406	4	G120378
NUT, Hexagon	74/75	80.....	17.406	2	G271506
NUT, Lock	76	80-90.....		4	400 3956

11.066-4 PLATE, Pintle Hook Reinforcement

74	20.....		1	932 311
76/	20-40.....		1	932 311

11.066-5 EYEBOLT, Safety Chain Pintle Hook

74	20.....		2	A 6393
74/75	80.....		2	994 169

11.066-6 ATTACHING PARTS, Eyebolt To Pintle Hook Bracket Or Draw Bar Brace

SPACER	74/75	80.....		6	642 895
WASHER, Lock	74	20.....	11.088	2	400 4808
WASHER, Lock	74/75	80.....	17.820	2	G120384
WASHER, Plain	74/75	80.....	17.814	AR	G120396
NUT, Hexagon	74	20-80.....	17.406	2	G120378

11.066-7 BRACKET, Pintle Hook

74	20.....		2	930 403
76/	20-40.....		2	930 403

11.066-8 ATTACHING PARTS, Bracket To Crossmember And Reinforcement

BOLT, Hexagon	74	20.....	17.038	3	G124180
BOLT, Hexagon	76/	20-40...(1/2"-13 x 2-1/2")	17.038	3	G180185
WASHER, Lock	74	20.....	17.820	3	G120384
WASHER, Lock	76/	20-40.....	17.820	3	G120384
NUT, Hexagon	74	20.....	17.406	3	G120371
NUT, Hexagon	76/	20-40.....	17.406	3	G120378

11.066-9 REINFORCEMENT, Rear Crossmember

74	20.....		1	930 404
76/	20-40.....		1	930 404
74	80.....		1	535 1238
75	80.....	(Ord. 535 1238)	1	535 4481

11.066-10 ATTACHING PARTS, Reinforcement To Rear Crossmember

BOLT, Hexagon	74	20.....	17.038	8	G180132
BOLT, Hexagon	76/	20-40...(3/8"-16 x 2-1/4")	17.038	8	G180132
SPACER	74	20.....		8	932 292
SPACER	76/	20-40.....		8	932 292
WASHER, Lock	74	20.....	17.820	8	G120382
WASHER, Lock	76/	20-40.....	17.820	8	G120382
NUT, Hexagon	74	20.....	17.406	8	G120377
NUT, Hexagon	76/	20-40.....	17.406	8	G120377

11.066-11 BRACE, Rear Crossmember					
74	20...(16-1/8" Long From Crossmember To Side Rail)(Use 535 4020)		2	932 305	
74	20...(10-1/2" Long From Crossmember To Side Rail)		2	535 4020	
76/	20 (Used With Pintle Hook)		2	535 4020	
76/	40 (Used With Pintle Hook)		2	535 4021	
11.066-12 ATTACHING PARTS, Brace To Side Rail					
BOLT, Hexagon	74 20.....	17.038	4	G181635	
BOLT, Hexagon	76/ 20-40.....	17.038	4	G180122	
WASHER, Lock	74 20.....	17.820	4	G120382	
WASHER, Lock	76/ 20-40.....	17.820	4	G120382	
NUT, Hexagon	74 20.....	17.406	4	G120369	
NUT, Hexagon	76/ 20-40.....	17.406	4	G120377	
11.066-13 PLATE, Frame Reinforcement Rear					
74/75	80.....		1	A 534	
11.066-14 BRACE, Draw Bar Upper					
74/75	80.....		1	994 159	
11.066-15 ATTACHING PARTS, Upper Brace To Floor Pan					
BOLT, Hexagon	74 80...(1-1/2" Long)	17.038	2	G120234	
BOLT, Hexagon	74 75 80...(2" Long)	27.290	2	400 4543	
WASHER, Lock	74 80.....	17.820	2	G120384	
WASHER, Plain	74 75 80...(5/32" Thick)	20.001	2	642 339	
WASHER, Plain	74 80...(1/16" Thick)	17.814	AR	G120395	
NUT, Lock	74 75 80.....	17.416	2	G9413215	
NUT, Hexagon	74 80.....	17.406	2	G120371	
11.067-1 HOOK, Towing (Front)					
74/	(Left) 80-90		1	535 9305	
74/	(Right) 80-90		1	535 9304	
11.067-2 ATTACHING PARTS, Towing Hook					
BOLT, Hexagon	74/ 80-90...(1/2"-13 x 2-3/4")		2	G9419111	
BOLT, Hexagon	74/ 80-90...(1/2"-13 x 2")		2	G9419105	
BOLT, Hexagon	74/ 80-90...(7/16"-14 x 2-1/4")		2	G9419083	
BOLT, Hexagon	74/ 80-90...(7/16"-14 x 1-3/4")		2	G9419079	
NUT, Hexagon	74/ 80-90...(1/2"-13)		4	400 5098	
NUT, Hexagon	74/ 80-90...(7/16"-14)		4	G9422299	
WASHER, Dished	74/ 80-90.....		2	400 5633	
WASHER, Plain	74/ 80-90.....		8	400 3805	
11.067-3 BRACKET, Tow Shackle Assembly To Frame (Front And Rear)					
79/	80-90.....		4	813 1740	
11.067-4 PIN, Tow Shackle Loop To Bracket					
79/	80-90.....		4	813 1741	
11.067-5 SPACER, Tow Shackle Loop Pin					
79/	80-90.....		4	813 1742	
11.067-6 LOOP, Tow Shackle Assembly					
79/	80-90.....		4	813 1743	
11.067-7 ATTACHING PARTS, Tow Shackle Assembly To Frame					
BOLT, Hexagon Head	79/ 80-90...(1/2"-13 x 2")	17.038	4	G9419105	
BOLT, Hexagon Head	79/ 80-90...(7/16"-14 x 1-3/4")	17.038	4	G9419079	
NUT, Hexagon	79/ 80-90...(1/2"-13)	12.310	4	400 5098	
NUT, Serrated	79/ 80-90...(7/16"-14)	12.175	4	400 3956	
11.068-1 DRAW BAR KIT					
74	80 (* 11-5)..... (Use 812 6035)		1	812 5048	
74	80 (*, 11-6)..... (Use 812 6035)		1	812 5156	
75	80.....		1	812 6035	

11.068-2 DRAW BAR ASSEMBLY

74	80 (* 11-5)	1	535 3030
74	80 (* 11-6)	1	535 4067
75	80	1	535 4846

11.068-2a DRAW BAR AND PINTLE HOOK REINFORCEMENT

76	80-90	1	535 5482
77/	80-90 (Export)	1	535 6471
79/	80-90 (Used With Pintle Hook)	1	535 6471

11.068-2b DRAW BAR (Refer To Accessories Catalog And Price List For Kit)

77/78	80-90 (* 11-22)	1	535 7417
78/	80-90 (Used With Draw Bar-* 11-23)	1	535 8679

11.068-2c BRACKETS, Draw Bar To Frame

77/78	80-90 (* 11-22)	2	535 7416
78/	80-90 (Used With Draw Bar-* 11-23)	2	535 8681

11.068-2d ATTACHING PARTS, Brackets To Draw Bar

BOLT, Hexagon	77/	80-90... (1/2"-13 x 2")	17.	4	G9419105
NUT, Lock	77/	80-90		4	400 5098

11.068-3 ATTACHING PARTS, Draw Bar To Rear Crossmember

BOLT, Hexagon	74	(7/16"-20 x 1-1/4")...80	17.038	2	G181668
BOLT, Hexagon	74/75	(3/8"-24 x 1-1/4")...80	17.038	4	G181639
BOLT, Hexagon	75	(3/8"-16 x 1-1/4")...80	17.038	4	G180124
NUT, Hexagon	74	(7/16"-20)...80	17.406	1	G271506
NUT, Hexagon	74/75	(3/8"-24)...80	17.406	4	G120369
NUT, Hexagon	75	(3/8"-16)...80 (Serrated Washer)	10.260	4	400 3909
WASHER, Lock	74	(7/16")...80	17.820	3	G120383
WASHER, Lock	74/75	(3/8")...80	17.820	4	G120382

11.068-4 BRACE, Draw Bar

74	(Left-Lower) 80 (* 11-5)	1	994 163
74	(Right-Lower) 80 (* 11-5)	1	994 164
74/75	(Left-Lower) 80 (* 11-6)	1	535 4068
74/75	(Right-Lower) 80 (* 11-6)	1	535 4069
76	80-90 (* 11-14)	4	535 5461
76/78	(Inner) 80-90 (* 11-15 And * 11-22)	2	535 6435
76/78	(Outer) 80-90 (* 11-15 And * 11-22)	2	535 5461
77/79	(Inner) 80-90 (Export)	2	535 6435
77/79	(Outer) 80-90 (Export)	2	535 5461
78/	(Inner) 80-90 (Used With Draw Bar-* 11-23)	2	535 8678
79/	(Inner) 80-90 (Used With Draw Bar 535 6471 Only)	2	535 6435
79/	(Outer) 80-90 (Used With Draw Bar 535 6471 Only)	2	535 5461

11.068-4a SPACER, Draw Bar And Bumperette Reinforcement (Inner And Outer Brackets To Side Rail)

76/79	80-90 (* 11-15)	2	535 6497
77/79	80-90 (Export)	2	535 6497
78/	80-90 (Used With Draw Bar 535 8679 Only-* 11-23)	2	535 8680
79/	80-90 (Used With Draw Bar And Pintle Hook Only)	2	535 6497

11.068-4b ATTACHING PARTS, Draw Bar To Side Rail

BOLT, Hexagon	79/	80-90... (7/16"-14 x 2"-Epoxy Lock) ..	10.290	2	400 5824
WASHER, Plain	79/	80-90... (15/32" x 1" x 1/8")	17.814	2	400 1120

11.068-5 ATTACHING PARTS, Upper Brace To Inner Braces

BOLT, Hexagon	74	(7/16"-20 x 1-3/4")...80	17.038	2	G181672
NUT, Hexagon	74	(Lower) 80	17.406	2	G271506
WASHER, Lock	74	80	17.820	2	G120383

11.068-5a ATTACHING PARTS, Draw Bar And Braces To Rear Crossmember

BOLT, Hexagon	76/	80-90	17.038	12	G9419077
BOLT	76/	80-90... (7/16"-14 x 3-3/4")	10.114	2	400 3967
BOLT, Hexagon	77/	80-90... (7/16"-14 x 1-1/2")	17.	8	G9423533
WASHER, Lock	77/	80-90		2	G120383
NUT, Lock	76/	80-90... (7/16"-14)		12	400 3956

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.070

11.068-6 ATTACHING PARTS, Lower Brace To Frame

BOLT, Hexagon	74	(7/16"-14 x 1-1/2")	.80	17.038	4	G9425080
BOLT, Hexagon	74/75	(3/8"-24 x 1-1/4")	.80	17.038	4	G181639
BOLT, Hexagon	75	(3/8"-16 x 1-1/4")	.80	17.038	4	G180124
WASHER, Plain	74	(7/16")	.80	17.814	4	G120395
WASHER, Plain	74/75	(3/8")	.80	17.814	AR	G120394
WASHER, Lock	74	(7/16")	.80	11.170	4	400 4809
WASHER, Lock	74/75	(3/8")	.80	17.820	4	G120382
NUT, Hexagon	74	(7/16"-14)	.80	17.406	4	G271501
NUT, Hexagon	75	(3/8"-16)	.80 (Serrated Washer)	10.260	4	400 3909
NUT, Hexagon	74/75	(3/8"-24)	.80	17.406	4	G120369

11.068-7 ATTACHING PARTS, Lower Brace To Draw Bar

BOLT, Hexagon	74/75	(1/2"-20 x 1-1/2")	.80	17.038	2	G120234
SPACER	74	(Left Side) 80 (* 11-5)			1	535 3031
WASHER, Lock	74/75	(1/2")	.80	17.820	2	G120384
NUT, Hexagon	74/75	(1/2"-20)	.80	17.406	2	G120371

11.068-8 ATTACHING PARTS, Upper Brace To Floor Pan Seat Belt Reinforcement To Anchor

BOLT, Hexagon	74	80		17.038	2	G454974
WASHER, Plain	74	80 (Reinforcement-Used When Seat Belts Not Installed)		20.001	2	642 339
NUT, Lock	74	80		17.416	2	G272712

11.068-9 SUPPORT, Left Side Bumper

74/75	80				1	535 3453
-------	----	--	--	--	---	----------

11.068-10 ATTACHING PARTS, Bumper Support And Lower Braces To Frame And Bumper

BOLT, Hexagon	74/75	(1-3/4" Long)	.80	17.038	3	G181639
BOLT, Hexagon	75	(3/8"-16 x 1-1/4")	.80	17.038	2	G180124
WASHER, Lock	74/75	(3/8")	.80	17.820	3	G120382
WASHER, Hexagon	75	(1-3/8"-16)	.80	10.260	2	400 3909
WASHER, Plain	74/75	80		17.814	3	G120394
NUT, Hexagon	74/75	80		17.406	3	G120369

11.068-11 PLATE, Draw Bar

74	80				1	640 737
75	80				1	535 5234
76	80-90 (Used With Swinout Tire Carrier)				1	535 6410
76	80-90 (Used With Side Mounted Tire Carrier)				1	535 5458
76	80-90 (* 11-15)				1	535 6410
77	80-90 (Export)				1	535 6410

11.068-12 ATTACHING PARTS, Draw Bar Plate To Draw Bar

BOLT, Hexagon	74/75	80		17.038	2	G428811
BOLT, Hexagon	76	80-90... (1/2"-13 x 1-1/2")		17.038	3	G9419101
BOLT, Hexagon	76	80-90... (1/2"-13 x 2")		17.038	3	G9419105
BOLT, Hexagon	77	80-90 (Export)		17.038	3	G9419105
WASHER, Lock	74/75	80		17.820	2	G131046
NUT, Hexagon	74/75	80		17.406	2	G426099
NUT, Lock	76	80-90			3	400 5098
NUT, Lock	77	80-90 (Export)			3	400 5098

11.070-1 SPRING ASSEMBLY, Front Leaf (Incl. Bushings)

74	(2 Leaf-Heavy) 10-25	(Ord. 944 871, 535 2250, 535 3466)		2	535 3467
74	(2 Leaf-Light) 10-25-45			2	535 2075
75	(2 Leaf-Heavy) 26-46	(Ord. 944 871, 535 2250, 535 3466)		2	535 3467
74	(2 Leaf-Light) 26-46 (* 11-7)			2	535 2075
74	(2 Leaf-Light) 26-46 (* 11-8)	(Ord. 944 871, 535 2250, 535 3466)		2	535 3467
75	(2 Leaf-Light) 26-46	(Ord. 944 871, 535 2250, 535 3466)		2	535 3467
74/75	(3 Leaf-Heavy) 10-20-40	(Ref. Pr. List)		2	535 3343
75	(4 Leaf-Light) 10-25-45	(Ord. 944 871, 535 1885, 535 2250)		2	535 4548
74	(7 Leaf-Light) 83-84 (* 11-3)	(Ord. 921 055, 999 526, 535 2659)		2	535 2844
74	(7 Leaf-Light) 83-84 (* 11-4)	(Ord. 1-999 526, 2-535 2659)		2	535 3463
75	(7 Leaf-Light) 83-84	(Ord. 1-999 526, 2-535 2659)		2	535 3463
74	(9 Leaf-Light) 83-84 (* 11-3)	(Ord. 921 055, 999 527, 535 2659)		2	535 2848
74	(9 Leaf-Light) 83-84 (* 11-4)	(Ord. 1-999 527, 2-535 2659)		2	535 3462
75	(9 Leaf-Light) 83	(Ord. 1-999 527, 2-535 2659)		2	535 3462
74	(10 Leaf-Heavy) 80 (* 11-3)	(Ref. Pr. List)		2	999 528
74	(10 Leaf-Heavy) 80 (* 11-4)	(Ord. 1-999 525, 2-535 2659)		2	535 4016
75	(10 Leaf-Heavy) 80	(Ord. 1-999 525, 2-535 2659)		2	535 4016

11.070-1a SPRING ASSEMBLY, Front Leaf (Less Bushings)

2 LEAF

76/77	(Heavy) 10-25-45 (V8-* 11-18).....	2	535 3466
77	(Heavy) 10-25-45 (V8-* 11-19).....	2	535 6786
78	(Heavy) 10-25-45.....	2	535 6786
76/77	(Light) 26-46 (* 11-18).....	2	535 3466
77	(Light) 26-46 (* 11-19).....	2	535 6786
78	(Light) 46.....	2	535 6786

3 LEAF

76/77	(Heavy) 10-25-45 (Used With Snow Plow Winch-* 11-18)		
	 (Ref. Pr. List)	2	535 3338
77	(Heavy) 10-25-45 (Used With Snow Plow Winch-* 11-19)		
	 (Use 535 8997)	2	535 6785
78	(Heavy) 10-25-45 (Used With Snow Plow Winch).....	2	535 6785
79/	(Heavy) 10-25-45 (Used With Snow Plow Winch).....	2	535 8997
76/77	(Heavy) 26-46 (* 11-18)..... (Ref. Pr. List)	2	535 3338
77	(Heavy) 26-46 (* 11-19)..... (Use 535 8997)	2	535 6785
78	(Heavy) 46..... (Use 535 8997)	2	535 6785
79/	(Heavy) 46.....	2	535 8997

4 LEAF

80	(Light) 80-90 (Four).....	2	536 1024
76/77	(Light) 10-25-46 (Six-* 11-18)..... (Use 535 6318)	2	535 5574
77	(Light) 10-25-45 (Six-* 11-19).....	2	535 6788
78	(Light) 10-25-45 (Six).....	2	535 6788
76/	(Light) 80-90 (Six-WMT).....	2	535 4890
76/	(Light) 80-90 (Six-WHT-Used Less Hardtop).....	2	535 4890
76/	(Light) 80-90 (V8).....	2	535 5581
76/	(Light) 90 (Used With Hardtop).....	2	535 5581

5 LEAF

76/77	(Heavy) 10-25-45 (Six-* 11-18).....	2	535 5577
77	(Heavy) 10-25-45 (Six-* 11-19).....	2	535 6787
78	(Heavy) 10-25-45 (Six).....	2	535 6787
78	(Light) 10-25-45 (Six).....	2	535 6787
79/	(Light) 10-25-45.....	2	535 8930
76/77	(Light) 10-25-45 (V8-* 11-18).....	2	535 5577
77	(Light) 10-25-45 (V8-* 11-19).....	2	535 6787
78	(Light) 10-25-45 (V8).....	2	535 6787

6 LEAF

80	(Heavy) 80-90 (Four).....	2	536 1275
79/	(Heavy) 10-25-45 (Six).....	2	535 8798
79/	(Light) 10-25-45 (V8).....	2	535 8798
79/	(Heavy) 80-90.....	2	535 8939

7 LEAF

79/	(Heavy) 10-25-45.....	2	535 9023
79/	(Light) 15 (Soft Ride).....	2	535 9268
79/	(Light) 15-16-18 (Six-Soft Ride).....	2	535 9357
79/	(Light) 16-18 (V8-Soft Ride).....	2	535 9268
79/	(Light) 46.....	2	535 9023
76/	(Heavy) 80-90.....	2	535 4892

11.070-2 ATTACHING PARTS, Front Spring To Shackle Or Bracket

BOLT, Hexagon.....	74/77	10-20-40...(9/16"-12 x 4-1/4").....	17.038	2	G9419209
BOLT, Hexagon.....	74/77	10-20-40...(9/16"-12 x 3-3/4").....	17.038	4	G9419141
BOLT, Hexagon.....	76	10-20-40...(9/16"-12 x 4").....	17.038	4	G9419142
BOLT, Hexagon.....	78/	10-20-40...(9/16"-12 x 4-3/8").....		6	400 4120
BOLT, Hexagon.....	74/75	80...(3" Long).....	17.038	4	G9419089
BOLT, Hexagon.....	74/75	80...(3-1/4" Long).....	17.038	4	G9418966
BOLT, Hexagon.....	76/	80-90...(9/16"-12 x 4-1/4").....	17.038	2	G9419209
WASHER, Lock.....	74	80.....	11.170	4	400 4809
NUT, Lock.....	74/75	10-20-40...(5/8"-18).....	11.100	2	400 4871
NUT, Lock.....	74/77	10-20-40...(9/16"-12).....	10.050	6	400 3979
NUT, Lock.....	78/	10-20-40.....		6	400 5198
NUT, Lock.....	74/75	80.....	17.416	4	G9414073
NUT, Lock.....	76/	80-90...(9/16"-12).....	10.050	4	400 3979

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.088

11.070-3	BUMPER, Front Spring				
	74/75 80.....	2	931	263	
11.070-4	ATTACHING PARTS, Bumper To Bracket				
	NUT, Hexagon..... 74/75 80.....	17.412	2	G271190	
11.070-5	BRACKET, Front Spring Bumper				
	74/75 80.....	2	998	730	
11.070-6	ATTACHING PARTS, Bracket To Frame				
	SCREW, Tapping..... 75 80.....	10.340	4	400 5063	
	SCREW, Tapping..... 74 80.....	17.672	4	G172455	
11.072-1	LEAF, Front Spring No. 1				
	5 LEAF				
	76 (Heavy) 10-25-45 (Six-* 11-18)	2	A 535	5577	
	77/78 (Heavy) 10-25-45 (Six-* 11-19)	2	812	8145	
	76 (Light) 10-25-45 (V8-* 11-18)	2	A 535	5577	
	77/78 (Light) 10-25-45 (V8-* 11-19)	2	812	8145	
	79/ (Light) 10-25-45.....	2	A 535	8930	
	6 LEAF				
	79/ (Heavy) 10-25-45 (Six)	2	A 535	8798	
	79/ (Light) 10-25-45 (V8).....	2	A 535	8798	
	79/ (Heavy) 80-90 (Except Four)	2	A 535	8939	
	80 (Heavy) 80-90 (Four).....	2	A 536	1275	
	7 LEAF				
	79/ (Heavy) 10-25-45.....	2	A 535	9023	
	79/ (Light) 15-16-18 (Soft Ride)	2	A 535	9268	
	79/ (Light) 16-18 (Six-Soft Ride)	2	A 535	9357	
	79/ (Light) 46.....	2	A 535	9023	
	74/75 (Light) 83-84.....	2	A 999	530	
	76/ (Heavy) 80-90.....	2	A 535	4892	
	9 LEAF				
	74/75 (Light) 83.....	2	A 999	529	
	10 LEAF				
	74/75 (Heavy) 80	2	A 999	528	
11.072-2	LEAF, Front Spring No. 2				
	7 LEAF				
	79/ (Heavy) 10-25-45.....	2	B 535	9023	
	79/ (Light) 15-16-18 (Soft Ride)	2	B 535	9268	
	79/ (Light) 16-18 (Six-Soft Ride)	2	B 535	9357	
	79/ (Light) 46.....	2	B 535	9023	
	76/ (Heavy) 80-90.....	2	B 535	4892	
	74/75 (Light) 84.....	2	B 999	530	
	9 LEAF				
	74/75 (Light) 83.....	2	B 999	529	
	10 LEAF				
	74/75 (Heavy) 80	2	B 999	528	
11.088-1	U-BOLT, Front Spring (Clip) (Refer To Special Information Page Gr. 11-1)				
11.088-2	ATTACHING PARTS, Front Spring U-Bolt (Clips) To Axle				
	WASHER, Lock..... 74/ 10-20-40...(9/16" I.D.)	8	400	4806	
	WASHER, Lock..... 74 80...(7/16" I.D.)	11.170	8	400 4809	
	WASHER, Lock..... 74/ 80-90...(1/2" I.D.)	8	535	0644	
	NUT, Hexagon..... 74/ 10-20-40...(9/16")	17.406	8	G9420350	
	NUT, Hexagon..... 74 80...(7/16"-20)	17.406	8	400 1247	
	NUT, Hexagon..... 74/ 80-90...(1/2"-20)	17.406	8	G9421085	

11.088-3 PLATE, Front Leaf Spring To Axle U-Bolt Tie (For Vehicles With Stabilizer Refer Group 10.260-8)**LEFT**

74/76	10-20-40.....	1	535 2087
77	10-20-40 (* 11-20).....	1	535 2087
77/78	10-20-40 (* 11-21).....	1	535 7947
79	10-20-40.....	1	535 9225
80	10-25-40.....	1	535 9582
74	80 (Has 4-15/32" U-Bolt Mounting Holes).....	1	999 447
74/75	80 (Has 4-17/32" U-Bolt Mounting Holes).....	1	535 3990
76/78	80-90..... (Use 535 9013)	1	535 3857
79/	80-90 (Used Less Stabilizer Bar).....	1	535 9013
79/	80-90 (Used With Stabilizer Bar).....	1	535 9011

RIGHT

74/78	10-20-40.....	1	535 2084
79	10-20-40.....	1	535 9224
80	10-25-40.....	1	535 9583
74	80 (Has 2-15/32" And 2-1/2" U-Bolt Mounting Holes).....	1	999 446
74/75	80 (Has 2-17/32" And 2-9/16" U-Bolt Mounting Holes).....	1	535 3991
76/78	80-90..... (Use 535 9014)	1	535 3858
79/	80-90 (Used Less Stabilizer Bar).....	1	535 9014
79/	80-90 (Used With Stabilizer Bar).....	1	535 9012

11.088-4 SHIM, Front Spring To Axle

74/75	80 (RHD).....	1	535 1055
-------	---------------	---	----------

11.088-5 SPACER, Front Spring To Axle Seat

74/77	(Right) 10-20-40.....	1	535 4407
-------	-----------------------	---	----------

11.100-1 SPRING ASSEMBLY, Rear Leaf (Incl. Bushings)

74/75	(2 Leaf-Light) 10-25.....	2	535 2080
74/75	(2 Leaf-Heavy) 10-25..... (Ord. 944 870, 535 2249, 535 3468)	2	535 3469
74/75	(2 Leaf) 45..... (Ref. Pr. List)	2	535 2551
74/75	(2 Leaf-Light) 46 (GVW 6500-7200)..... (Ref. Pr. List)	2	535 2551
74/75	(3 Leaf) 46 (GVW 8000).....	11.101 2	535 2082
74/75	(3 Leaf-Heavy) 46 (GVW 6500-7200).....	11.101 2	535 2082
74	(5 Leaf-Light) 80 (* 11-1)..... (Ord. 1-936 941, 2-535 2659)	2	535 2845
74	(5 Leaf-Light) 80 (* 11-2)..... (Ord. 1-936 941, 2-535 2659)	2	535 3464
75	(5 Leaf-Light) 80..... (Ord. 1-936 941, 2-535 2659)	2	535 3464
74	(6 Leaf-Light) 10-25..... (Ord. 944 870, 535 2249, 535 2881)	2	535 2933
75	(6 Leaf-Light) 10-25 (* 11-9).....	2	535 4547
75	(6 Leaf-Heavy) 10-25 (* 11-10)..... (Ord. 944 870, 535 2249, 535 2881)	2	535 2933
74	(8 Leaf) 25 (GVW 5600)..... (Ord. 944 870, 947 091, 535 2249)	2	535 3063
74	(8 Leaf) 25 (GVW 5200).....	2	812 5029
74/75	(8 Leaf) 26..... (Ord. 944 870, 947 091, 535 2249)	2	535 3063
74	(10 Leaf-Heavy) 80 (* 11-1)..... (Ord. 2-921 055, 1-535 3356)	2	535 3367
74	(10 Leaf-Heavy) 80 (* 11-2)..... (Ord. 535 2659, 535 3356)	2	535 4015
75	(10 Leaf-Heavy) 80..... (Ord. 535 2659, 535 3356)	2	535 4015

11.100-1a SPRING ASSEMBLY, Rear Leaf (Less Bushings)**2 LEAF**

76	(Heavy) 45.....	2	535 5415
77	(Heavy) 45..... (Use 535 5415)	2	535 7099
78/	(Heavy) 45.....	2	535 5415
76	(Light) 46 (GVW 6500-7200).....	2	535 5415
77	(Light) 46 (GVW 6800-7600)..... (Use 535 5415)	2	535 7099
78/	(Light) 46 (GVW 6800-7600).....	2	535 5415

3 LEAF

76	(Heavy) 46 (GVW 6500-7200).....	2	535 5414
77/	(Heavy) 46 (GVW 6800-7600).....	2	535 5414
76	46 (GVW 8000).....	2	535 5414
77/	46 (GVW 8400).....	2	535 5414

4 LEAF

76/	(Light) 45	2	535 5576
76	(Light) 80-90 (* 11-13)	2	535 6424
76	(Light) 80-90 (* 11-12) (Use 535 6424)	2	535 4891
77/	(Light) 80-90 (Except Four-Used Less Hardtop)	2	535 6424
80	(Light) 80-90 (Four-Used Less Hardtop)	2	536 1025

5 LEAF

76/78	(Heavy) 10-25	2	535 5460
76/77	(Heavy) 26	2	535 5460
79	(Heavy) 16-17-18 (V8-WMT)	2	535 8943
79/	(Heavy) 10-25	2	535 8943
76/78	(Light) 10-25	2	535 5066
79	(Light) 15-25	2	535 8982
79	(Light) 16-17-18 (Six)	2	535 8982
79	(Light) 16-17-18 (V8-WHT)	2	535 8982
80	(Light) 10-25	2	535 8982
76/77	(Light) 80-90 (Used With Hardtop-* 11-13)	2	535 6425
76/77	(Light) 80-90 (* 11-12) (Use 535 6425)	2	535 5580
78/	(Light) 80-90 (Used With Hardtop)	2	535 6425

6 LEAF

79/	(Heavy) 80-90	2	535 8940
-----	---------------------	---	----------

7 LEAF

76	(Heavy) 80-90 (* 11-12) (Use 535 6426)	2	535 4893
76	(Heavy) 80-90 (* 11-13)	2	535 6426
77/79	(Heavy) 80-90 (Export)	2	535 6426

9 LEAF

76	(Super Heavy Duty) 80-90 (Export-* 11-12) (Use 535 6423)	2	535 5943
76	(Super Heavy Duty) 80-90 (Export-* 11-13)	2	535 6423
77/	(Super Heavy Duty) 80-90	2	535 6423

11.100-2 ATTACHING PARTS, Rear Leaf Spring To Shackle Or Bracket

BOLT, Hexagon	74/75	10-20-40...(9/16"-12 x 3-3/4")	17.038	2	G9419141
BOLT, Hexagon	74/77	10-20-40...(9/16"-12 x 4-1/4")	17.038	2	G9419209
BOLT, Hexagon	76/77	10-20-40...(9/16"-12 x 4")	17.038	6	G9419142
BOLT, Hexagon	78/	10-20-40...(9/16"-12 x 4-3/8")	11.033	6	400 4120
BOLT, Hexagon	74/75	80	17.038	2	G9418966
BOLT, Hexagon	76/	80-90...(9/16"-12 x 4-1/4")	17.038	2	G9419209
WASHER, Plain	74/75	10-20-40		2	400 4886
WASHER, Lock	74	80	11.170	2	400 4809
LOCKNUT & CLIP ASSY.	80	10 (Front Eye-Rear Spring-Left Side)		1	400 6631
NUT, Lock	74/75	10-20-40...(9/16"-12)	10.050	2	400 3979
NUT, Lock	74/75	10-20-40...(5/8"-18)		2	400 4871
NUT, Lock	76/77	10-20-40	10.050	6	400 3979
NUT, Lock	78/	10-20-40	10.071	6	400 5198
NUT, Lock	74/75	80	17.416	2	G9414073
NUT, Lock	76/	80-90	10.050	2	400 3979

11.100-4 SPACER KIT, Rear Leaf Spring To Axle

74	80...(Incl. Spacer And Peg)	1	812 0783
----	-----------------------------------	---	----------

11.100-6 SPACER, Rear Leaf Spring To Axle

74/75	80 (RHD)	11.140	1	948 385
-------	----------------	--------	---	---------

11.100-7 PEG, Rear Leaf Spring To Axle

74/75	80 (RHD)	11.140	1	948 386
-------	----------------	--------	---	---------

11.100-8 SHIM, Rear Leaf Spring To Spring Seat

74	(Left) 80...(21" Thick)	11.088	1	535 1055
----	-------------------------------	--------	---	----------

11.104

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.104-1 NO. 1 LEAF, Rear Leaf Spring (Main)

5 LEAF

76/78	(Heavy) 10	2	A 535 5460
76/78	(Heavy) 26	2	A 535 5460
79/	(Heavy) 10-25	2	A 535 8943
76/78	(Light) 10-25	2	A 535 5066
79/	(Light) 10-25	2	A 535 8982
74/75	(Light) 80 (Use A 936 941)	2	936 941 001
76	(Light) 80-90 (* 11-12)	2	A 535 5580
76	(Light) 80-90 (* 11-13)	2	A 535 6425
77/	(Light) 80-90	2	A 535 6425

6 LEAF

74/75	(Heavy) 10-25	2	A 535 2881
75	(Light) 10-25	2	812 5802
79/	(Heavy) 80-90	2	A 535 8940

7 LEAF

76	(Heavy) 80-90 (* 11-12)	2	A 535 4893
76	(Heavy) 80-90 (* 11-13)	2	A 535 6426
77/79	(Heavy) 80-90 (Export)	2	A 535 6426

8 LEAF

74	25 (GVW 5200)	2	A 947 090
74/75	25 (GVW 5600)	2	A 947 091
74/75	26	2	A 947 091

9 LEAF

76	(Super Heavy Duty) 80-90 (Export-* 11-12)	2	A 535 5943
76	(Super Heavy Duty) 80-90 (Export-* 11-13)	2	A 535 6423
77/	(Heavy) 80-90	2	A 535 6423

10 LEAF

74/75	(Heavy) 80	2	812 4808
-------	------------------	---	----------

11.104-2 NO. 2 LEAF, Rear Leaf Spring

74/75	(5 Leaf) 80 (Use B 936 941)	2	936 941 002
76	(7 Leaf-Heavy) 80-90 (* 11-12)	2	B 535 4893
76	(7 Leaf-Heavy) 80-90 (* 11-13)	2	B 535 6426
77/79	(7 Leaf-Heavy) 80-90 (Export)	2	B 535 6426
76	(9 Leaf-Super Heavy Duty) 80-90 (Export-* 11-12)	2	B 535 5943
76	(9 Leaf-Super Heavy Duty) 80-90 (Export-* 11-13)	2	B 535 6423
77/	(9 Leaf-Heavy) 80-90	2	B 535 6423
74/75	(10 Leaf-Heavy) 80	2	B 535 0699

11.106-1 HANGER, Rear Spring Shackle

74/75	(Rear) 10...(Incl. Shaft)	2	937 771
76/	(Rear) 10	2	812 6861
74/75	(Rear) 20...(Incl. Shaft)	2	535 2471
76/	(Rear) 20-40	2	812 6860
74/75	(Rear) 40...(Incl. Shaft)	2	535 2472

11.106-2 SHAFT, Rear Spring Front Hanger

74/75	20-40	2	535 2475
-------	-------------	---	----------

11.107-1 BRACKET, Rear Spring Hanger Pivot

74/75	(Front) 10	2	535 2460
76/	(Front) 10-20	2	812 6850
74/75	(Front) 20	2	535 2470
74/75	(Front) 40	4	991 794
76/	(Left-Front) 40	1	812 6851
76/	(Right-Front) 40	1	812 6852

11.107-2 REINFORCEMENT, Rear Spring Hanger And Shock Mounting

74/75	10	2	928 714
74/75	40	4	991 792

11.132-1 U-BOLT, Rear Spring Clip (Refer To Special Information Page Gr 11 - 1)**11.132-2 ATTACHING PARTS, Rear Spring U-Bolt (Clips) To Axle**

WASHER, Lock	74/	10-20-40... (9/16")	11.088	8	400 4806
WASHER, Lock	74	25... (1/2")		8	535 0644
WASHER, Lock	74	80...	11.170	8	400 4809
WASHER, Lock	75/	80-90...	11.088	8	400 4808
NUT, Hexagon	74/	10-20-40... (9/16"-18 x 39/64")	17.406	8	G9420350
NUT, Hexagon	74	25... (1/2"-20)	17.406	8	G9421085
NUT, Hexagon	74/	80-90...	17.406	8	G9421085

11.136-1 PLATE, Rear Leaf Spring To Axle U-Bolt Tie

74/	10-25-45... (19/32" U-Bolt Holes)	11.088	2	535 2087
74	25... (17/32" U-Bolt Holes)		2	912 615
74/	26-46...		2	535 2091
74/75	(Left) 80		1	992 798
74/75	(Right) 80		1	992 797
76/78	(Left) 80-90		1	535 5760
76/78	(Right) 80-90		1	535 5762
79/	(Left) 80-90		2	535 9007
79/	(Right) 80-90		2	535 9008

11.144-1 BUSHING, Front Spring**FRONT**

74/77	10-20-40... (1-1/2" O. D. -2-3/4" Long)		2	944 871
77/	10-20-40... (1-1/4" O. D. -2-3/4" Long)		2	944 870
74	80... (1-13/16" Long)		2	921 055
74/75	80... (2-3/64" Long)		2	535 2659

REAR

74/77	10-20-40... (1-1/4" O. D. -2-7/8" Long)		2	535 2250
77/	10-20-40... (1-1/2" O. D. -2-7/8" Long)		2	535 5369
79/	10-25-45... (2" O. D. x 2-15/16" Long)		2	535 8985
74/75	80...		2	535 2659
76/	80-90...		2	535 3851

11.144-2 BUSHING, Rear Spring**FRONT**

74/75	10-20-40...		2	535 2249
76/	10-20-40... (1-1/2" O. D. x 2-15/16" Long)		2	535 5369
79/	10-25... (2" O. D. x 2-15/16" Long)		2	535 8985
74/75	80...		2	535 2659
76/	80-90...		2	535 5369

REAR

74/	10-20-40...		2	944 870
74	80... (1-13/16" Long)		2	921 055
74/75	80... (2-3/64" Long)		2	535 2659

11.170-1 SHACKLE, Front Leaf Spring

74/75	10-25...		2	535 2863
76/	10-25-45...		2	535 2863
74/75	26-40...		2	535 2251
76/	26-46...		2	535 2251
74/75	80...	35.215	4	645 964
76/77	80-90...		2	535 3130
78/	80-90...		2	535 7620

11.170

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.170-2 SHACKLE, Rear Leaf Spring

74	10-25 (One-Piece Stampina)		2	535 2864
74	10-25 (Arms Welded To Bushing Retainer)		2	535 2254
75	10-25		2	535 2864
76/	10-25-45		2	535 2863
74/75	26-40		2	535 2254
76/	26-46		2	535 2251
74/75	80	35.215	4	645 964
76/77	80-90	(Use 535 7499)	2	322 3998
78/	80-90		2	535 7499

11.170-3 BUSHING, Leaf Spring Shackle

FRONT SPRING

74/	10-20-40		2	535 2079
74	80... (1-13/16" Long)	35.200	2	921 055
74/75	80... (2-3/64" Long)	11.144	2	535 2659
76/	80-90		8	535 5966

REAR SPRING

74/75	10-20-40		2	944 874
76/	10-20-40		2	535 2079
74	80... (1-13/16" Long)	35.200	2	921 055
74/75	80... (2-3/64" Long)	11.144	2	535 2659
76/	80-90		8	535 5841

11.170-4 SHACKLE PLATE (Front And Rear)

76/77	80-90	(Use 535 7497)	4	322 3997
78/	80-90 (Outer)		4	535 7497

11.170-4a ATTACHING PARTS, Shackle Plate To Plate Pin (Shackle-Front And Rear)

NUT, Lock	76/	80-90	17.406	8	G9416532
-----------	-----	-------	--------	---	----------

11.170-5 ATTACHING PARTS, Front And Rear Leaf Spring Shackle To Bracket Or Hanger

BOLT, Hexagon	74/	10-20-40... (9/16"-12 x 4-1/4")	17.038	4	G9419209
BOLT, Hexagon	74/77	10-20-40... (9/16"-12 x 3-3/4")	17.038	4	G9419141
BOLT, Hexagon	74/75	80... (7/16"-14 x 3-1/4")	17.038	8	G9418966
WASHER, Lock	74/	80-90		4	400 4809
NUT, Lock	74/	10-20-40... (9/16"-12)	10.050	4	400 3979
NUT, Lock	74/76	10-20-40... (5/8"-18)	11.100	4	400 4871
NUT, Lock	74/75	80	10.290	8	400 3975

11.200-1 SHOCK, Front

74	(Light) 10-25-45		2	535 2067
75/	(Light) 10-25-45		2	535 4504
79/	(Light) 15-16-18 (Soft Ride)... (Incl. Attaching Parts)		2	812 9769
74/75	(Heavy) 10-25-45		2	535 2948
76/77	(Heavy) 10-25-45		2	535 5944
78/	(Heavy) 10-25-45... (Incl. Attaching Parts)		2	812 9467
74/75	26		2	535 2948
76/77	26		2	535 5944
74/75	46 (GVW 8000)		2	535 2948
76	46 (GVW 8000)		2	535 5944
77	46 (GVW 8400)		2	535 5944
78	46 (GVW 8400)... (Incl. Attaching Parts)		2	812 9467

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.203

74	(Light) 46 (GVW 6500-7200)	2	535 2067
75/76	(Light) 46 (GVW 6500-7200)	2	535 4504
77/	(Light) 46 (GVW 6800-7600)	2	535 4504
74/75	(Heavy) 46 (GVW 6500-7200)	2	535 2948
76	(Heavy) 46 (GVW 6500-7200)	2	535 5944
77/	(Heavy) 46 (GVW 6800-7600)	2	535 5944
78/	(Heavy) 46 (GVW 8400)	2	535 5944
74	(Light) 80	2	535 1214
75	(Light) 80	2	535 0875
76/	(Light) 80-90	2	535 3216
74	(Heavy) 80 (Ord. 535 0876)	2	535 1215
75	(Heavy) 80	2	535 0876
76/79	(Heavy) 80-90	2	535 5684
80	(Heavy) 80-90	2	536 1745

11.201-1 BRACKET, Front Shock To Frame

74	(Left) 10-20-40	1	535 2069
74	(Right) 10-20-40	1	535 2070
75/77	(Left) 10-20-40... (7/16" Thread Size) (Use 535 8051)	1	535 3619
75/77	(Right) 10-20-40... (7/16" Thread Size) (Use 535 8052)	1	535 3620
77/	(Left) 10-20-40... (1/2" Thread Size)	1	535 8051
77/	(Right) 10-20-40... (1/2" Thread Size)	1	535 8052
74/75	80	11.202	2 805 635
76/	80-90	2	812 6587

11.201-2 ATTACHING PARTS, Front Shock Bracket To Frame

BOLT, Hexagon	74	10-20-40 (Six) ... (3/8"-24 x 3")	17.038	6	G181652
BOLT, Hexagon	75/77	10-20-40 (Six) ... (3/8"-16 x 3/4")	17.038	2	G273773
BOLT, Hexagon	75/77	10-20-40 (Six) ... (3/8"-16 x 3")	17.039	4	G9420577
BOLT, Hexagon	78/	10-20-40 ... (3/8"-16 x 3-1/4")	17.038	4	G9421204
BOLT, Hexagon	74	10-25-40 (V8) ... (3/8"-24 x 3-1/4")	17.038	4	G189329
BOLT, Hexagon	75/	10-20-40 (LHD-V8) ... (3/8"-16 x 1")	17.038	2	G274195
BOLT, Hexagon	75/77	10-20-40 (LHD-V8) ... (3/8"-16 x 3-1/4")	17.038	4	G9421204
SCREW, Hexagon	76/	10-20-40 (Six) ... (3/8"-16 x 1-1/8")		2	400 5665
SCREW, Hexagon	76/	10-20-40 (V8) ... (3/8"-16 x 1-1/4")		2	400 5664
WASHER, Lock	74	10-20-40 ... (13/32")	17.820	6	G120382
WASHER, Plain	74	10-25-40 (V8) ... (13/32")		4	400 1761
NUT, Hexagon	74	10-20-40	17.406	6	G120369
NUT, Lock	75/	10-20-40	10.260	4	400 3909

11.202-1 BUSHING, Front And Rear Shock Absorber Mounting

74/		35.300	8	637 936
-----	--	--------	---	---------

11.203-4 ATTACHING PARTS, Front Shock To Frame (Upper)

WASHER, Plain	74/	10-20-40 ... (21/32" I.D.)	17.814	2	G131016
WASHER, Plain	74/77	(7/16" I.D.)	35.250	2	G120389
WASHER, Plain	77/	(1/2" I.D.)	35.250	2	448 8495
NUT, Lock	74/77	(7/16"-20)	35.250	2	G274655
NUT, Lock	77/	(1/2"-20)	35.250	2	400 4311

11.203-5 ATTACHING PARTS, Front Shock To Axle (Lower)

BOLT, Hexagon	74/	10-20-40 ... (1/2"-20 x 2-1/2")	17.038	2	G181709
WASHER, Plain	74/	80-90		4	448 8495
NUT, Lock	76/	(1/2"-20)	35.250	4	400 4311
NUT, Lock	74/75	80-90 ... (1/2"-20)	35.250	4	G9418370

11.220

FRAMES - ROAD SPRINGS - SHOCKS - REAR SUSPENSION

11.220-1

SHOCK, Rear

74	(Light) 10	2	535 2247
75	(Light) 10	2	535 4505
76/77	(Light) 10-25	2	535 5455
78/	(Light) 10-25	2	535 8249
74	(Heavy) 10	2	535 2949
75	(Heavy) 10	2	535 4111
76/	(Heavy) 10-25	2	535 5456
74/75	(Heavy) 25-45	2	535 2654
74/75	(Light) 25-45	2	535 2653
74/77	26	2	535 2654
76/77	(Light) 45	2	535 2653
78/	(Light) 45	2	535 8249
76/	(Heavy) 45	2	535 2654
74/76	46 (GVW 8000)	2	535 2654
77/	46 (GVW 8400)	2	535 2654
74/76	(Light) 46 (GVW 6500-7200)	2	535 2653
77	(Light) 46 (GVW 6800-7600)	2	535 2653
78/	(Light) 46 (GVW 6800-7600)	2	535 8249
74/76	(Heavy) 46 (GVW 6500-7200)	2	535 2654
77/	(Heavy) 46 (GVW 6800-7600)	2	535 2654
74/75	(Light) 80	2	535 0755
76/	(Light) 80-90	2	535 3217
74/75	(Heavy) 80	2	999 698
76/79	(Heavy) 80-90	2	535 5685
80	(Heavy) 80-90	2	536 1746
76/	(Super Heavy Duty) 80-90 (Export-Used With Super Heavy Duty Springs)	2	535 6433

11.220-2

ATTACHING PARTS, Rear Shock To Axle

BOLT, Hexagon	74/	10-20-40	17.038	2	G181709
NUT, Lock	74/75	(7/16"-20)	35.250	4	G9418370
NUT, Lock	75/	(1/2"-20)	35.250	4	400 4311
WASHER, Plain	74/			4	448 8495

11.220-3

ATTACHING PARTS, Rear Shock To Frame

WASHER, Plain	74/	10-20-40 ... (7/16" I.D.)	35.250	2	G120389
WASHER, Plain	74/75	10-20-40 ... (5/8" I.D.)	17.814	2	G131016
WASHER, Plain	74/75	80	35.250	2	G120389
NUT, Lock	74/	10-20-40	35.250	2	G274655

11.220-4

ATTACHING PARTS, Rear Shock Mounting Pin To Axle

NUT, Lock	74	10	17.416	2	G9418472
-----------	----	----	--------	---	----------

11.224-1

BRACKET, Rear Shock Mounting

75	10... (Incl. Shaft)	2	535 3489
76/	10... (Incl. Shaft)	2	812 6859
74/75	(Left) 20	1	947 053
74/75	(Right) 20	1	947 054
76/	20	2	812 6857
76/	40	2	812 6858
74/75	80	2	800 825
76	80-90 (* 11-14)	2	812 6598
76	80-90 (* 11-15)	2	812 7713
77/	80-90	2	812 7713

11.225-1

SHAFT, Rear Shock Mounting

74/75	40	2	535 2830
-------	----	---	----------

