







FRONT BRAKE . . . 80-90 (LDB)




REAR BRAKE . . . 80–90




FRONT DISC BRAKE . . . 10-25-45




FRONT DISC BRAKE (WITH LOCKING HUB) . . . 26-46



FRONT DISC BRAKE . . . 80-90




BRAKE LINES... 1974/1979 10




J-6213

BRAKE LINES ... 1980 10-20-40

J-4815




BRAKE LINES... 1974/1975 80




BRAKE LINES... 1977/ 80-90 (WDB)

J-6136



BRAKE PEDAL . . . 10-20-40


J-5903



BRAKE PEDAL . . . 80-90


J-4821

J-5682




FOOT OPERATED PARKING BRAKE...1974/1979 10-20-40


J-4964




FOOT OPERATED PARKING BRAKE . . . 80-90



FRONT HUB AND DRUM . . . 10-20-40 (LDB)




FRONT HUB AND DRUM . . . 80-90 (LDB)




REAR DRUM AND BEARINGS . . . 10-25-45, 1974/1975 80

J-5849



J-5854

REAR HUB AND DRUM . . . 26-46



REAR DRUM AND BEARINGS . . . 1976/ 80-90


J-6085





BRAKE MASTER CYLINDER (BENDIX) . . . 1974/1975 80 (LPB)




BRAKE MASTER CYLINDER (BENDIX) . . . 1974/1975 80 (WPB)






J-6151



POWER BRAKE POWER UNIT (BENDIX) . . . 1974/1975 80


(1974/1978)(15 x 6) 535 2164 8.270-1
(1979/)(15 x 6) 535 9101 8.270-1



538 5858 8.274-7


WHEEL (STEEL) ... 10-25-45 (6 BOLT)

(16 x 6½) 535 2776 8.270-1
(16½ x 6) 535 2272 8.270-1
(16½ x 6¾) 535 2639 8.270-1



WHEEL (STEEL) ... 26-46 (8 BOLT)


(16 x 6) 535 3056 8.270-1



535 3313 8.270-2


WHEEL (STEEL) ... 26 (8 BOLT)

(15 x 8) 535 4774 8.270-1




WHEEL (CUSTOM STEEL - 10 SLOTTED)
... 1975/1976 16-17, 1976 25 (6 BOLT)

(WHITE - W/BLACK STRIPE)(15 x 8)
536 1397 8.270-1
(WHITE W/RED STRIPE)(15 x 8)
535 6039 8.270-1
(GOLD)(15 x 8) 535 7715 8.270-1
(CHROME)(15 x 7) 535 7374 8.270-1
(CHROME)(15 x 8) 535 9775 8.270-1




WHEEL (CUSTOM STEEL - 8 SLOTTED)
1977 17-25-45, 1978/ 10-25-45 (6 BOLT)

(15 x 7) 535 2733 8.270-1




WHEEL (FORGED ALUMINUM - 5 SLOTTED)
... 1976/1979 10-25-45 (6 BOLT)

(15 x 7) 535 8744 8.270-1



WHEEL (FORGED ALUMINUM - 10 SLOTTED)
... 1978/ 15 (6 BOLT)

(15 x 7) 535 9797 8.270-1




WHEEL (FORGED ALUMINUM - 12 SLOTTED)
... 1980 10-25-45 (6 BOLT)

J-5983

ROAD WHEELS ... 10-20-40


(15 x 5½) 535 8808 8.270-1
 (*8-9)(15 x 6) 535 3049 8.270-1
 (*8-10)(15 x 6) 535 6164 8.270-1
 (16 x 4½) 640 800 8.270-1



535 5858 8.274-7


WHEEL (STEEL)

(WHITE-W/BLACK STRIPE)
 (15x8) 536 1396 8.270-1
 (WHITE-W/RED STRIPE)
 (15x8) 535 6038 8.270-1
 (GOLD)(15x8) 535 7443 8.270-1
 (CHROME)(15x8) 535 9774 8.270-1



WHEEL (CUSTOM STEEL)

(15 x 7) 535 2817 8.270-1




WHEEL (FORGED ALUMINUM)

J-6166

ROAD WHEELS . . . 80-90


(1974/1979) 535 9619 8.274-1
 (1980) 536 1653 8.274-1



WITH LOCKING FRONT HUBS

400 4994-8.274-8


535 4918 8.274-1



400 4844 8.286-1


HUB CAP (WITH CUSTOM STEEL WHEEL
 -10 SLOTTED) . . . 1975/1976 16-17-25

(CHROME) 535 9618 8.274-1
 (BLACK) 535 9806 8.274-1



WITH LOCKING FRONT HUBS

(1974/1979) 535 2792 8.274-1
 (1980) 536 1652 8.274-1




400 4844 8.286-1

G941 8448 8.274-8

HUB CAP (WITH FORGED
 ALUMINUM WHEEL) . . . 10-25-45

400 4994 8.274-8

G138 479 8.274-8




536 2005 8.274-1

400 5694 8.286-1

HUB CAP (WITH CUSTOM STEEL WHEEL - 8 SLOTTED)
 . . . 1980 83-93 (REAR WHEELS ONLY)

400 4994 8.274-8

G138 479 8.274-8



(CHROME) 535 6482 8.274-1
 (BLACK) 535 9807 8.274-1

400 4844 8.286-1

HUB CAP (WITH CUSTOM STEEL WHEEL - 8 SLOTTED)
 . . . 1977 17-25-45, 1978/10-25-45

J-6167


WHEEL CAPS AND COVERS . . . WITH STYLED WHEELS

535 2672 8.274-1




HUB CAP . . . 10-25-45

535 3826 8.274-1



HUB CAP . . . 26-46


535 2267 8.274-1



535 2268 8.296-2

GREASE AND HUB CAP . . . 10-25-45


948 632 8.274-2



TYPE 1


COVER (WITH LOCKING HUB) . . . 10-25-45-80-90

535 8281 8.274-2



TYPE 2

535 2336 8.274-2



TYPE 1


COVER (LESS LOCKING HUB) . . . 10-25-45-80-90

535 4752 8.272-4




TYPE 2

999 734 8.274-2



COVER (WITH LOCKING HUB) . . . 80-90

999 733 8.274-2



COVER (LESS LOCKING HUB) . . . 80-90

J-5831


WHEEL CAPS AND COVERS . . . LESS STYLED WHEELS

SPECIAL INFORMATION

The Engine Build Code Number, the Vehicle Identification Number and the information provided on the Trim Plate are often necessary when determining the proper replacement parts for your vehicle. For their location refer to the General Information Section found at the front of this catalog.

NOTES

- 8-1 Must be used in pairs. This Drum is a two-piece part. The Exterior Portion is cast directly to the Center Disc.
- 8-2 Must be used in pairs. This Drum is a multipart construction welded into one unit.
- 8-3 On Initial Order of Power Section, order (1) Adapter, Part Number 812 4538.
- 8-4 On Initial Order of Power Section, order (1) Adapter, Part Number 812 4541.
- 8-5 Parking Brake less Mounting Plate for Brake Warning Light Switch Bracket.
- 8-6 Parking Brake with Mounting Plate for Brake Warning Light Switch Bracket.
- 8-7 Hub uses two Wheel Bearings with a 1-5/8" I. D.
- 8-8 Hub uses one Wheel Bearing with a 1-3/4" I. D. and one Wheel Bearing with a 1-5/8" I. D.
- 8-9 Wheel Design Type 1 shown below.
- 8-10 Wheel Design Type 2 shown below.



- 8-11 Drive Flange is bolted to Hub.
- 8-12 Drive Flange is attached with a Snap Ring.
- 8-13 Drive Flange is 1-1/4" thick.
- 8-14 Drive Flange is 7/8" thick.

BRAKES - WHEELS


WHEELS GROUP 8

8-15 Does not have a reinforced plate behind Anchor Pin on outside of Backing Plate.

8-16 Has a reinforced plate behind Anchor Pin on outside of Backing Plate.

8-17 Type 1 below.

8-18 Type 2 below.



8-19 Front Axle Tube outer diameter is 2-3/4".

8-20 Front Axle Tube outer diameter is 2-15/16".

8-21 Used with Caliper Anchor Plate mounted to Steering Knuckle with 6 Bolts.

8-22 Used with Caliper Anchor Plate mounted to Steering Knuckle with 2 Bolts.

8-23 Hole size on Bracket is approximately 11/16" and must be used with Hose 535 6598.

8-24 Hole size on Bracket is approximately 41/64" and must be used with Hose 535 9037.

8-25 Used with 11 x 2 Rear Brakes.

8-26 Used with 10 x 1-3/4 Rear Brakes.

8-27 This Push Rod and Retainer Assembly consists of one (1) each of the following:
Boot, Snap Ring, Washer, Retainer and Push Rod.

8-28 Some E. C. E. countries have a thicker Backing Plate and different composition Lining Material. It is necessary to measure the exact thickness of the Backing Plate of .137" and/or know the Wheel Cylinder size of 7/8" before ordering the correct part.

8-29 This is the Standard 15" x 6" Steel Wheel. It is also used as the Spare Wheel on Styled and/or Aluminum Wheel on most models.

8-30 Used with Differential Housing Cover that is round.

BRAKES - WHEELS

8.004

GROUP NO. — DESCRIPTION — YEAR and MODEL	PAKS CODE	PRIMARY GROUP NO.	PER CAR	PART NO.	CODE
8.001-1 PLATE, Front Brake Support					
74/76 10-25-45.....			2	812 4575	
74/77 (Left) 80-90 (* 8-15)			1	812 1379	
74/77 (Right) 80-90 (* 8-15)			1	812 1380	
77 (Left) 80-90 (* 8-16)			1	812 8493	
77 (Right) 80-90 (* 8-16)			1	812 8494	
78 (Left) 80-90 (Export).....			1	812 8493	
78 (Right) 80-90 (Export).....			1	812 8494	
8.001-2 ATTACHING PARTS, Plate To Steering Knuckle					
NUT, Hexagon..... 74/77			12	994 925	
NUT, Hexagon..... 78 80-90 (Export)			12	994 925	
8.002-1 PLATE, Rear Brake Support					
LEFT					
74 10-25-45..... (Ord. 812 5468, 812 5500)			1	812 4511	
75/76 10-25-45..... (Ref. Pr. List)			1	812 5468	
77/ 10-25-45 (Except E. C. E.)			1	812 7778	
79 10 (E. C. E. - * 8-28).....			1	813 0745	
74/ 26-46.....			1	812 4522	
74/75 80.....			1	812 1381	
76/78 80-90 (* 8-25)			1	812 7063	
78/ 80-90 (* 8-26)			1	448 8453	
RIGHT					
74 10-25-45..... (Ord. 812 5469, 812 5500)			1	812 4512	
75/76 10-25-45.....			1	812 5469	
77/ 10-25-45 (Except E. C. E.)			1	812 7779	
79 10 (E. C. E. - * 8-28).....			1	813 0746	
74/ 26-46.....			1	812 4523	
74/75 80.....			1	812 1382	
76/78 80-90 (* 8-25)			1	812 7062	
78/ 80-90 (* 8-26)			1	448 8452	
8.002-2 ATTACHING PARTS, Plate To Axle Tube					
BOLT, Hexagon..... 74/ 10-25-45...(7/16"-20 x 1-1/8")			8	812 4850	
BOLT, Hexagon..... 74/ 26-46.....	17.038	14	G9419293		
BOLT, Hexagon..... 74/75 80.....		12	994 313		
SCREW, Machine..... 76/ 80-90.....		8	314 3794		
WASHER, Lock..... 76 80-90.....		8	400 3803		
NUT, Hexagon..... 74/75 10-25-45.....		8	812 4851		
NUT, Hexagon..... 76/ 10-25-45.....		8	G9413215		
NUT, Hexagon..... 74/ 26-46.....	17.416	14	G9413215		
NUT, Hexagon..... 74/75 80..... (Use 641 769)		12	909 393		
NUT, Hexagon..... 76/ 80-90.....		8	400 1239		
8.002-3 SHIELD, Rear Brake Drum Splash					
79/ 46.....			2	535 9032	
8.004-1 SHOE SET, Front Brake (Axle Set Of 4 Shoes - Incl. Lining)					
74/76 10-25-45..... 193		1	812 4580		
74/77 80-90 (* 8-15)..... 193		1	994 461		
77 80-90 (* 8-16)		1	812 8498		
78 80-90 (Export)		1	812 8498		
8.004-2 SHOE SET, Rear Brake (Axle Set Of 4 Shoes - Incl. Linings)(Warranty)					
74/75 10-25-45..... 193		1	812 4510		
74/ 26-46..... 193		1	813 0362		
76 10-25-45.....		1	812 6965		
77/ 10-25-45 (Except E. C. E.)		1	812 7782		
79 10 (E. C. E. - * 8-28).....		1	813 0744		
74/75 80..... 193		1	994 461		
76/77 80-90..... (Use 994 461)		1	812 7061		
78 80-90 (* 8-25)....(11" x 2")		1	813 0067		
78/ 80-90 (* 8-26)....(10" x 1-3/4")		1	813 0301		

8.004

BRAKES - WHEELS

8.004-3 HOLD DOWN KIT, Brake Shoe (Incl. Pin, Spring And Clip)					
74/76	(Front And Rear) 10-25-45	199	2	812 4515	
77/	(Rear) 10-25-45		1	812 7784	
74/	(Rear) 26-46	198	1	812 4526	
74/77	(Front And Rear) 80-90		4	937 952	
78/	(Rear) 80-90		2	937 952	
78	(Front And Rear) 80-90 (Export)		4	937 952	
8.005-2 SHOE SET, Rear Brake (Axle Set Of 4 Shoes)(Non-Warranty/Aftermarket)					
77/	10-25-45 (Except E. C. E.)		1	812 7782	
74/77	26-46		1	812 4521	
78/	26-46		1	813 0362	
78/	80-90...(10" x 1-3/4")		1	813 0301	
8.008-1 SPRING, Brake Shoe Return (Upper)					
74/77	80-90		4	937 953	
78	80-90 (* 8-25)		4	937 953	
78/	80-90 (* 8-26)		4	311 2780	
78	80-90 (Export)		4	937 953	
8.008-2 SPRING, Brake Shoe Automatic Adjusting Lever					
74/77	80-90		4	943 136	
78	80-90 (* 8-25)		2	943 136	
78/	80-90 (* 8-26)		2	320 1937	
78	80-90 (Export)		4	943 136	
8.008-4 SPRING, Shoe Hold Down Rear					
78/	80-90 (* 8-26)		2	320 5979	
8.008-6 SPRING, Parking Brake Lever Strut					
74/	80-90 (Use 311 2779)		2	937 967	
8.008-7 PIN, Brake Shoe Hold Down Spring Or Clip Retaining					
74/78	80-90 (* 8-25)		8	920 313	
78/	80-90 (* 8-26)		4	314 3612	
78	80-90 (Export)		8	920 313	
8.008-9 RETAINER, Brake Shoe Hold Down Spring					
78/	80-90 (* 8-26)		8	89 259	
8.008-10 KIT, Brake Spring (Axle Set)					
74/76	(Front And Rear) 10-25-45 (Use 812 7783)	201	2	812 4516	
77/	10-25-45		1	812 7783	
74/	26-46	200	1	812 4527	
8.010-1 CABLE, Brake Shoe Automatic Adjusting Link					
74/77	80-90		4	943 138	
78	80-90 (* 8-25)		2	943 138	
78/	80-90 (* 8-26)		2	320 1027	
78	80-90 (Export)		4	943 138	
8.011-1 GUIDE, Brake Shoe Automatic Adjusting Cable					
74/77	80-90		4	943 139	
78	80-90 (* 8-25)		2	943 139	
78/	80-90 (* 8-26)		2	320 1947	
78	80-90 (Export)		4	943 139	
8.012-1 LEVER, Brake Shoe Automatic Adjusting					
LEFT					
74/77	80-90		2	943 140	
78	80-90 (* 8-25)		1	943 140	
78/	80-90 (* 8-26)		1	320 1029	
78	80-90 (Export)		2	943 140	
RIGHT					
74/77	80-90		2	943 141	
78	80-90 (* 8-25)		1	943 141	
78/	80-90 (* 8-26)		1	320 1030	
78	80-90 (Export)		2	943 141	

8.013-1 ADJUSTER KIT, Brake Automatic

LEFT

74/	10-25-45.....	196		1	812 4513
74/	26-46.....	194		1	812 4524

RIGHT

74/	10-25-45.....	196		1	812 4514
74/	26-46.....	194		1	812 4525

8.014-1 SCREW, Brake Shoe Adjusting

LEFT

74/77	80-90.....		2	943 131
78	80-90 (* 8-25).....		1	943 131
78/	80-90 (* 8-26).....		1	320 1022
78	80-90 (Export).....		2	943 131

RIGHT

74/77	80-90.....		2	943 132
78	80-90 (* 8-25).....		1	943 132
78/	80-90 (* 8-26).....		1	320 1023
78	80-90 (Export).....		2	943 132

8.014-2 SOCKET, Brake Shoe Adjusting Screw

74/77	80-90.....		4	943 135
78	80-90 (* 8-25).....		2	943 135
78/	80-90 (* 8-26).....		2	320 7638
78	80-90 (Export).....		4	943 135

8.014-3 NUT, Brake Shoe Adjusting Screw

LEFT

74/77	80-90.....		2	943 133
78	80-90 (* 8-25).....		1	943 133
78/	80-90 (* 8-26).....		1	320 1917
78	80-90 (Export).....		2	943 133

RIGHT

74/77	80-90.....	(Use 998 351).....	2	943 134
78	80-90 (* 8-25).....	(Use 998 351).....	1	943 134
78/	80-90 (* 8-26).....		1	320 1918
78	80-90 (Export).....	(Use 998 351).....	2	943 134

8.014-4 WASHER, Brake Shoe Adjusting Screw

74/77	80-90.....	(Use 998 354).....	4	943 137
78/	80-90.....		2	998 354
78	80-90 (Export).....	(Use 998 354).....	4	943 137

8.014-5 SCREW KIT, Brake Adjusting Screw

LEFT

74/76	10-25-45.....	195		1	812 4517
77/	10-25-45.....			1	812 7785
74/	26-46.....	197		1	812 4528

RIGHT

74/76	10-25-45.....	195		1	812 4518
77/	10-25-45.....			1	812 7786
74/	26-46.....	197		1	812 4529

8.016-1 LINK, Brake Shoe To Cylinder Operating

FRONT

74/76	10-25-45.....		4	812 4502
74/77	80-90.....	(Use 48 331)	4	920 310
78	80-90 (Export)		4	920 310

REAR

74/76	10-25-45.....		4	812 4505
77	10-25-45.....		4	812 7781
78/	10-20-40.....		4	812 7781
74/77	26-46.....		4	812 4506
74/78	80-90 (* 8-25)		4	920 310
78/	80-90 (* 8-26)		4	48 331

8.022-1 PLATE, Brake Shoe Anchor Pin Guide

74/76	10-25-45.....		4	812 4504
77/	10-25-45.....		2	812 7780
77/	26-46.....		2	812 4504
74/77	80-90.....	(Use 998 355)	4	943 142
78	80-90 (* 8-25)		2	998 355
78/	80-90 (* 8-26)		2	320 1032
78	80-90 (Export)		4	998 355

8.024-1 LEVER, Brake Shoe Parking Brake

LEFT

74/78	80-90 (* 8-25)		1	937 964
78/	80-90 (* 8-26)		1	320 1033

RIGHT

74/78	80-90 (* 8-25)		1	937 965
78/	80-90 (* 8-26)		1	320 1034

8.024-2 STRUT, Brake Shoe Parking Brake

74/78	80-90 (* 8-25)		2	937 966
78/	80-90 (* 8-26)		2	311 2778

8.024-3 RETAINER, Brake Shoe Parking Brake Lever Strut

74/	80-90.....		2	639 936
-----	------------	-------	---	---------

8.024-4 WASHER, Brake Shoe Parking Brake Lever Strut

74/	80-90.....	(Use 310 8203)	2	639 937
-----	------------	----------------------	---	---------

8.024-5 REPAIR KIT, Parking Brake Lever And Strut (Incl. Spring)

LEFT

74/76	10-25-45.....	181	1	812 4519
77/	10-25-45.....		1	812 7787
74/	26-46.....	192	1	812 4530

RIGHT

74/76	10-25-45.....	181	1	812 4520
77/	10-25-45.....		1	812 7788
74/	26-46.....	192	1	812 4531

8.030-1 COVER, Brake Adjusting Hole

74/77	80-90.....		4	920 316
78	80-90 (* 8-25)		2	920 316
78/	80-90 (* 8-26)		4	320 1957
78	80-90 (Export)		4	920 316

8.035-1 CYLINDER ASSEMBLY, Brake Master (LPB)**NOTE: For Master Cylinder With Power Brake, Refer To Group 8.510**

74/76	10-25-45.....	1	812 4366
74/75	80 (LHD).....	1	812 4438
74/75	80 (RHD)..... (Use 812 4171)	1	812 4859
76	80-90.....	1	812 6886
77/78	80-90 (LDB).....	1	812 7792
77/78	80-90 (WDB-* 8-25).....	1	812 7820
78	80-90 (LDB-Export).....	1	812 7792
78/79	80-90 (* 8-26)..... (Use 535 9552)	1	535 8745
80	80-90.....	1	535 9552

8.035-2 ATTACHING PARTS, Master Cylinder To Dash

BOLT, Hexagon.....	74/76 10-25-45.....	17.038	2	G187069
BOLT, Hexagon.....	74/ 80-90.....	17.038	2	G180125
SPACER.....	74/76 10-25-45.....		1	535 2590
NUT, Hexagon.....	77/ 80-90.....	10.260	2	400 3909

8.038-1 COVER, Brake Master Cylinder Filler (LPB)

74/76	10-25-45.....	1	812 4534
74/75	80.....	1	448 8293
76/77	80-90 (LDB).....	1	812 6958
77/	80-90 (WDB).....	1	812 8259
78	80-90 (LDB-Export).....	1	812 6958

8.038-2 GASKET, Brake Master Cylinder Filler Cover (LPB)

74/75	80.....	1	448 8291
77/	80-90 (WDB).....	1	812 8260

8.038-5 RETAINER, Brake Master Cylinder Cover (Bail Wire)(LPB)

74/76	10-25-45.....	1	812 4537
74/75	80.....	1	448 8292
76/77	80-90 (LDB).....	1	812 4537
77/	80-90 (WDB).....	1	812 8261
78	80-90 (LDB-Export).....	1	812 4537

8.042-1 SPRING, Master Cylinder Check Valve (LPB)

74/75	80.....	2	939 607
-------	---------	---	---------

8.044-1 PISTON, Master Cylinder Secondary (LPB)

74/76	10-25-45.....		1	812 4535
74/75	80.....	8.515	1	943 070
76	80-90.....		1	812 4535
77	80-90 (LDB).....		1	812 7794
77/78	80-90 (WDB).....		1	812 8262
78/	80-90.....		1	813 0063
78	80-90 (LDB-Export).....		1	812 7794

8.046-1 RETAINER, Master Cylinder Push Rod Retention (LPB)

74/75	80.....	8.054	1	812 2941
-------	---------	-------	---	----------

8.046-2 SPRING, Brake Master Cylinder Secondary Piston Return (Incl. Retainer)(LPB)

74/75	10-25-45.....	1	812 4533
-------	---------------	---	----------

8.046-2a SPRING, Brake Master Cylinder Secondary Piston Return (LPB)

74/75	80.....	1	939 610
77/	80-90 (WDB).....	1	812 8263

8.046-3 RETAINER, Brake Master Cylinder Piston Cup (LPB)

74/75	80..... (Use 320 5110)	1	939 608
77/78	80-90 (WDB).....	1	812 0020
78/	80-90.....	1	813 0062

8.046

BRAKES - WHEELS

8.046-4 WASHER, Master Cylinder Push Rod Retention (LPB)				
74/75	80	8.054	1	812 2939
8.046-4a PROTECTOR, Brake Master Cylinder Piston Cup				
77/78	80-90 (WDB)		1	812 1355
8.046-5 SNAP RING, Master Cylinder Push Rod (LPB)				
74/75	80	8.054	1	939 603
8.048-1 REPAIR KIT, Brake Master Cylinder (LPB)				
74/76	10-25-45	237	1	812 4532
74/75	80	85	1	812 4849
74/75	80 (RHD)	98	1	812 5032
76	80-90	164	1	812 6957
77	80-90 (LDB)	164	1	812 7772
77/78	80-90 (WDB-* 8-25)	239	1	812 8264
78	80-90 (LDB-Export)		1	812 7772
78/79	80-90 (* 8-26)	(Use 813 0379)	1	813 0061
80	80-90		1	813 2592
8.050-1 BOLT, Brake Master Cylinder Piston Stop (LPB)				
74/75	10-25-45		1	812 4536
74/75	80		1	448 5454
8.050-2 "O" RING, Brake Master Cylinder Piston Stop (LPB)				
74/75	80		1	448 5453
8.052-1 BOOT, Brake Master Cylinder (LPB)				
74/75	80		1	934 349
77/	80-90 (WDB)		1	812 5961
8.054-1 LINK, Brake Master Cylinder (Push Rod)(LPB)				
74/76	10-25-45		1	812 4576
74/75	80		1	812 3003
76/77	80-90 (LDB)		1	812 6959
77/78	80-90 (WDB-* 8-25)		1	812 7819
78	80-90 (LDB-Export)		1	812 6959
78/79	80-90 (* 8-26)	(Use 813 0380-* 8-27)	1	813 0065
80	80-90		1	813 2593
8.054-1a RETAINER, Brake Master Cylinder Push Rod (LBP)				
77/78	80-90 (WDB)		1	812 9287
8.054-2 ATTACHING PARTS, Master Cylinder Link To Brake Pedal (LDB)				
BUSHING	74/75 80	8.156	1	321 5922
SPACER	74/75 80	8.156	1	321 5924
PIN, Cotter	74/	17.460	1	G121224
PIN, Cotter	74/75 80	3.200	1	G121222
WASHER, Plain	74 10-25-45	17.814	1	G120396
WASHER, Plain	76/ 10-25-45-80-90	17.814	1	G120396
WASHER, Plain	74/75 26-46	17.814	1	G120395
WASHER, Wave	75/76 10-25-45		1	400 4616
WASHER, Wave	75 26-46	12.060	1	958 629
WASHER, Wave	76/ 80-90		1	400 4616
WASHER, Special	74/75	17.814	1	G121458
WASHER, Special	74/75 80 (RHD)		1	930 401
8.068-1 CYLINDER ASSEMBLY, Brake Wheel Front				
LEFT				
74/76	10-25-45... (1-1/8" I.D.)	186	1	812 4557
74/77	80-90... (1-1/8" I.D.)	186	1	812 4795
78	80-90 (Export)		1	812 4795
RIGHT				
74/76	10-25-45... (1-1/8" I.D.)	186	1	812 4558
74/77	80-90... (1-1/8" I.D.)	186	1	812 4794
78	80-90 (Export)		1	812 4794

8.068-2 CYLINDER ASSEMBLY, Brake Wheel Rear			
74/78	10-25-45...(15/16" I. D.)	(Use 812 9723)	2 812 4565
79/	10-25-45 (Except E. C. E.)		2 812 9723
79	10 (E. C. E. - * 8-28)		2 813 0747
78	46		2 812 8855
79/	46		2 812 9724
74/75	(Left) 26-46...(1-1/8" I. D.)		1 812 4563
74/75	(Right) 26-46...(1-1/8" I. D.)		1 812 4564
76/77	(Left) 26-46...(1" I. D.)		1 812 6963
76/77	(Right) 26-46...(1" I. D.)		1 812 6962
74/75	(Left) 80...(15/16" I. D.)	USE 812 6740	1 812 4798
74/75	(Right) 80...(15/16" I. D.)	USE 812 6775	1 812 4799
76/	(Left) 80-90...(7/8" I. D.)		1 322 5197
76/	(Right) 80-90...(7/8" I. D.)		1 322 5196
8.068-3 ATTACHING PARTS, Cylinder To Plate			
SCREW	74/		8 920 307
SCREW	78/	80-90 (* 8-26)	4 448 6551
8.068-4 INSERT, Brake Tube Fitting To Wheel Cylinder			
74/75	(Rear) 10-25-45		2 812 4567
8.078-1 PISTON SET, Front Brake Wheel Cylinder			
74/75	10-25-45		2 812 4561
74/77	80-90		2 947 227
78	80-90 (Export)		2 947 227
8.078-2 PISTON SET, Rear Brake Wheel Cylinder			
74/75	10-25-45		2 812 4569
74/75	26-46		2 812 4561
74/75	80	(Use 311 8524)	4 318 2164
76/77	80-90	(Use 812 7975)	2 322 4350
78	80-90 (* 8-25)		2 812 7975
78/	80-90 (* 8-26) (Set Of 2)		2 812 8266
8.080-1 REPAIR KIT, Front Brake Wheel Cylinder			
74/76	10-25-45...(1-1/8" I. D.)	187	2 812 4559
74/77	80-90...(1-1/8" I. D.)	187	2 812 4800
78	80-90 (Export)		2 812 4800
8.080-2 REPAIR KIT, Rear Brake Wheel Cylinder			
74/	10-25-45...(15/16" I. D.)	187	2 812 4566
74/75	26-46...(1-1/8" I. D.)	187	2 812 4559
76/77	26-46...(1" I. D.)		2 812 6964
78/	46		2 812 8856
74/75	80...(15/16" I. D.)	187	2 812 4793
76/78	80-90 (* 8-25) (7/8" I. D.)		2 812 5878
78/	80-90 (* 8-26) (13/16")		2 812 7591
8.086-1 SPRING, Front Brake Wheel Cylinder Piston Return			
74/75	10-25-45		2 812 4562
74/77	80-90		2 311 8521
78	80-90 (Export)		2 311 8521
8.086-2 SPRING, Rear Brake Wheel Cylinder Piston Return			
74/75	10-25-45		2 812 4570
74/75	26-46		2 812 4562
74/75	80		2 311 8518
76/78	80-90 (* 8-25)		2 812 5867
78/	80-90 (* 8-26)		2 812 7590

8.088-1 SCREW, Brake Wheel Cylinder Bleeder**FRONT**

74/76	10-20-40 (LDB).....	2	812 4560
74/77	80-90.....	2	643 841
78	80-90 (Export).....	2	643 841

REAR

74/78	10-25-45.....	2	812 4568
79/	10-20-40.....	2	812 9725
74/78	26-46.....	2	812 4560
74/75	80.....	2	920 463
76/	80-90.....	2	320 3313

8.100-1 TUBE, Brake Master Cylinder Front To Valve**LDB**

76	10.....	1	535 5852
74/75	10 (LHD).....	1	535 2182
74/75	10 (RHD).....	1	535 2181
76	25-45.....	1	535 5853
74/75	25-45 (LHD).....	1	535 2198
74	25-45 (RHD).....	1	535 2199
74/75	80 (WPB).....	1	535 2435
74/75	80 (LHD-LPB).....	1	535 2430
74/75	80 (RHD-LPB).....	1	535 3301
76	80-90 (WPB).....	1	535 5612
76/77	80-90 (LHD-LPB).....	1	535 5610
76/77	80-90 (RHD-LPB).....	1	535 4734
80	80-90 (LPB).....	1	536 0921

WDB

74/75	10 (WPB).....	1	535 2226
76/	10 (WPB).....	1	535 5473
74/75	20-40 (LHD-WPB).....	1	535 2224
74/75	26-46 (RHD-WMT-WPB).....	1	535 2256
76/	20-40 (WPB).....	1	535 5471
77/	80-90 (WPB).....	1	535 6584
77/	80-90 (LHD-LPB).....	1	535 6583
77/78	80-90 (RHD-LPB).....	1	535 6630
78/79	80-90 (RHD-Master Cylinder).....	1	535 9266
78/79	80-90 (RHD-To Proportioning Valve-Left).....	1	535 9102

8.100-2 TUBE, Brake Master Cylinder Rear To Valve**LDB**

74/75	10 (LHD).....	1	535 2183
76	10.....	1	535 5850
74/75	10 (RHD).....	1	535 2180
74/75	25-45 (LHD).....	1	535 2200
76	25-45.....	1	535 5851
74	25-45 (RHD).....	1	535 2201
74/75	80 (WPB).....	1	535 2436
74/75	80 (LHD-LPB).....	1	535 2431
74/75	80 (RHD-LPB).....	1	535 3302
76	80-90 (WPB).....	1	535 5613
76/77	80-90 (LHD-LPB).....	1	535 5611
76	80-90 (RHD-LPB).....	1	535 4735
77	80-90 (RHD-LPB).....	1	535 6631
80	80-90 (LPB).....	1	536 0922

BRAKES - WHEELS

8.100

WDB				
74/75	10 (WPB).....	1	535	2225
76/	10 (WPB).....	1	535	5472
74/75	10-40 (LHD-WPB).....	1	535	2223
76/	20-40 (LHD-WPB).....	1	535	5470
74/75	26-46 (RHD-WMT-WPB).....	1	535	2255
77/	80-90 (WPB).....	1	535	6582
77/	80-90 (LHD-LPB).....	1	535	6585
77/78	80-90 (RHD-LPB).....	1	535	6631
78/79	80-90 (RHD-Master Cylinder).....	1	535	9267
78/79	80-90 (RHD-To Proportioning Valve).....	1	535	9088
8.100-4	TUBE, Valve Or Tee To Rear Brake Hose			
74/75	83 (RHD).....	1	535	3306
74/75	84 (RHD).....	1	535	3307
8.100-4a	UNION, Master Cylinder Front Tube To Proportioning Valve			
78/79	(Front) 80-90 (RHD).....	17.	1	G442393 NA
78/79	(Rear) 80-90 (RHD).....	17.796	1	G442394
8.100-5	TUBE, Union To Rear Axle Tee Flex Line			
74	10..... (Use 535 2189)	1	535	2188
74/75	20.....	1	535	2205
74/75	40.....	1	535	2219
8.100-5a	UNION, Brake Tube Side Rail To Rear Tube			
74	(3/16" Dia.).....	17.792	1	G442335
74/75	(1-1/4" Dia.).....	17.796	1	G442394
8.100-6	TUBE, Brake Master Cylinder To Warning Valve			
74	(Front) 80 (WBWV).....	1	535	1322
74	(Rear) 80 (WBWV).....	1	535	1323
8.100-7	TUBE, Brake Warning Valve To Front Tee			
74	80 (WBWV).....	1	535	1901
8.100-11	TUBE, Valve To Rear Axle Tee Flex Line			
76/78	10.....	1	535	5075
79	10.....	1	535	9354
80	10.....	1	536	0936
76/79	20.....	1	535	5070
80	25.....	1	536	1976
76/79	40.....	1	535	5069
80	40.....	1	536	1975
74	83 (LPB).....	1	535	2432
74	83 (WBWV).....	1	535	1903
75	83.....	1	535	4507
76	83..... (Use 535 6609)	1	535	3229
77	83 (LDB-LPB).....	1	535	6609
77/	83 (WDB).....	1	535	6632
78	83 (LDB-Export).....	1	535	6609
74	84 (LPB).....	1	535	2433
74	84 (WBWV).....	1	535	1904
75	84.....	1	535	4508
76	84.....	1	535	3231
77	84 (LDB-LPB).....	1	535	6610
77/	84 (WDB).....	1	535	6633
78	84 (LDB-Export).....	1	535	6610
76	90..... (Use 535 6611)	1	535	4738
77	90 (LDB-LPB).....	1	535	6611
77/	90 (WDB).....	1	535	6634
78	93 (LDB-Export).....	1	535	6611

8.101-1 CLIP, Brake Tube

BRAKE TUBE FRONT MASTER CYLINDER TO REAR TUBE

74/75	RHD	2	400 4900
-------	-----------	---	----------

BRAKE TUBE TO FRONT CROSSMEMBER

74	10-25-45-80	17.130	2	G127753
75	10-20-40		2	400 4931
76/	10-20-40	17.130	2	G427026
74	26-46	17.130	2	G432666
75/	80-90	17.130	2	G127753

BRAKE TUBE TO CENTER CROSSMEMBER

74	80	17.130	2	G432666
75	80		2	400 4931
76/	80-90	17.134	1	G120522

BRAKE TUBE TO INTERMEDIATE CROSSMEMBER

74/75	10		1	929 491
74	25-45	17.130	3	G145411
75	20-40		AR	400 4939
76/79	10-20-40...(Closed #4)	17.134	1	G125912
80	10...(Closed #4)	17.134	1	G125912
80	20-40...(Closed #6)	17.134	1	G127879

BRAKE TUBE TO REAR AXLE COVER BOLT

74/75		17.134	1	G179148
76/	25-45-80-90	3.215	1	G192107
76/	26-46	17.134	1	G179148

BRAKE TUBE TO SPRING SEAT

76/	80-90	3.215	2	G192107
-----	-------------	-------	---	---------

FRONT BRAKE TUBE FUEL RETURN LINE TO SIDE RAIL

77/	80-90	4.116	1	400 4901
-----	-------------	-------	---	----------

BRAKE TUBE TO SIDE RAIL

74/75	10	17.130	2	G127753
76/	10		2	400 4942
74	25-45	17.130	3	G432667
74	26-46	17.130	4	G432666
75	46	17.130	2	G127753
74/75	(Left) 80	23.028	2	400 0021
74/75	(Right) 80	17.134	2	G120522
79/	(Left) 80-90	17.134	1	G120522

BRAKE TUBE TO AXLE TUBE LEFT

74/75	10		AR	914 990
75/	20-40	17.134	1	G120522
74/	80-90	17.134	AR	G120522

BRAKE TUBE TO AXLE TUBE RIGHT

74/	10		AR	914 990
76/	80-90	17.134	1	G120522

BRAKE TUBE TO SIDE RAIL REAR

74	10-80	17.130	AR	G432666
75	10-20-40		AR	400 4942
76/	20-40		1	400 4901
75	80		AR	400 4931

BRAKE TUBE MASTER CYLINDER REAR TO VALVE

74/75	RHD	17.134	2	G120523
-------	-----------	--------	---	---------

BRAKE TUBE MASTER CYLINDER TO VALVE FRONT TO REAR TUBE

76	80-90 (RHD)		2	316 8875
----	-------------------	-------	---	----------

BRAKE TUBE MASTER CYLINDER TO VALVE REAR

76/79	80-90 (RHD)		2	400 4928
-------	-------------	-------	---	----------

BRAKE TUBE TO HYDRAULIC CLUTCH LINE

77/79	80-90 (RHD)		1	800 743
-------	-------------	-------	---	---------

REAR TUBE ASSEMBLY TO BRACKET

77/79	80-90 (RHD-LPB)		17.134	1	G120521
-------	-----------------	-------	--------	---	---------

8.101-2 ATTACHING PARTS. Brake Tube Clip To Rear Axle

SCREW, Hexagon	76/	(Spring Seat) 80-90... (1/4"-20 x 1")		2	400 5691
SCREW, Machine	74/75	RHD		2	G188749
SCREW, Tappina	74	(Right Axle Tube) 10		17.670	1 G9416612
SCREW, Tappina	74/75	(Left Axle Tube) 10-20-40 (LQT)		17.670	AR G9416612
SCREW, Tappina	74/75	10-20-40 (WQT)		17.670	3 G9416612
SCREW, Tappina	76/	(Rear Axle) 10-20-40		AR	400 4077
		... (1/4" x 20 x 5/8")		1	400 5063
SCREW, Tappina	76/	(Intermediate Crossmember) 10-20-40		10.350	2 400 5063
SCREW, Tappina	76/	(Front Crossmember) 10-20-40		10.350	1 400 5063
SCREW, Tappina	76/	(Right Rear Frame) 20-40		17.670	1 G9416612
SCREW, Tappina	74/75	(Left Axle Tube) 80		17.672	2 G172427
SCREW, Tappina	74/75	(Right Axle Tube) 80		1	400 4077
SCREW, Tappina	76/	(Right Axle Tube) 80-90		17.673	2 G9426241
SCREW, Tappina	76	(Spring Seat) 80-90... (1/4"-14 x 1/2")		1	400 4077
SCREW, Tappina	76/	(Center Crossmember) 80-90		1	400 4077
		... (1/4" x 20 x 5/8")		1	400 4077
SCREW, Tappina	77/	(Side Rail) 80-90... (1/4" x 20 x 5/8")		17.660	1 G9416843
SCREW, Tappina	77/79	80-90 (RHD-LPB)		29.052	1 974 764
SCREW AND WASHER	79	(Left Side Rail) 80-90... (10-16 x 1/2")		28.501	1 979 877
SPACER	74	(Left Axle Tube) 10			

8.101-3 LOOM. Brake Tube Master Cylinder To Valve

76/	80-90		8.515	2	A 17 445
-----	-------	-------	-------	---	----------

8.101-4 BRACKET. Brake Tube Assembly To Dash Panel

77/79	80-90 (RHD)		1	535 6635
-------	-------------	-------	---	----------

8.101-5 ATTACHING PARTS. Bracket To Dash Panel

SCREW, Tapping	77/79	80-90 (RHD)		17.660	1 G9416843
----------------	-------	-------------	-------	--------	------------

8.101-6 BRACKET. Master Cylinder Brake Tube To Frame Mounting

77/	80-90 (WDB)		1	535 6586
-----	-------------	-------	---	----------

8.101-7 CLIP. Brake Tubes To Frame Mounting Bracket

77/	80-90 (WDB)...	(3/8"-Closed)		17.134	1 G127879
-----	----------------	---------------	-------	--------	-----------

8.101-7a CLIP. Front Master Cylinder Bracket Tube To Bracket

77/	80-90...	(5/16"-Closed)		3.215	AR G192107
-----	----------	----------------	-------	-------	------------

8.101-8 ATTACHING PARTS. Brake Tubes To Frame Mounting Bracket

SCREW, Hexagon	77/	80-90 (WDB)...	(1/4"-20 x 3/4")		2 400 4081
----------------	-----	----------------	------------------	-------	------------

8.104-1 VALVE. Brake Warning And Proportioning Valve Assembly (For 1979-1980 Usage. Refer To Group 8.118-1)

74/75	80 (LHD)		1	535 2422
74/75	80 (RHD)		1	535 3308
76/77	80-90 (LDB)		1	535 5378
78	80-90 (Export)		1	535 5378

8.104-2 ATTACHING PARTS. Valve To Frame

SCREW, Tappina	74/	80-90... (1/4"-20 x 1/2")		17.672	2 G172427
SCREW, Tappina	76/	80-90... (1/4"-20 x 5/8")		1	400 4077

8.106-1 TUBE, Valve To Front Brake Hose

LEFT

74/75	10-25-45 (LDB).....	1	535 2685
76	10-25-45 (LDB).....	1	535 5847
74/	10-20-40 (WDB).....	1	535 2184
74/75	80 (LHD).....	1	535 2427
74/75	80 (RHD).....	1	535 3304
76	80-90 (LHD-LDB).....	1	535 5467
77	80-90 (LDB).....	1	535 7163
77/79	80-90 (WDB).....	1	535 7161
78	80-90 (Export-LDB).....	1	535 7163
80	80-90.....	1	536 1581

RIGHT

74/75	10-25-45 (LDB).....	1	535 2686
76	10-25-45 (LDB).....	1	535 5848
74/75	10-20-40 (WDB-WPB).....	1	535 2185
76/	10-20-40 (WDB).....	1	535 5441
74/75	80 (RHD).....	1	535 3305
74/75	80 (LHD).....	1	535 2429
76	80-90 (LHD-LDB).....	1	535 5466
77	80-90 (LDB).....	1	535 7164
77	80-90 (WDB).....	1	535 7162
78	80-90 (Export-LDB).....	1	535 7164
78/79	80-90.....	1	535 7993
80	80-90.....	1	536 1580

8.106-2 CLIP, Brake Tube Left And Right At Master Cylinder

74	20-40 (360)(401).....	23.028	1	400 0021
74	80.....	23.028	1	400 0021
76	80-90.....	23.028	1	400 0021

8.106-3 ATTACHING PARTS, Front Brake Tube To Frame

SCREW, Machine.....	74/75	46 (RHD).....	17.598	2	G188749
SCREW, Tappina.....	74/75	10-20-40.....	17.672	1	G172455
SCREW, Tappina.....	76/	10-20-40.....		1	400 5063
SCREW, Tappina.....	76/	80-90.....		1	400 4077
CLIP.....	74/	10-20-40.....	4.116	1	400 4901
CLIP.....	76/	80-90.....	4.116	1	400 4901
CLIP, Closed.....	74/75	46 (RHD).....	17.134	2	G120520

8.106-4 CLIP, Brake Tube To Clutch Boot

76/	80-90.....		1	400 5650
-----	------------	-------	---	----------

8.110-3 TUBE, Valve To Union

74	10 (WHT-LQT).....	(Use 535 2189)		1	535 2187
74/75	10 (WHT-WQT).....		8.100	1	535 2189
74/75	20-40.....			1	535 2202

8.112-1 BRACKET, Rear Brake Tube Tee At Axle Differential Cover

74	10.....		1	935 925
----	---------	-------	---	---------

8.116-1 HOSE, Brake Tube (Front Axle)(For WDB Refer To Group 8.855-1)

74/76	10.....		2	535 2186
74/76	25-45.....		2	535 2204
74/75	26-46.....		2	535 2689
74/75	80.....	(Use 535 6054)	2	535 2825
76/77	80-90 (LDB).....		2	535 6054
78	80-90 (Export-LDB).....		1	535 6054

BRAKES - WHEELS

8.118

8.116-1a HOSE, Brake Tube (Rear Axle Tee And Flex Line)

74/75	10.....	1	535	2699
76/	10-20.....	1	535	5076
74/75	20.....	1	535	2701
74/75	40.....	1	535	2700
76/	40.....	1	535	5073
74/75	80-90.....	1	535	2824
76/78	80-90.....	1	535	5859
79/	80-90.....	1	535	9570

8.116-1b ATTACHING PARTS, Rear Brake Hose To Frame

SCREW, Hexagon Washer	79/	(1/4"-20 x 1")	1	400	5691
-----------------------	-----	----------------	---	-----	------

8.116-2 GASKET, Brake Tube Hose (Front Axle)

74/75	10-25-45.....	8.855	2	400	4838
76/78	10-20-40.....	8.855	2	400	4838
74/77	80-90.....		2	637	426
78	80-90 (Export).....		2	637	426

8.116-3 CLIP, Brake Tube Fastening

74/		AR		637	427
-----	-------	----	--	-----	-----

8.116-4 BRACKET, Front Brake Hose

LEFT

74/75	10 (LPB).....	1	535	2691
74/75	10 (WDB-WPB).....	1	535	3415
76	10 (LDB).....	1	535	6745
77/	10 (WDB).....	1	535	3415
74/76	25-45 (LPB).....	1	535	2691
74/77	25-45 (WPB).....	1	535	3415
78/	25-40.....	1	535	3415
74/75	26-46.....	1	535	3415
77	26-46 (WDB).....	1	535	3415
74/78	80-90 (* 8-23).....	1	535	3416
78/	80-90 (* 8-24).....	1	535	9038

RIGHT

74/75	10 (LPB).....	1	535	2692
74/75	10 (WDB-WPB).....	1	535	3415
76	10 (LDB).....	1	535	6746
77/	10 (WDB).....	1	535	3415
74/76	25-45 (LPB).....	1	535	2692
74/77	25-45 (WPB).....	1	535	3415
78/	25-40.....	1	535	3415
74/75	26-46.....	1	535	3415
77	26-46 (WDB).....	1	535	3415
74/78	80-90 (* 8-23).....	1	535	3416
78/	80-90 (* 8-24).....	1	535	9038

8.116-5 BRACKET, Brake Line Hose Support (Right Side Rail)

74/75	20.....	1	992	438
-------	---------	---	-----	-----

8.116-6 ATTACHING PARTS, Brake Hose Bracket To Shock Bracket

SCREW, Tapping.....	74/75	15-45-80.....	17.672	4	G172455
SCREW, Tapping.....	76/77	(5/16"-18 x 3/4").....	17.672	4	G172455
SCREW, Tapping.....	76/	(5/16"-18 x 5/8").....	10.350	4	400 5063

8.118-1 VALVE, Combination (Differential And Proportioning)

74/76	10-20-45 (LDB).....	1	812	4437
74/77	10-20-40 (WDB).....	1	812	4377
78	10-20-40.....	1	812	8853
79/	10-20-40.....	1	535	7087
77/78	80-90 (WDB).....	1	535	6622
79/	80-90 (Except E. C. E.).....	1	535	9220
79	80-90 (E. C. E. - * 8-28).....	1	536	1325

8.118-2	ATTACHING PARTS, Valve To Frame				
	BOLT, Hexagon	74	10-20-40... (5/8" Lona)	17.038	1 G181593
	BOLT, Hexagon	74/75	10-20-40... (1-7/8" Lona)	17.038	2 G181619
	SCREW, Hexagon	76/	10-20-40... (2-1/4" Lona)		2 400 5666
	SCREW, Hexagon	77/	80-90... (1/4"-20 x 1-1/2")		2 400 5801
	SCREW, Hexagon	80	80-90 (Washer Head-Used With Nutsert)		
			... (1/4"-20 x 1-3/4")		2 400 6830
	NUTSERT	80	80-90	4.132	2 981 816
	WASHER, Lock	74/	10-20-40	17.820	1 G120214

8.122-2	ATTACHING PARTS, Tee To Axle				
	BOLT, Hexagon	74/75	10 (WQT)	17.670	1 G9426247
	BOLT, Hexagon	74	10 (LQT)	17.630	1 G453007
	BOLT, Hexagon	76	10-20-40	17.670	1 G9426247
	BOLT, Hexagon	75	20-40	17.670	1 G9426247
	BOLT, Hexagon	74	25-45	17.646	1 G9409109
	BOLT, Hexagon	74/	80-90... (1/4"-14 x 1")	17.670	1 G9426247
	SCREW, Hexagon	76/	(1/4"-20 x 1")		1 400 5691

8.122-3	ATTACHING PARTS, Tee To Subrail				
	BOLT, Hexagon	74/75	26-46	17.038	2 G181619

8.126-1	TUBE, Left Rear Brake				
	76/79	10 (Except 17)			1 535 2192
	74/75	14-15 (LQT)			1 535 2192
	74/75	WQT	(Use 535 2192)		1 535 2193
	74	16-17 (LQT)			1 535 2192
	74	16-17 (WQT)	(Use 535 2192)		1 535 2193
	75	16-17			1 535 4812
	76/79	16-17 (Cherokee Chief)			1 535 4812
	74/75	25-45			1 535 2206
	76/79	25-45			1 535 5474
	74/75	26-46			1 535 2207
	76/77	26-46			1 535 5476
	78/79	46			1 535 8047
	74/75	80		8.100	1 535 0717
	76/78	80-90 (LQT)			1 535 5750
	78/79	80-90 (WMT)			1 535 8623
	80	80-90			1 535 8623
	76/78	90 (WQT)			1 535 5751
	78/79	90 (WHT)			1 535 8621

8.126-1a	TUBE ASSEMBLY, Brake Axle Tee To Left Rear Wheel Cylinder				
	80	15-16-18			1 536 0183
	80	17			1 536 0184
	80	25-45			1 536 0933
	80	46			1 536 0934

8.126-2	TUBE, Right Rear Brake				
	74/78	10 (LQT)			1 535 2190
	74/75	10 (WQT)			1 535 2191
	76/78	10 (WQT)			1 535 5484
	79	10 (WMT)			1 535 2190
	79	10 (WHT-Except 17)			1 535 5484
	79	17 (WHT)			1 535 2190
	74/75	25-45			1 535 2209
	76/79	25-45			1 535 5976
	74/75	26-46			1 535 2208
	76/77	26-46			1 535 5479
	78/79	46			1 535 8048
	74/75	80		8.100	1 535 0716
	76/78	80-90 (LQT)			1 535 5752
	78/79	80-90 (WMT)			1 535 8624
	80	80-90			1 535 8624
	76/78	90 (WQT)			1 535 5753
	78/79	90 (WHT)			1 535 8622

8.126-2a TUBE ASSEMBLY, Brake Axle To Right Rear Wheel Cylinder			
80	15-16-18.....	1	536 0153
80	17.....	1	536 0175
80	25-45.....	1	536 0141
80	46.....	1	536 0935
8.140-1 PEDAL, Brake			
74	10 (RHD-Six-LPB)..... (Use 535 4872)	8.164	1 535 3358
75	10 (RHD-Six-LPB).....	1	535 4872
74	10-20-40 (WMT-WDB-WPB)..... (Use 535 4873)	1	535 2614
74	10-20-40 (WHT-WDB-WPB).....	1	535 2618
75/76	10-20-40 (WMT-WDB-WPB).....	1	535 4873
77	10-20-40 (WMT-* 8-17).....	1	535 4873
77/	10-20-40 (WMT-* 8-18).....	1	535 7470
74	10-25-45 (LHD-LPB).....	1	535 2611
75/76	10-25-45 (LPB).....	1	535 4871
75/76	10-25-40 (WHT-WDB-WPB).....	1	535 4875
77	10-20-40 (WHT-* 8-17).....	1	535 4875
77/	10-20-40 (WHT-* 8-18).....	1	535 7471
74	26-46 (RHD)..... (Use 535 4874)	1	535 3391
75	26-46 (RHD).....	1	535 4874
74/75	80 (LPB).....	1	535 1138
74/75	80 (WPB).....	1	535 1139
74/75	80 (RHD).....	1	999 679
76	80-90 (LPB).....	1	535 5301
76/	80-90 (WMT-WPB).....	1	535 5302
77/	80-90 (WMT-LPB).....	1	535 5301
76/79	80-90 (RHD-WMT).....	1	535 5814
76/	90 (WHT-WPB).....	1	535 5303
77/	90 (WHT-LPB).....	1	535 7370
77/79	90 (RHD-WHT).....	1	535 6595
8.140-2 BEARING, Brake Pedal			
74/		2	946 177
8.140-3 SPRING, Brake Pedal Return			
74/	10-20-40 (LHD).....	1	535 1050
74/75	10-20-40 (RHD).....	1	941 529
74/75	80.....	1	941 529
76/	80-90.....	1	535 1050
8.140-6 BUMPER, Brake Pedal Stop			
74	10-20-40 (RHD).....	1	930 356
8.148-1 COVER, Brake Pedal Pad Rubber			
74/75	LPB.....	1	948 758
74/75	10-20-40 (WHT-WDB-WPB).....	1	535 1261
76/	10-20-40 (WMT-WDB).....	1	948 758
77	10-20-40 (WHT-* 8-17).....	1	535 1261
77/	10-20-40 (WHT-* 8-18).....	1	535 7428
76	10-25-40 (WHT-WDB).....	1	535 1261
76/77	10-25-45 (LDB).....	1	948 758
76/	80-90 (WMT).....	1	948 758
76/	90 (WHT-LPB).....	1	948 758
76/	90 (WHT-WPB).....	1	535 1261
8.160-1 SHAFT, Brake Pedal			
74/75	10-20-40 (LHD-WMT).....	1	535 1803
76/	10-20-40 (WMT)..... 5.148	1	535 1805
74/75	10-20-40 (WHT)..... 5.148	1	535 1805
74/75	10-20-40 (RHD).....	1	939 023
76/	10-25-40 (WHT).....	1	535 1803
76/79	80-90 (WMT)..... 5.148	1	535 1805
80	80-90 (LHD-W4ST).....	1	535 9834
76/	90 (WHT).....	1	535 1803

8.160

BRAKES - WHEELS

8.160-2 ATTACHING PARTS, Pedal Shaft To Retainer			
BOLT, Hexagon	75	80 (RHD)	5.164 1 949 174
SPACER	74/		5.148 1 535 1057
WASHER, Spring	74/		5.148 1 535 1844
WASHER, Plain	74/	10-25-45	17.814 1 G120396
WASHER, Plain	76/	80-90	17.814 1 G120396
WASHER, Lock	74	RHD	17.820 1 G120384
NUT, Lock	74/		18.190 1 400 4311
8.164-1 RETAINER, Brake Pedal (Sled Bracket)			
74/75 10 (RHD-Six)			1 535 3396
74/ 10-20-40 (LHD-WMT)			1 545 2036
74/ 10-20-40 (LHD-WHT)			1 545 2035
74/75 25-45 (RHD)			1 939 031
74/75 26-46 (RHD)			1 535 3396
74/75 80 (LHD-W3ST)			1 535 1327
74/75 80 (RHD)			1 535 0918
76/79 80-90 (LHD-WMT)			1 545 6960
76/79 80-90 (RHD)			1 545 9741
80 80-90 (LHD-WMT)			1 813 0726
76/79 90 (WHT)			1 545 6961
80 90 (LHD-WHT)			1 813 0727
8.164-2 ATTACHING PARTS, Retainer To Instrument Panel			
BOLT, Hexagon	74	10 (LHD)	17.038 3 G122119
BOLT, Hexagon	74/75	10-20-40 (LHD)	17.038 2 G180120
BOLT, Hexagon	74/75	10-20-40 (RHD)	3.082 2 962 398
BOLT, Hexagon	74/75	80	17.038 2 G181595
BOLT, Hexagon	76/	(3/8"-16 x 3/4")	17.038 AR G180120
SCREW, Machine	76		17.629 1 G273573 NA
SCREW, Tapping	77/	(5/16"-18 x 5/8")	10.350 1 400 5063
WASHER, Lock	74/75	80	17.820 2 G120214
WASHER, Plain	74/75	80	17.814 2 G120393
NUT, Hexagon	74/75	10-20-40	5.207 3 931 807
NUT, Hexagon	74/75	80	17.406 2 G120368
NUT, Hexagon	76/		AR 400 3909
8.164-3 ATTACHING PARTS, Pedal Stop Bolt To Retainer			
BOLT, Hexagon	74	10-20-40 (RHD)	1 933 014
BOLT, Hexagon	74	80 (RHD)	5.161 1 999 678
BOLT, Hexagon	76/	80-90	17. 1 G9417134 NA
NUT, Stamped	74/75	80 (RHD)	17.428 1 G107822
8.164-4 BRACKET, Stabilizer Brake Pedal Retainer			
76/ 80-90			1 545 3933
8.180-1 LEVER ASSEMBLY, Foot Operated Parking Brake			
74 10-20-40 (* 8-5)		(Use 535 4990)	1 925 013
74 10-20-40 (* 8-6)		(Ord. 925 013, 933 147)	1 535 4568
75 10-20-40			1 535 4990
76/79 10-20-40		(Use 812 4796)	1 319 7294
80 10-25-40			1 536 2139
74 80		(Use 535 1637)	1 999 854
75 80			1 535 1637
76/ 80-90...(Incl. Release Rod)			1 535 5477
76/79 80-90 (RHD)			1 535 5798
8.180-2 ATTACHING PARTS, Lever To Instrument Panel Or Body Side Panel			
SCREW, Hexagon	74/75	10-20-40	17.629 2 G273573
SCREW, Hexagon Head	77/	(1/4"-20 x 1")	22.056 1 987 145
SCREW, Machine	74	10-20-40	17.626 2 G451975
SCREW, Tapping	74/75	80...(15/16"-18 x 3/4")	17.672 1 G172455
SCREW, Tapping	76/	(1/4"-20 x 3/4")	17.629 1 G274825
BOLT, Round Head	74/75	80 (RHD)	17.046 1 G273730
SPACER	74/75	80 (RHD)	1 535 0778
SPACER	76/79	80-90 (RHD)	1 535 5834

BRAKES - WHEELS

8.192

	WASHER, Lock	74/75	80	17.820	1	G120214
	WASHER, Plain	74/		17.812	AR	G120393
	NUT, Hexagon	74/	10-20-40	17.412	4	G271184
	NUT, Hexagon	76/	80-90	17.412	2	G271184
	NUT, Hexagon	74/75	80 (RHD)	17.412	2	G271184
8.180-3	ATTACHING PARTS, Lever To Dash					
	CLIP	74		8.192	1	941 507
	WASHER, Plain	74/75	80	17.814	2	G120393
	NUT, Hexagon	74/75		17.412	2	G271184
8.180-4	COVER, Foot Operated Parking Brake					
	74/75	10-20-40	(Use 321 2530)		1	935 528
	74/75	80-90			1	999 982
	76/				1	322 0433
8.180-13	BRACKET, Foot Operated Parking Brake Stabilizer					
	74/75	80 (LHD)			1	986 473
	76/	80-90			1	545 9676
8.182-1	HANDLE, Parking Brake Release Rod					
	74/75	10-20-40			1	936 205
	74/75	80... (Incl. Release Cable)			1	535 1421
	76/				1	448 7994
8.182-2	ROD, Parking Brake Release					
	76/	10-20-40			1	448 7993
	76/	80-90			1	812 8786
8.182-5	ATTACHING PARTS, Rod To Lever Assembly					
	CLIP, Spring	74/	80-90	8.192	1	930 061
	CLIP, Spring	74/75	10-20-40		1	K 733 604
8.182-6	BRACKET, Parking Brake Release Cable					
	74/75	80			1	987 995
8.192-1	CABLE, Foot Operated Parking Brake Lever To Equalizer					
	74/75	10-20-40 (LHD)			1	535 1673
	74/75	10-20-40 (RHD-258-WMT)			1	535 1674
	76/79	10-25-40 (W3ST)			1	535 5721
	76/79	10-20-40 (W4ST)			1	535 5722
	80	10-25-45 (W4ST)			1	537 0041
	76/79	16-17-25-45 (Six-WHT)			1	535 6189
	80	10-25-40 (Six-WAT)			1	537 0042
	76/79	10-25-40 (V8-WHT)			1	535 5722
	80	10-20-40 (V8-WAT) x. USA J.5361026			1	537 0041
	80	46 (W4ST)			1	537 0042
	74/75	83			1	999 978
	76/	83			1	535 5287
	74/75	84			1	999 979
	76/	84			1	535 5286
	76/	90			1	535 3238
8.192-1a	SLEEVE, Front Park Brake Cable And Equalizer					
	80	10-20-40			2	536 1320
8.192-2	ATTACHING PARTS, Cable To Toe Riser					
	CLIP	74/			2	930 061
	WASHER	74/75	10-20-40		1	929 982
	WASHER	76/	10-20-40	17.814	2	G120393

8.192

BRAKES - WHEELS

8.192-3	GROMMET, Parking Brake Cable At Dash				
	74/	80-90.....		1	535 1742
8.192-4	ATTACHING PARTS, Cable To Tee				
	CLIP	74/75 10.....		1	941 507
8.192-6	ATTACHING PARTS, Cable To Crossmember				
	CLIP	74/.....		1	930 061
8.192-12	ATTACHING PARTS, Cable To Clutch Housing				
	CLIP, Closed	74/75 RHD	17.134	1	G120524
	WASHER, Plain	74/75 RHD	17.814	1	G446152
8.214-1	EQUALIZER, Parking Brake Cable				
	74/79	10-20-40.....		1	535 1663
	80	10-20-40.....		2	535 1663
	74	80..... (Use 322 2572)		1	317 2989
	75/	80-90.....		1	322 2572
8.214-2	ATTACHING PARTS, Equalizer To Cable				
	NUT, Hexagon.....	74/ 10-20-40...(5/16"-24)	17.406	2	G120368
	NUT, Stamped	74/ 10-20-40...(5/16"-24)	17.428	2	G107822
	NUT, Jam.....	74/ 80-90...(5/16"-24)	17.410	AR	G124920
	PIN, Cotter	74/ 80-90	17.460	1	G103375
	WASHER	74/ 80-90	17.814	1	G446363
8.215-1	CABLE, Equalizer To Rear Cable <i>INTERMEDIATE</i>				
	74/75	10 (W3ST)	8.192	1	535 1666
	74/75	10 (W4ST)(WHT)	8.192	1	535 1665
	76/79	10 (Six-WHT)...(55-1/2" Lona)		1	535 6187
	76/79	10 (Six-WMT)...(60-1/8" Lona)		1	535 5330
	79	10 (WMT)...(64-5/8" Lona)		1	535 5329
	79	10 (Six-WHT)...(60" Lona)		1	535 9431
	76/79	10 (V8)...(60-1/8" Lona)		1	535 5330
	79	10 (V8-WHT)...(64-5/8" Lona)		1	535 5329
	80	10-25-45 (W4ST)		1	536 1279
	80	10-20-40 (Six-WAT)		1	536 1280
	80	10-20-40 (V8-WAT)		1	536 1279
	74/75	20 (W3ST)	8.192	1	535 1668
	74/75	20 (W4ST)(WHT)	8.192	1	535 1667
	76/79	20-40 (Six-WMT)...(80-3/4" Lona)		1	535 5333
	79	20-40 (WMT)...(85-1/4" Lona)		1	535 5334
	76/79	25-45 (Six-WHT)...(76-1/4" Lona)		1	535 6188
	79	20-40 (Six-WHT)...(80-5/8" Lona)		1	535 9432
	76/79	20-40 (V8)...(80-3/4" Lona)		1	535 5333
	79	20-40 (V8-WHT)...(85-1/4" Lona)		1	535 5334
	74/75	40 (W3ST)	8.192	1	535 1670
	74/75	40 (W4ST)(WHT)	8.192	1	535 1758
	80	46 (W4ST)		1	536 1280
8.215-2	CLEVIS, Parking Brake Cable Pivot				
	74/75	10-20-40.....	8.214	2	535 1659
	76/79	10-20-40.....		2	535 5347
8.215-3	ATTACHING PARTS, Parking Brake Cable Bracket Clevis Pivot				
	PIN, Clevis.....	74/75 10-20-40.....	17.474	2	G120690
	PIN, Clevis	76/ 10-20-40.....	17.474	2	G138078
	PIN, Cotter	74/ 10-20-40.....	3.200	2	G121224
	WASHER, Plain.....	74/75 10-20-40.....	17.814	6	G120393
8.215-4	"C" CLIP, Equalizer Cable To Rear Cable				
	74/	10-20-40.....		2	535 1675
8.215-5	ANCHOR ROD, Equalizer				
	80	10-20-40.....		1	536 1278

8.220-1 CABLE, Equalizer Cable To Rear Wheels					
74/75	10 (Except Cherokee Chief)	(Use 535 4722)	2	535	2203
75	16-17 (Cherokee Chief)		2	535	4722
76	17 (Cherokee Chief)	USE 535 5411	2	535	5411
76	10-25 (Except Cherokee Chief)	(Use 535 7412)	2	812	7302
77	10-25	(Use 535 7412)	2	812	7302
78/79	10-25... (45-1/4" Long)		2	535	7412
79	10-25... (42-15/16" Long)	(Use 535 7412)	2	535	9433
80	10	USE 535 9433	2	537	0030
74/75	25-45	(Use 535 4722)	2	535	2203
74/75	26-46... (Incl. Clamp)		2	535	2765
76/77	26		2	535	5335
80	25		2	537	0031
76/77	45		2	535	5337
78/79	45... (57-1/4" Long)		2	535	7413
79	45... (54-15/16" Long)	(Use 535 7413)	2	535	9434
80	45		2	537	0032
76/78	46... (57-1/8" Long)		2	535	5336
79	46... (54-7/8" Long)		2	535	9436
80	46		2	537	0033
74/75	80		2	999	980
76/78	(Left) 80-90... (32-3/4" Long)		1	535	5325
76/78	(Right) 80-90... (61-1/2" Long)		1	535	5324
78/	(Left) 80-90... (31-1/4" Long)	USE 332 3903	1	323	3903
78/	(Right) 80-90... (60-1/2" Long)		1	323	3904
8.220-2 ATTACHING PARTS, Rear Cable To Bracket On Frame					
CLIP	74/ 10-20-40	8.192	2	930	061
8.220-2a ATTACHING PARTS, Brake Cables To Center Crossmember					
BOLT, Hexagon	74/75 80	17.038	4	G181	595
SCREW, Tapping	76/77 80-90... (1/4"-20 x 1/2")	17.672	1	G1724	27
SCREW, Tapping	78/ 80-90... (1/4"-20 x 5/8")	13.440	1	400	4077
CLAMP	74/ 80	8.192	2	921	091
NUT, Hexagon	74/75 80	17.406	4	G1203	68
WASHER, Lock	74/75 80	17.820	4	G1202	14
8.220-3 ATTACHING PARTS, Brake Cable To Rear Crossmember					
CLIP	74/75 80... (9/16")	17.134	2	G1407	80
SCREW, Tapping	74/75 80	17.672	2	G1724	49
8.220-4 SPRING, Rear Brake Cable					
74/79	10-20-40	4.050	2	932	806
8.220-5 CLIP, Spring Retaining					
74/79	10-20-40	3.165	2	644	106
8.220-6 ATTACHING PARTS, Rear Brake Cable To Rear Brake					
BOLT, Hexagon	74/ 26-46	17.038	4	G1800	75
SCREW, Tapping	76/ 80-90		4	400	5063
CAP	74/ 26-46... (Incl. Gasket)		2	535	2785
CAP	76/ 80-90... (Incl. Gasket)		2	535	2785
GASKET (Felt)	74/ 26-46		2	535	2784
GASKET (Felt)	76/ 80-90		2	535	2784
WASHER, Lock	74/ 26-46	17.820	4	G1202	14
8.220-7 ATTACHING PARTS, Rear Brake Cables To Frame					
CLIP, Closed	80 10-20-40... (3/8" Dia.)		2	G1278	79
SCREW, Hexagon	80 10-20-40 (Washer Head)		2	400	4626
8.224-1 BRACKET, Parking Brake Cable Guide					
74/75	(Left) 10-20-40		1	535	1648
74/75	(Right) 10-20-40		1	535	1649
76/79	10-25-40		2	535	5346
74/75	80		1	987	135

8.224-2 ATTACHING PARTS. Cable Guide Bracket To Frame					
SCREW, Tapping.....	76	10-25-40.....	17.672	2	G172455 NA
SCREW, Tapping.....	77/79	10-25-40.....		2	400 5063
8.224-3 ADAPTER, Bracket To Support					
74/75 (Right) 20-40.....				1	994 696
8.224-4 ATTACHING PARTS, Adapter To Support					
BOLT, Hexagon.....	74/75	20-40.....	17.038	2	G181637
WASHER, Lock.....	74/75	20-40.....	17.820	2	G120382
NUT, Hexagon.....	74/75	20-40.....	17.406	2	G120369
8.224-5 BRACKET, Parking Brake Cable Pivot Anchor					
74/75 10-20-40.....				2	535 1662
8.224-6 SPACER, Hand Brake Cable (Near Anchor Bracket On Frame)					
77/ 80-90...(5/16" x 3/4" x 1/8").....			1.151	4	669 842
8.240-1 DRUM ASSEMBLY, Front Brake (Incl. Hub And Bolts)					
74/76 10-25-45.....	128			2	812 4900
8.240-2 DRUM ASSEMBLY, Rear Brake (Incl. Hub And Bolts)					
74/ 26-46.....				2	535 2286
76/78 80-90...(11 x 2).....				2	535 5714
78/ 80-90...(10 x 1-3/4).....				2	535 9029
8.240-3 ATTACHING PART, Hub And Drum To Rear Axle					
BOLT, Hexagon.....	74/ 26-46.....			16	400 6129
8.240-5 ATTACHING PARTS. Hub And Drum To Rear Axle					
KEY, Woodruff.....	76/ 80-90.....		17.344	2	G103905
WASHER, Plain.....	76/ 80-90.....		9.068	2	18 737
NUT, Lock.....	76/.....		9.068	2	315 5675
PIN, Cotter.....	76/.....		17.460	2	G103387
8.243-1 HUB ASSEMBLY, Front Brake (Incl. Bearing Cup)					
74/76 10-25-45 (LDB)...(Incl. Studs).....				2	812 4805
74/76 80-90 (* 8-7)...(Less Studs).....				2	927 348
74/76 80-90 (* 8-7)...(Incl. Studs).....				2	994 900
76/77 80-90 (* 8-8)...(Less Studs).....				2	535 6662
76/77 80-90 (* 8-8)...(Incl. Studs).....				2	535 6663
78 80-90 (Export)...(Incl. Studs).....				2	535 6663
8.243-2 HUB ASSEMBLY, Rear Brake					
74/ 26-46...(Incl. Bearing Cups And Bolts).....				2	812 4956
76/ 80-90...(Less Bearing Cups)...(Incl. Bolts).....				2	535 5715
8.245-1 DRUM, Front Brake (Less Hub)					
74/76 10-25-45 (LDB).....				2	812 4806
74/77 80-90.....				2	535 2476
78 80-90 (Export).....				2	535 2476
8.245-2 DRUM, Rear Brake (Less Hub)					
74/78 10-25-45...(Incl. Cooling Fins).....				2	535 2266
78/ 10-25-45 (Except E. C. E.)...(Less Cooling Fins).....				2	535 9281
79 10 (E. C. E. - * 8-28).....				2	535 2266
74/ 26-46.....				2	812 4957
74 80 (* 8-1).....				2	535 2476
74 80 (* 8-2).....				2	999 728
75 80-90.....				2	535 2476
76 80-90.....	(Use 535 2476)			2	535 5765
77/78 80-90...(11 x 2).....				2	535 2476
78/ 80-90...(10 x 1-3/4).....				2	535 9028

BRAKES - WHEELS

8.270

8.247-1 BOLT, Hub To Brake Drum (Front Axle Set)			
74/76	10-25-45 (LDB).....	12	812 4961
74/77	80-90.....	10	535 3025
78	80-90 (Export).....	10	535 3025
8.247-2 BOLT, Hub To Brake Drum (Rear Axle Set)			
74/	10-25-45.....	9.068 12	812 4584
74/	26-46.....	16	812 4958
74/75	80.....	9.068 10	994 257
76/	80-90.....	10	535 5719
8.270-1 WHEEL, Road			
15" x 5.50"			
79/	80-90.....	AR	535 8808
15" x 6.00"			
74/75	14-15-16-25-45...(6 Bolt Mounting).....	AR	535 2164
76/78	10-25-45...(6 Bolt Mounting).....	AR	535 2164
79/	10-25-45 (* 8-29).....	AR	535 9101
74	80 (Except Heavy Duty)(Except Renegade)...(5 Bolt Mounting) (Use 535 6164)	AR	535 3049
75	80 (Except Renegade)...(5 Bolt Mounting)..... (Use 535 6164)	AR	535 3049
76	80-90...(5 Bolt Mounting-* 8-9)..... (Use 535 6164)	AR	535 3049
76/78	80-90...(5 Bolt Mounting-* 8-10).....	AR	535 6164
79	80-90 (Export).....	AR	535 6164
15" x 7.00"			
74/75	17 (Cherokee Custom)...(6 Bolt Mounting).....	AR	535 2733
76/77	10-25-45...(6 Bolt Mounting).....	AR	535 2733
78/79	10-25-45 (Except Luxury Limited).....	AR	535 2733
78/79	15 (Luxury Limited).....	AR	535 8744
78/	10-25-45 (Steel-Chrome)...(6 Bolt Mounting).....	AR	535 7374
80	15-16-18-25-45 (12 Spoke-Aluminum).....	AR	535 9797
74	80...(5 Bolt Mounting).....	AR	535 2817
75	83 (Renegade)...(5 Bolt Mounting).....	AR	535 2817
76	83-90...(5 Bolt Mounting).....	AR	535 2817
15" x 8.00"			
75	16-17 (Cherokee Chief)...(6 Bolt Mounting).....	AR	535 4774
76	16-17-25...(6 Bolt Mounting).....	AR	535 4774
77/	17-25 (Gold)...(6 Bolt Mounting).....	AR	535 7715
77/79	17-25-45 (White-With Red Stripe)...(6 Bolt Mounting).....	AR	535 6039
79/	17-25 (Chrome-Laredo)(Chrome-Limited).....	AR	535 9775
80	17-25-45 (White-With Black Stripe).....	AR	536 1397
77/	80-90 (Gold)...(5 Bolt Mounting-Used With Fender Extension).....	AR	535 7443
77/79	80-90 (White-With Red Stripe)...(5 Bolt Mounting-Used With Fender Extension).....	AR	535 6038
79/	83-90 (Chrome).....	AR	535 9774
80	80-90 (White-With Black Stripe).....	AR	536 1396
16" x 4.50"			
74	80 (Heavy Duty) .. (5 Bolt Mounting).....	AR	640 800
76/77	80-90 (LDB)...(5 Bolt Mounting).....	AR	640 800
78	80-90 (Export).....	AR	640 800
16" x 5.00"			
80	15-16-18-45 (Fleet)...(6 Bolt Mounting).....	AR	590 2518
16" x 6.00"			
74	26 (GVW "X"-Requires Side Ring) ..(8 Bolt Mounting).....	AR	535 3056
16" x 6.50"			
74/78	26-46...(8 Bolt Mounting).....	AR	535 2776
16.5" x 6.00"			
74/	46...(8 Bolt Mounting).....	AR	535 2272
16.5" x 6.75"			
74/	46...(8 Bolt Mounting).....	AR	535 2639

8.270

BRAKES - WHEELS

8.270-2 RING, Road Wheel Side					
74	26 (GVW "X")		AR	535	3313
8.270-3 BUSHING, Valve Stem To Wheel (Tube Type)					
74/79	80-90		AR	535	2883
8.274-1 CAP, Wheel Hub					
74/	(Front) 14-16-25-45 (Used With Locking Front Hubs)		2	535	2267
74/	(Rear) 14-16-25-45		2	535	2672
74/79	10-25-45 (Used With Forged Aluminum Wheel And Front Locking Hubs)		2	535	9619
74/75	17 (Used With Forged Wheel)		4	535	2792
75	16-17 (Used With Steel Wheel) (Use 535 6482)		4	535	4918
75/79	26-46		4	535	3826
76	16-17-25 (Used With Steel Wheel) (Use 535 6482)		4	535	4918
76/79	10-25-45 (Used With Forged Wheel And Less Locking Front Hubs)		4	535	2792
76/	17-25-45 (Used With Styled Steel Wheel And Front Locking Hubs)		2	535	9618
77/	17-25-45 (Used With Styled Wheel And Less Locking Front Hubs)		4	535	6482
79/	17-25 (Black-Used With Chrome Wheel With Nonlocking Hubs)		AR	535	9807
79/	17-25 (Black-Used With Chrome Wheel With Locking Hubs)		AR	535	9806
80	15-16-18-25-45 (Used With 15" x 7" Aluminum Wheel-Standard Hubs)		4	536	1652
80	15-16-18-25-45 (Used With 15" x 7" Aluminum Wheel-Locking Hubs)		2	536	1653
8.274-2 COVER, Wheel Hub					
74/75	(Front) 10-25-45 (Used With Locking Front Hubs)		2	948	632
74/75	14-16-25-45 (Used With Locking Front Hubs)		4	948	632
74/77	14-15-16-25-45-80-90 (Used Less Locking Front Hubs)		4	535	2336
76/	10-25-45-80-90 (Used Less Locking Front Hubs)		4	535	4752
78/	(Front) 15-16-18-25-45-80-90 (Used With Locking Hubs)		2	535	8281
74/79	(Front) 80-90 (Used With Locking Front Hubs)		2	999	734
74/79	(Rear) 80-90		2	999	733
76/79	80-90 (Used With Locking Front Hubs)		4	948	632
8.274-7 EXTENSION, Tire Valve					
74/	(Used With Full Wheel Covers)		AR	535	5858
8.274-8 ATTACHING PARTS, Cap To Max Or Styled Wheels					
SCREW, Oval Head	74/75 17		17.655	12	G9418448
SCREW, Oval Head	76/78 10-25-45... (8-18 x 1/2")		17.655	12	G9418448
SCREW, Pan Head	80 10-25-45... (10-24 x 5/8")		12	400	6818
SCREW, Torx Head	75/ 10-25-45 (Used With Locking Hubs-Styled Wheels)... (10-24 x 5/8")		28.580	12	400 4994
SCREW, Truss Head	76 16-17-25-45		12	400	4452
SCREW, Sealed	78/ 10-25-45... (8-15 x 1/2")		15.250	12	400 4867
WASHER, Lock	78/ 10-20-40 (Used With Styled Wheels)		17.822	12	G138479
8.280 WEIGHT, Wheel Balance					
STEEL WHEELS					
74/	(1/4 Oz.)		AR	812	8424
74/	(1/2 Oz.)		AR	316	5949
74/	(1 Oz.)		AR	313	1615
74/	(1-1/2 Oz.)		AR	316	5783
74/	(2 Oz.)		AR	312	3943
74/	(2-1/2 Oz.)		AR	316	5784
74/	(3 Oz.)		AR	812	8425
74/	(3-1/2 Oz.)		AR	812	8426
76/	(4 Oz.)		AR	535	6329
ALUMINUM WHEELS					
75/	(1/2 Oz.)		AR	322	6926
75/	(1 Oz.)		AR	322	6925
75/	(1-1/2 Oz.)		AR	322	6924
75/	(2 Oz.)		AR	322	6923
75/	(2-1/2 Oz.)		AR	322	6922

8.286-1 ATTACHING PARTS, Wheel To Hub

NUT, Hexagon.....	74/75	10...(7/16"-20 x 3/4" Hex.- Chrome Cap).....	AR	400 4844
NUT, Hexagon.....	74/75	14-15-16-25-45 ...(7/16"-20 x 3/4" Hex.)	AR	400 4837
NUT, Hexagon.....	74/	26-46...(9/16"-18 x 7/8" Hex.)	AR	400 4836
NUT, Hexagon.....	76/	10-25-45...(7/16"-20 x 3/4" Hex.- Chrome Cap).....	AR	400 4844
NUT, Hexagon.....	76/	10-25-45...(7/16"-20 x 3/4" Hex.) ...	AR	400 4837
NUT, Hexagon.....	74/75	80 (Except Renegade) ...(1/2"-20 x 13/16" Hex.)	8.359 AR	635 516
NUT, Hexagon.....	74/75	83 (Renegade)...(1/2"-20 x 13/16" Hex.-Chrome Cap)	AR	400 4849
NUT, Hexagon.....	76	83-90...(1/2"-20 x 13/16"-Chrome Cap)	AR	400 4849
NUT, Hexagon.....	76/	80-90...(1/2"-20 x 13/16" Hex.)	AR	635 516
NUT, Hexagon.....	77/	80-90...(1/2"-20 x 13/16" Hex.- Chrome Cap).....	AR	400 5694

NOTE: For Standard Front End Locking Hubs, Refer to Group 40 for the Serviceable Components.

8.292 BEARING ASSEMBLY, Front Wheel

74/75	80-90...(Incl. Cup)	4	812 6511
-------	---------------------------	---	----------

8.292-1 BEARING, Front Wheel**INNER**

77/	10-20-40 (* 8-14 And * 8-19).....	2	535 7401
77	10-20-40 (* 8-20)	2	812 8841
74/77	10-25-45 (* 8-13 And * 8-19).....	2	535 2165
74/77	26-46 (* 8-11 And * 8-19).....	2	535 2635
74/76	80-90 (* 8-7) ... (1-5/8" I. D.)	2	925 446
76/	80-90 (* 8-8) ... (1-3/4" I. D.)	2	535 6661

OUTER

74/		2	925 446
-----	-------	---	---------

8.294-1 CUP, Front Wheel Bearing**INNER**

77/	10-20-40 (* 8-14 And * 8-19).....	2	535 7394
77/	10-20-40 (* 8-20)	2	812 8842
74/77	10-25-45 (* 8-13 And * 8-19).....	2	812 4801
74/77	26-46 (* 8-11 And * 8-19).....	2	812 4802
74/76	80-90 (* 8-7) ... <i>USE 3.17.1.1.66</i>	2	925 447
76/	80-90 (* 8-8)	2	812 7630

OUTER

74/		2	925 447
-----	-------	---	---------

8.296-1 RETAINER, Front Wheel Grease

74/76	10-25-45 (LDB).....	2	535 2171
74/	10-25-45 (WDB).....	2	535 2609
74/	26-46 (* 8-11)	2	535 2637
74/77	80-90 (* 8-7)	2	938 151
76/	80-90 (* 8-8) ... <i>USE 5.3.6.50.8.2</i>	2	535 6675

8.296-2 CAP, Front Wheel Grease Retainer Outer

74/	10-25-45.....	2	535 2268
74/	26-46-80-90.....	2	947 085

8.296-3 CAP, Rear Wheel Grease Retainer Outer

76/	80-90.....	2	535 5749
-----	------------	---	----------

8.296-4 WASHER, Front Wheel Bearing Lock

74/	10-20-40.....	2	400 4815
74/	80-90.....	2	A 865

8.296-5 WASHER, Front Wheel Bearing Nut Lock				
74/	80-90	2	A 867	
8.296-6 NUT, Front Wheel Bearing Retaining				
INNER				
74/	10-20-40	2	400 4816	
74/	80-90	2	A 866	
OUTER				
74/	10-20-40	2	535 2169	
74/	80-90	2	A 866	
8.296-10 CUP, Front Wheel Retainer - Spring				
74/77	10-25-45 (* 8-13)	2	535 2650	
77/	10-20-40 (* 8-14)	2	535 2650	
8.296-11 SPRING, Front Wheel Retainer				
74/77	10-25-45 (* 8-13)	2	535 2615	
77/	10-20-40 (* 8-14)	2	535 2615	
8.296-12 RETAINER, Grease Catcher Front At Backing Plate				
74/76	10-25-45 (LDB)	2	535 2612	
8.296-13 GASKET, Grease Catcher Front At Backing Plate				
74/76	10-25-45 (LDB)	2	535 2613	
8.296-14 ATTACHING PARTS, Retainer To Backing Plate				
BOLT, Hexagon	74/76 10-25-45	6	400 4817	
8.300-1 BEARING, Rear Wheel				
74/	10-25-45	9.052	2	994 262
74/	(Inner) 26-46	2	535 2661	
74/	(Outer) 26-46	8.294	2	992 276
74/75	80	2	812 4779	
76/	80-90	2	315 0046	
8.300-1a SHIM, Rear Axle Bearing				
79	10 (E. C. E. * 8-28)	2	535 9879	
8.300-1b BEARING KIT (Incl. Bearings, Seals And Retainers)				
74/	10-20-40	243	2	812 4050
8.302-1 CUP, Rear Wheel Bearing (Tapered Axle)				
74/	(Inner) 26-46	2	812 4840	
74/	(Outer) 26-46	8.294	2	992 336
76/	80-90	2	315 0045	
8.303-1 RETAINER, Rear Wheel Bearing (Flanged Axle)				
74/75	10-25-45-80...(4 Holes)	2	812 4955	
76/	10-25-45	2	812 4955	
74/75	80...(6 Holes)	1	994 260	
8.303-2 RING, Rear Axle Bearing Retaining (Flanged Axle)				
74/75	10-25-45-80	2	994 263	
76/79	10-25-45	2	994 263	
79	10 (3:07 Ratio-* 8-30)	2	323 0151	
80	10-20-45	2	323 0151	
8.303-3 SEAL, Rear Axle Bearing (Flanged Axle)				
74/75	10-25-45-80	8.300	2	994 261
76/	10-25-45	2	994 261	
8.310 RETAINER, Rear Wheel Guide				
76/	80-90	1	318 4573	

BRAKES - WHEELS

8.405

8.312-1	SEAL, Rear Wheel Oil	74/ 26-46 (Used With Full Floating Axle)	2	535 2786
		76/ 80-90 (Used With Tapered Axle)	2	448 5691
8.312-3	GASKET, Rear Brake Grease Protector	74/ 26-46	2	535 2662
8.312-4	LOCK PLATE, Rear Axle Bearing Nut	74/ 26-46	2	400 4829
8.312-5	NUT, Rear Wheel Bearing Adjusting	74/ 26-46	4	992 300
8.315	SHIM, Rear Wheel Bearing	76/ (.003 Thick) ...80-90	AR	314 1319
		76/ (.010 Thick) ...80-90	AR	314 1320
8.400-1	POWER UNIT ASSEMBLY, Power Brake	74/75 80	1	535 2434
8.400-2	SPACER, Power Brake Unit To Dash	74 10-20-40 (WDB)	1	535 2574
		75/78 10-20-40	1	535 3465
		79/ 10-20-40	1	535 9059
		75 26-46 (RHD)	1	535 3397
		74/75 (Left) 80 (V8)	1	994 403
		74/75 (Right) 80 (V8)	1	994 404
8.400-2a	REINFORCEMENT, Power Brake Unit Retainer Bracket	74/75 80 (V8)	2	535 3371
8.400-3	ATTACHING PARTS, Spacer To Dash	BOLT, Hexagon 74 26-46 (WDB)	17.038	6 G180120
		STUD..... 79/ 10-20-40... (3/8"-24 x 1-3/4")		
		STUD..... 79/ 10-20-40... (3/8"-24 x 2-1/8")	4	400 4903
		STUD..... 74/75 80 (V8)	17.718	4 G113237
		WASHER, Lock 74 26-46 (WDB)	17.820	9 G120382
		NUT, Hexagon..... 80 10-20-40	4	400 5412
		NUT, Lock..... 74/79 10-20-40 (WDB)	10.448	4 400 3869
		NUT, Lock..... 74/75 80 (V8)	10.448	4 400 3869
8.400-4	ATTACHING PARTS, Booster To Spacer	NUT, Lock..... 74/75 10-25-45 (WDB)	4.500	4 400 3909
		NUT, Lock (Serrated)... 79/ 10-20-40	8.415	4 420 0301
8.400-5	SUPPORT, Power Brake Master Cylinder To Side Panel	75 80	1	535 4979
8.405-1	REPAIR KIT, Power Brake Power Unit	74 10-25-45...(Incl. Diaphragm)	(Use 812 5992) 210	1 812 4547
		75 10-25-45...(Incl. Diaphragm)	30	1 812 5992
		76/77 10-25-45...(Incl. Diaphragm)	30	1 812 6954
		78 10-25 (Export)	30	1 812 6954
		74 26-46	(Use 812 5993) 202	1 812 4548
		75 26-46...(Incl. Diaphragms)		1 812 5993
		76/77 26-46	241	1 812 7064
		78 46 (Export)		1 812 8789
		76/77 80-90	238	1 812 6955
		78 80-90 (Export)	238	1 812 6955

8.410-1 ADAPTER, Power Head — Power Unit On Bracket			
74/75	(Left) 80	1	998 557
74/75	(Right) 80	1	998 558
8.410-2 ATTACHING PARTS, Power Unit Brackets To Spacer			
BOLT, Hexagon	74/75 80...(5/8" Long)	2	G9428638
BOLT, Hexagon	74/75 80...(3/4" Long)	2	G180120
WASHER, Lock	74/75 80.....	4	G120382
NUT, Lock.....	76/78 10-20-40.....	4	400 3909
8.415-1 POWER SECTION, Power Brake Unit			
74/75	10-25-45 (* 8-3)	1	812 4539
76/78	10-25-45.....	1	812 6952
79/	10-20-45.....	1	812 9726
74/77	26-46 (* 8-4) (Use 813 0730)	1	812 4542
78	46.....	1	812 8788
79/	46.....	1	812 9727
74/75	80.....	1	812 4844
76/78	80-90 (* 8-25)	1	812 6949
78/	80-90 (* 8-26)	1	812 9682
8.415-1a ATTACHING PARTS, Power Unit To Dash			
BOLT, Hexagon	76/ 80-90...(3/8"-16 x 3/4")	4	G180120
BOLT, Hexagon	77/ 80-90...(3/8"-16 x 1")	4	G180122
WASHER, Plain.....	77/ 80-90.....	2	400 1104
NUT, Lock.....	76/ 80-90.....	4	400 3909
8.415-1b ATTACHING PARTS, Master Cylinder To Power Head Assembly			
NUT, Lock (Serrated)...	78/ 80-90.....	2	420 0301
8.415-2 ADAPTER, Power Head Unit (Push Rod)			
74/75	10-25-45..... 184	1	812 4538
74/75	26-46..... 184	1	812 4541
8.415-2a ATTACHING PARTS, Push Rod To Pedal			
PIN, Cotter	76/ 10-20-40.....	1	G121224
WASHER, Plain.....	76/ 10-20-40	1	G120395
WASHER, Spring.....	76/ 10-20-40.....	1	958 629
NUT, Lock.....	76 10-20-40.....	4	400 3909
8.420-1 LINK, Power Brake Unit To Pedal			
74/75	80.....	1	812 3020
8.420-2 ATTACHING PARTS, Link To Bellcrank			
PIN, Clevis	74/75 80.....	1	948 326
PIN, Cotter	74/75 80.....	1	G121224
WASHER, Bowed.....	74/75 80.....	2	948 325
8.420-3 GUARD, Power Brake Unit Link To Brake Pedal			
74/75	80.....	1	948 323
8.430-1 BELLCRANK, Power Brake Unit Operating			
74/75	80.....	1	948 322
8.430-2 PIN, Power Brake Unit Operating Bellcrank Lever Pivot			
74/75	80.....	1	948 330
8.430-3 ATTACHING PARTS, Pivot Pin To Bellcrank Lever			
PIN, Cotter	74/75 80.....	1	G121224
8.430-4 PIN, Power Brake Unit Operating Bellcrank Lever Clevis			
74/75	80.....	1	948 335
8.430-5 ATTACHING PARTS, Clevis Pin To Bellcrank Lever			
PIN, Cotter	74/75 80.....	1	G121224
WASHER, Bowed.....	74/75 80.....	1	948 329

BRAKES - WHEELS

8.505

8.460-1 VALVE ASSEMBLY, Power Brake Unit Vacuum Check				
74	10-20-40.....	1	812	4546
75/	10-20-40.....	1	812	5991
74/75	80.....	1	812	3021
76/	80-90.....	1	812	5991
78	80-90 (Export).....	1	812	5991
8.460-2 GROMMET, Power Brake Unit Vacuum Check Valve				
74/75	80.....	1	998	637
8.460-5 NIPPLE, Power Brake Vacuum Unit				
74/	80-90 (WPB).....	1	319	8019
8.460-5a TUBE, Power Brake Hose To Intake Manifold				
75	10-20-40 (Six).....	1.067	1	535 5921
76/	80-90.....	1.067	1	535 5921
8.460-5b TUBE, Fitting Tube To Manifold Fitting				
80	80-90 (Four).....	1	323	7658
8.460-5c ATTACHING PARTS, Tube To Rear Of Cylinder Head				
BOLT, Hexagon	80 80-90.....	1	420	0194
NUT, Hexagon.....	80 (Clip To Stud).....	1.108	1	G11503739
CLAMP.....	80 80-90 (Four).....	1	320	3076
CLIP, Closed.....	80 80-90 (Four).....	17.134	1	G120523
8.460-6 HOSE, Power Brake Vacuum Unit				
76/	(Bulk-Order In Feet).....	AR	812	5883
74/75	10-20-40 (258).....	1	933	137
74/75	10-20-40 (360)(401).....	1	932	754
74/75	26-46 (RHD-258-W4ST)..... (Ord. 5-812 5384)	1	535	3449
74	46 (360)(401)..... (Ord. 2-812 5384)	1	535	2382
74/75	80 (304).....	1	937	173
8.460-7 CLAMP, Power Brake Unit Vacuum Hose				
74/	10-20-40 (WDB).....	17.108	2	320 3076
74/	80-90.....	17.108	2	320 3076
8.480-1 VALVE PLUNGER ASSEMBLY, Power Brake Unit				
74/75	80.....	1	812	5282
8.480-2 GUARD, Power Brake Unit Valve Push Rod				
74/75	80.....	1	998	636
76	80-90..... (Use 812 6955)	1	535	5680
8.480-5 SPRING, Power Brake Valve Push Rod				
74/75	80.....	1	812	4788
8.485-1 DIAPHRAGM, Power Brake Valve Body				
74	(Primary) 26-46.....	1	812	4544
74	(Secondary) 26-46.....	1	812	4545
8.485-6 SPRING, Power Brake Valve Body Diaphragm				
74/75	80.....	1	448	7308
8.485-8 REPAIR KIT, Power Piston				
74/77	10-25-45.....	1	812	4550
74/75	26-46..... (Use 812 6956) 240	1	812	4549
78	Except 46 (Export).....	1	812	4550
78	46 (Export).....	1	812	8852
76/77	80-90.....	1	812	4550
8.505-1 ROD, Power Brake Unit Master Cylinder Piston Push				
74/77	10-25-45.....	1	812	4540
78	10-25 (Export).....	1	812	4540
74/77	26-46.....	1	812	4543
78	46 (Export).....	1	812	4543

8.510

BRAKES - WHEELS

8.510-1 CYLINDER ASSEMBLY, Power Brake Master

74/75	10-25-45.....		1	812 4508
76	10-20-40.....		1	812 6953
77/78	10-20-40.....		1	812 7766
79/	10-20-40.....		1	812 9731
78	10-20-40 (Export).....		1	812 8412
79	10-20-40 (Export).....		1	812 9718
74/75	26-46.....		1	812 4579
74/75	80.....		1	812 4845
76	80-90.....		1	812 6886
77/78	80-90 (* 8-25).....	(Use 535 6428)	1	812 7821
78/	80-90 (* 8-26).....		1	535 8746

8.510-2 COVER, Power Brake Master Cylinder Filler

74/75	10-20-40.....		1	812 4554
76/	10-20-40.....		1	812 6961
74/75	80.....		1	448 8293
76	80-90.....		1	812 6958
77/	80-90 (WDB).....	8.038	1	812 8259

8.510-4 GASKET, Power Brake Cylinder Filler Cover

74/	10-20-40 (WDB).....		1	812 8690
74/75	80.....	8.038	1	448 8291
77/	80-90 (WDB).....	8.038	1	812 8260

8.510-6 RETAINER, Power Brake Master Cylinder (Bail Wire)

74/	10-20-40.....		1	812 4555
74/75	80.....	8.038	1	448 8292
76/77	80-90 (LDB).....	8.038	1	812 4537
77/	80-90 (WDB).....	8.038	1	812 8261

8.512-1 REPAIR KIT, Power Brake Master Cylinder

74/75	10-20-40.....	104		1	812 4556
76	10-20-40.....	104		1	812 6960
77/	10-20-40.....	104		1	812 7771
74/75	80.....	124		1	812 4848
76	80-90.....			1	812 6957
77/78	80-90 (* 8-25).....	157		1	812 8265
78/	80-90 (* 8-26).....			1	813 0066

8.515-1 PISTON, Power Brake Master Cylinder Secondary

74/75	10-25-45.....		1	812 4507
76	10-20-40.....		1	812 4507
77/	10-20-40.....		1	812 7774
74/75	26-46.....		1	812 4503
74/75	80.....		1	943 070
76	80-90.....		1	812 4535
77/78	80-90 (WDB-* 8-25).....	8.044	1	812 8262
78/	80-90 (* 8-26).....	8.044	1	813 0063

8.515-2 BOLT, Power Brake Master Cylinder Stop

74/75	10-20-40.....	8.050	1	812 4536
74/75	80.....	8.050	1	448 5454

8.515-2a "O" RING, Power Brake Master Cylinder Piston Stop Bolt

74/75	80.....	8.050	1	448 5453
-------	---------	-------	---	----------

8.515-3 SPRING, Power Brake Master Cylinder Piston Return

74/75	10-20-40.....		1	812 4552
74/75	80.....		1	939 610
77/	80-90 (WDB).....	8.046	1	812 8263

8.515-4 RETAINER, Power Brake Master Cylinder Secondary Piston Cup

74/75	10-20-40.....		1	812 4553
74/75	80.....	(Use 320 5110)	1	939 608
77/78	80-90 (WDB-* 8-25).....		1	812 0020
78/	80-90 (* 8-26).....	8.046	1	813 0062

BRAKES - WHEELS

8.811

8.515-4a	PROTECTOR, Cup				
	77/78	80-90 (WDB).....	1	812 1355	
8.517-2	SEAT, Power Brake Master Cylinder (Insert)				
	74/75	10-20-40.....	2	812 4551	
	77/	80-90 (WDB).....	2	448 5610	
	77/	10-20-40.....	2	812 8300	
8.805-1	DISC ASSEMBLY, Front Wheel Disc Brake (Incl. Hubs)				
	74/77	10-25-45 (* 8-13)..... 76	2	535 2269	
	77/	10-25-45 (* 8-14).....	2	535 7391	
	74/77	26-46 (* 8-11)..... 77	2	535 2636	
	77/78	26-46 (* 8-12)..... (Use 535 9275)	2	535 7396	
	79/	46.....	2	535 9275	
	77/78	80-90 (* 8-21)..... 6. 1302.75	2	535 6183	
	78/	80-90 (* 8-22)..... 7. 1302.75	2	535 8568	
8.805-2	STUD, Front Wheel Disc Brake Disc Assembly To Wheel				
	74/	10-25-45 (* 8-13)...(7/16"-20 x 1-25/32").....	12	812 4803	
	77	10-25-45 (* 8-14)...(7/16"-20)..... (Use 812 4803)	12	535 7395	
	74/78	26-46 (* 8-11)...(9/16"-18 x 2-1/2").....	16	812 4804	
	77	26-46 (* 8-12)...(9/16"-18)..... (Use 812 4804)	16	535 7400	
	79/	46.....	16	535 9276	
	77/	80-90 (WDB).....	10	535 7196	
8.810-1	CALIPER ASSEMBLY, Front Wheel Disc Brake				
	LEFT				
	74/78	10-20-40..... 230	1	812 4378	
	79/	10-20-40.....	1	812 9720	
	77/78	80-90 (* 8-21)...(Incl. Pads)..... (Use 322 9982)	1	322 7726	
	78/79	80-90 (* 8-22)...(Less Pads).....	1	813 0218	
	80	80-90...(Less Pads).....	1	813 1648	
	RIGHT				
	74/78	10-20-40..... 230	1	812 4379	
	79/	10-20-40.....	1	812 9721	
	77/78	80-90 (* 8-21)...(Incl. Pads)..... (Use 322 9983)	1	322 7727	
	78/79	80-90 (* 8-22)...(Less Pads).....	1	813 0219	
	80	80-90...(Less Pads).....	1	813 1649	
	ATTACHING PARTS, Caliper Support Mounting				
	SPRING.....	77/78 80-90 (WDB-* 8-21).....	2	322 3413	
	SPRING.....	78/ 80-90 (* 8-22).....	2	322 9031	
	KEY.....	77/78 80-90 (WDB-* 8-21).....	2	322 3414	
	KEY.....	78/ 80-90 (* 8-22).....	2	322 9032	
	SCREW, Socket Head ...	77/ 80-90 (WDB).....	2	322 3416	
	CLIP.....	77/78 80-90 (WDB-* 8-21).....	2	322 3421	
	CLIP.....	78/ 80-90 (* 8-22).....	2	322 9033	
	SUPPORT KEY AND SLIPPER KIT				
	78/	80-90 (* 8-22).....	1	813 2605	
	BOLT, Housing Retainer - Disc Caliper Brake				
	74/	10-20-40.....	4	812 4572	
	PISTON, Disc Brake Caliper				
	74/	10-20-40.....	2	812 4571	
8.811	PLATE, Support Caliper Anchor				
	LEFT				
	77/78	80-90 (* 8-21).....	1	535 6083	
	78/	80-90 (* 8-22).....	1	535 9145	
	RIGHT				
	77/78	80-90 (* 8-21).....	1	535 6084	
	78/	80-90 (* 8-22).....	1	535 9144	

8.815-1 SHOE SET, Front Wheel Disc Brake (Warranty)

74/	10-20-40.....	61		1	813 0363
77/78	80-90 (* 8-21)			1	813 0361
78/	80-90 (* 8-22)	(Use 812 7584)		1	812 9466

8.815-2 SPRING, Shoe Support (Clip Type)

74/	10-20-40.....			2	812 4573
-----	---------------	--	-------	---	----------

8.816-1 SHOE SET, Front Wheel Disc Brake (Non-Warranty/Aftermarket)

74/77	10-20-40.....			1	812 4509
77/78	80-90 (* 8-21)			1	812 6314
78/	80-90 (* 8-22)	USE 812 6677		1	812 6678

8.820-1 REPAIR KIT, Disc Brake Piston Housing (Incl. Boot And Seal)

74/	10-20-40.....			2	812 4574
77/78	80-90 (* 8-21)...(Incl. Piston, Boot And Seal)	INDEX USE 812 7579		2	812 5534
78/	80-90 (* 8-22)...(Incl. Piston, Boot And Seal)			2	812 7582
77/78	80-90 (* 8-21)...(Incl. Boot And Seal)	INDEX USE 812 6756		2	812 5533
78/	80-90 (* 8-22)...(Incl. Boot And Seal)			2	812 7583

8.830-1 SCREW, Brake Wheel Cylinder Bleeder

74/78	10-20-40.....	8.088		2	812 4560
79/	10-20-40.....			2	812 9722
77/	80-90.....			2	320 3313

8.845-1 ADAPTER, Bracket And Shield Front Wheel Disc

74/79	10-25-45.....			2	535 2173
80	10-25-45.....			2	536 1530
74/79	26-46.....			2	535 2638
80	46.....			2	536 1529
77/78	80-90 (* 8-21)			2	535 6088
78/	80-90 (* 8-22)			2	535 8619

8.845-2 ATTACHING PARTS, Shield To Bracket

BOLT, Hexagon	74/	10-20-40.....	17.038	2	G180017
WASHER, Lock	74/	10-20-40.....		2	400 4863

8.845-3 ATTACHING PARTS, Steering Knuckle To Anchor Plate

NUT, Hexagon.....	74/	10-20-40...(3/8"-24)	8.001	12	994 925
NUT, Hexagon.....	77/	80-90...(3/8"-24)	8.001	12	994 925
BOLT, Hexagon	78/	80-90 (* 8-22)		4	G9424033
WASHER, Lock	78/	80-90 (* 8-22)		4	400 4808

8.855-1 HOSE, Front Wheel Disc Brakes

74/75	10.....			2	535 2688
76/78	10 (Except Cherokee Chief).....			2	535 2688
79/	10 (Except 17).....			2	535 9322
76/78	17 (Cherokee Chief)	8.116		2	535 2689
79/	17-20-40.....			2	535 9323
74/78	20-40.....	8.116		2	535 2689
77/78	80-90 (WDB-Round End-* 8-23).....	8.116		2	535 6598
78/	80-90 (Square End-* 8-24)			2	535 9037

8.855-2 ATTACHING PARTS, Brake Hose To Caliper

BOLT, Hexagon	74/78	10-20-40.....		2	400 4839
BOLT, Hexagon	77/	80-90.....		2	322 5703
BOLT, Special	79/	10-20-40.....		2	420 0304
WASHER, Plain.....	74/	10-20-40.....	17.814	2	G131016
WASHER, Special	74/78		8.116	4	400 4838
WASHER, Special	79/	10-20-40.....		4	420 0303
WASHER, Special	77/	80-90.....		4	322 7849

8.855-3 ATTACHING PARTS, Brake Hose To Bracket Front

NUT, Lock	74	(3/8" Thick)	10.280	2	991 876
NUT, Lock.....	75/	10-20-40.....	10.280	2	400 5338

