






TRANSFER CASE SHIFT CONTROL . . . 1980 80-90




J-5994

TRANSFER CASE MOUNTING . . . 1974/1979 10-20-40 (SIX-WHT-WQT)



TRANSFER CASE MOUNTING . . . 1974/1979 10-20-40 (SIX-WMT) (V8-W3ST) (V8-WHT-WQT)




TRANSFER CASE MOUNTING . . . 1974/1979 10-20-40 (V8-WHT-LQT)

TRANSFER CASE MOUNTING . . . 1974/1979 80 (SIX-W4ST)

J-5946


TRANSFER CASE MOUNTING . . . 1974/1979 80 (SIX-W3ST) (V8-WMT)

J-5960




J-6079



TRANSFER CASE MOUNTING . . . 1976/1979 90 (WHT-WQT)



J-6225




J-6229




J-6226

TRANSFER CASE MOUNTING . . . 1980 46 W4ST



J-6224

TRANSFER CASE MOUNTING ... 1980 10-20-40 WAT



J-6230



TRANSFER CASE MOUNTING ... 1980 93 (WAT)

SPECIAL INFORMATION

The Engine Build Code Number, the Vehicle Identification Number and the information provided on the Trim Plate are often necessary when determining the proper replacement parts for your vehicle. For their location refer to the General Information Section found at the front of this catalog.

NOTES

- 18-1 When ordering Shift Lever Kit you must order correct Shift Rod as indicated.
535 5547 - 73-74-75 Cherokee, Wagoneer V8
535 5557 - 73-74-75 Truck SIX
535 5556 - 73-74-75 Truck V8
- 18-2 Shift Knob is 3-1/4" long.
- 18-3 Shift Knob is 2-1/2" long.
- 18-4 Output Shaft has 10 Splines at Yoke End.
- 18-5 Output Shaft has 26 Splines at Yoke End.
- 18-6 A Sealing Compound is used between Cover and Housing when no Gasket was used in original assembly.
(Refer Accessories And Price List Group 15.260 Gasket-In-A-Tube).
- 18-7 Used on W3ST Transmission with Transfer Case Type 1 shown on Illustration below.
- 18-8 Used on W3ST Transmission with Transfer Case Type 2 shown on Illustration below.




- 18-9 All 1980 Transfer Case Assemblies are shown in Chart Form starting on page Gr 18 - C 3.

TRANSFER CASE CHART INDEX

PART NO.	ILLUSTRATION PAGES	CHART PAGES
535 9400.....	Gr 18 - C 2, 4	Gr 18 - C 3, 5
536 1332.....	Gr 18 - C 2, 4	Gr 18 - C 3, 5
535 9846.....	Gr 18 - C 6, 8	Gr 18 - C 7, 9
535 9842.....	Gr 18 - C 10, 12	Gr 18 - C 11, 13

J-6188




SEE CHART FACING PAGE ►

KEY NO.	DESCRIPTION	GROUP NO.	PER CAR	PART NO.	PART NO.
				MODEL 300	MODEL 300
				4.09 Ratio	3.07 Ratio 3.54 Ratio
	TRANSFER CASE ASSY. (* 18-9)....	18.001	1	535 9400	536 1332
1	NUT, Output Shaft (Front and Rear) ...	18.110	2	801 367	801 367
2	WASHER, Output Shaft (Front and Rear)	18.110	2	400 4917	400 4917
3	YOKE ASSY., Output (Front and Rear).	18.110	1	813 1656	813 1656
4	SEAL, Shift Rod Oil.....	18.100	2	813 1674	813 1674
5	CAP, Front Output Bearing.....	18.015	1	813 1671	813 1671
6	PLUG, Interlock	18.100	2	813 1677	813 1677
7	INTERLOCK	18.100	2	A 965	A 965
8	SPRING, Shift Rod Poppet (Front)....	18.100	1	813 1676	813 1676
9	SPRING, Shift Rod Poppet (Rear)	18.100	1	813 1675	813 1675
10	BALL, Shift Rod Poppet	18.100	2	G453593	G453593
11	ROD, Shift (Rear)	18.100	1	813 1672	813 1672
12	ROD, Shift (Front)	18.100	1	813 1673	813 1673
13	CLIP, Shift Fork.....	18.095	4	813 1670	813 1670
14	FORK, Shift (Front)	18.095	1	813 1665	813 1665
15	SCREW, Shift Fork	18.095	2	935 727	935 727
16	FORK, Shift (Rear).....	18.095	1	813 1666	813 1666
17	CASE, Transfer.....	18.010	1	813 1655	813 1655
18	PLUG, Fill	18.010	1	G444831	G444831
19	THIMBLE, Shift Fork Rod.....	18.100	2	934 281	934 281
20	COLLAR, Clutch	18.031	2	813 1667	813 1667
21	GEAR, Sliding Drive	18.030	2	813 1679	813 1679
22	CONE, Bearing (Front)	18.025	2	315 6063	315 6063
23	CUP, Bearing (Front).....	18.025	2	315 6062	315 6062
24	SHIM KIT (2 each, -.003, .010, .030)...	18.028	1	813 1668	813 1668
25	COVER, Front Output Rear.....	18.028	1	813 1657	813 1657
26	BOLT, Lockplate	18.050	1	942 185	942 185
27	LOCKPLATE.....	18.050	1	A 1001	A 1001
28	SEAL, Intermediate Shaft	18.050	1	942 114	942 114
29	SHAFT, Intermediate	18.050	1	942 115	942 115
30	WASHER, Thrust.....	18.050	2	812 1813	812 1813
31	SPACER, Intermediate Bearing	18.050	2	809 295	809 295
32	BEARING, Needle	18.050	48	809 294	809 294
33	SPACER, Bearing.....	18.050	1	813 1661	813 1661
34	GEAR, Intermediate	18.050	1	813 1678	813 1678
35	COVER, Case (Incl. Drain Plug)	18.010	1	813 1663	813 1663
36	PLUG, Drain.....	18.010	1	813 1664	813 1664
37	SCREW, Case Lower	18.010	10	937 298	937 298
38	BOLT	18.005	4	G180124	G180124
39	SHAFT, Front Output.....	18.025	1	813 1660	813 1660
40	GEAR, Front Output.....	18.035	1	813 1680	813 1680
41	SCREW, Front Bearing Cap.....	18.015	5	937 304	937 304
42	SEAL, Oil	18.015	2	813 1669	813 1669
43	SEAL, Input Oil	18.008	1	813 1684	813 1684
44	SCREW, Input Retainer	18.005	6	813 2677	813 2677
45	RETAINER, Input Bearing	18.005	1	813 1681	813 1681
46	SHAFT, Input	18.008	1	813 1687	813 1687
47	SHIM KIT, Input Shaft	18.008	1	813 1689	813 1689
48	BEARING, Input	18.006	1	813 1682	813 1682
49	RING, Bearing Snap	18.006	1	813 1683	813 1683
50	GEAR, Input	18.007	1	813 1685	813 1685
51	RING, Input Gear Snap.....	18.007	1	813 1686	813 1686
52	SHAFT, Rear Output	18.060	1	813 1688	813 1688
53	SPACER, Output Shaft.....	18.060	1	813 1662	813 1662
54	CONE, Rear Output Inner Bearing	18.088	1	52 799	52 799
55	CUP, Rear Output Inner Bearing	18.088	1	52 800	52 800

◀ SEE ILLUSTRATION FACING PAGE

Chart Continued On Next Page

J-6188




SEE CHART FACING PAGE ►

KEY NO.	DESCRIPTION	GROUP NO.	PER CAR	PART NO.	PART NO.
				MODEL 300	MODEL 300
				4.09 Ratio	3.07 Ratio 3.54 Ratio
	TRANSFER CASE ASSY. (* 18-9) ...	18.001	1	535 9400	536 1332
56	GEAR, Speedometer Drive.....	18.240	1	535 2816	931 381
57	SHIM KIT, Rear Output Bearing.....	18.080	1	933 743	933 743
58	CAP, Rear Output Bearing.....	18.080	1	813 1658	813 1658
59	BREATHER.....	18.010	1	813 1659	813 1659
60	BUSHING, Speedometer.....	18.080	1	A 985	A 985
61	CUP, Rear Output Bearing Outer.....	18.085	1	312 4570	312 4570
62	CONE, Rear Output Bearing Outer.....	18.085	1	933 737	933 737
63	BOLT, Rear Output Cap.....	18.028	4	998 593	998 593
64	BOLT, Rear Output Cap.....	18.080	1	937 303	937 303
	SEALANT, Transfer Case (.20 Fl. Oz.)	18.002	AR	813 2613	813 2613
	SEALANT, Shim (Match Pack).....	18.002	AR	813 2614	813 2614
65	WASHER, Lock.....	18.005	4	649 704	649 704
66	STUD.....	18.005	2	545 5303	545 5303
67	NUT AND WASHER ASSY.	18.005	2	G271193	G271193
	CLAMP, Vent Hose.....	18.010	2	400 6047	400 6047
	GASKET, Pan.....	18.010	1	A 954	A 954
	SWITCH, Lockout.....	18.565	1	321 1322	321 1322

◀ SEE ILLUSTRATION FACING PAGE

J-6187




SEE CHART FACING PAGE ►

KEY NO.	DESCRIPTION	GROUP NO.	PER CAR	PART NO.	PART NO.	PART NO.
				MODEL 208	MODEL 208	MODEL 208
	TRANSFER CASE ASSY. (* 18-9) ...	18.001	1	535 9842	536 1334	536 1528
1	SPACER	18.822	3	813 0971	813 0971	813 0971
2	BEARING, Roller	18.822	1	813 0972	813 0972	813 0972
3	WASHER, Thrust	18.820	1	813 0973	813 0973	813 0973
4	RING, Retaining	18.745	1	813 0974	813 0974	813 0974
5	PUMP, Oil	18.890	1	813 0826	813 0826	813 0826
6	GEAR, Speedometer Drive	18.880	1	813 0827	813 0827	813 0827
7	BEARING KIT, Input Thrust	18.812	1	813 0875	813 0875	813 0875
8	GEAR ASSY., Input (Incl. Bearing) ...	18.812	1	813 0877	813 2818	813 0877
9	BEARING, Input	18.820	1	813 0878	813 0878	813 0878
10	GEAR ASSY., Planetary	18.848	1	813 0862	813 0862	813 0862
11	WASHER, Input Gear Thrust	18.848	1	813 0863	813 0863	813 0863
12	GEAR ASSY., Annulus	18.848	1	813 0864	813 0864	813 0864
13	WASHER, Thrust	18.848	1	813 0865	813 0865	813 0865
14	RING, Retaining	18.848	1	813 0866	813 0866	813 0866
15	BEARING, Mainshaft Thrust	18.820	1	813 0879	813 0879	813 0879
16	MAINSHAFT	18.820	1	813 0871	813 0871	813 0871
17	WASHER, Thrust	18.820	1	813 0967	813 0967	813 0967
18	GEAR, Mode Clutch	18.850	1	813 0965	813 0965	813 0965
19	SPRING, Mode Shift	18.850	1	813 0966	813 0966	813 0966
20	CARRIER, Sprocket	18.820	1	813 0969	813 0969	813 0969
21	RING, Sprocket Stop	18.820	1	813 0970	813 0970	813 0970
22	SPROCKET, Drive	18.820	1	813 0968	813 0968	813 0968
23	PAD KIT	18.865	1	813 0859	813 0859	813 0859
24	FORK, Range (Incl. Pads)	18.865	1	813 0858	813 0858	813 0858
25	SPRING, Mode Fork	18.865	1	813 0876	813 0876	813 0876
26	FORK, Mode	18.865	1	813 0851	813 0851	813 0851
27	BRACKET, Mode	18.865	1	813 0821	813 0821	813 0821
28	SECTOR, Range	18.865	1	813 0820	813 0820	813 0820
29	BEARING, Rear Output Inner	18.840	1	813 0835	813 0835	813 0835
30	CASE, Rear Half	18.800	1	813 0978	813 0978	813 0978
31	CLIP, Wiring	18.810	1	813 0980	813 0980	813 0980
32	BOLT, 12 Point (M10 x 1.5-48mm) ...	18.810	1	813 0979	813 0979	813 0979
33	HOUSING, Pump	18.890	1	813 0981	813 0981	813 0981
34	RETAINER, Rear Bearing	18.800	1	813 0983	813 0983	813 0983
35	VENT	18.860	1	813 0985	813 0985	813 0985
36	SEAL, Output Oil	18.870	2	813 0808	813 0808	813 0808
37	YOKE, Rear (Incl. Nut And Washer) ...	18.870	1	813 0817	813 0817	813 0817
38	WASHER, Seal	18.870	2	813 0815	813 0815	813 0815
39	NUT	18.870	2	813 0816	813 0816	813 0816
40	BOLT, Retainer	18.810	4	813 0984	813 0984	813 0984
41	SEAL, Pump Housing	18.890	1	813 0982	813 0982	813 0982
42	PLUG ASSY.	18.810	2	813 0824	813 0824	813 0824
43	BOLT, Case Half	18.810	6	813 0810	813 0810	813 0810
44	BOLT, Dowel	18.810	2	813 0825	813 0825	813 0825
45	WASHER, Dowel Bolt	18.810	2	G120394	G120394	G120394
46	DOWEL, Case Half	18.810	2	813 0872	813 0872	813 0872
47	BEARING, Front Output Shaft Rear. ...	18.845	1	813 0836	813 0836	813 0836
48	MAGNET	18.825	1	813 0823	813 0823	813 0823
49	RING, Retaining	18.845	1	813 0802	813 0802	813 0802
50	BEARING ASSY., Front Output Shaft ..	18.840	2	813 0819	813 0819	813 0819
51	CHAIN	18.830	1	813 0977	813 0977	813 0977
52	SPROCKET, Driven	18.820	1	813 0975	813 0975	813 0975
53	SHAFT, Front Output	18.840	1	813 0976	813 0976	813 0976
54	BEARING, Front Output Shaft Front ...	18.840	1	813 0869	813 0869	813 0869
55	LEVER	18.880	1	536 0185	536 0185	536 0082

◀ SEE ILLUSTRATION FACING PAGE

- Chart Continued On Next Page

J-6187




SEE CHART FACING PAGE ►

KEY NO.	DESCRIPTION	GROUP NO.	PER CAR	PART NO.	PART NO.	PART NO.
MODEL 208 MODEL 208 MODEL 208						
	TRANSFER CASE ASSY. (* 18-9) ...	18.001	1	535 9842	536 1334	536 1528
56	WASHER.....	18.880	1	G120394	G120394	G120394
57	NUT, Lever.....	18.880	1	813 0813	813 0813	813 0813
58	RETAINER, "O" Ring.....	18.865	1	813 0853	813 0853	813 0853
59	"O" RING, Seal.....	18.865	1	813 0854	813 0854	813 0854
60	BALL.....	18.865	1	813 0855	813 0855	813 0855
61	SPRING.....	18.865	1	813 0856	813 0856	813 0856
62	SCREW.....	18.865	1	813 0857	813 0857	813 0857
64	YOKE, Front Output (Incl. Nut & Washer)	18.870	1	813 0818	813 0818	813 0818
65	BOLT, Low Range Plate.....	18.850	6	813 0874	813 0874	813 0874
66	SEAL, Input Shaft Oil.....	18.812	1	813 0870	813 0870	813 0870
67	BEARING, Input Shaft.....	18.812	2	813 0868	813 0868	813 0868
68	STUD.....	18.500	6	813 0805	813 0805	813 0805
69	CASE, Front Half.....	18.800	1	813 0867	813 0867	813 0867
70	GASKET, Lockout Switch.....	18.865	1	813 0830	813 0830	813 0830
71	SWITCH, Lockout.....	18.865	1	813 0829	813 0829	813 0829
72	PLATE, Low Range Lockout.....	18.850	1	813 0873	813 0873	813 0873
73	RAIL, Shift.....	18.865	1	813 0822	813 0822	813 0822
74	BEARING, Rear Output Rear.....	18.840	1	813 0807	813 0807	813 0807

◀ SEE ILLUSTRATION FACING PAGE

J-6292




SEE CHART FACING PAGE ►

KEY NO.	DESCRIPTION	GROUP NO.	PER CAR	PART NO.
MODEL 219				
	TRANSFER CASE ASSY. (* 18-9) ...	18.001	1	535 9846
1	SPACER	18.822	2	813 0848
2	GEAR, Side	18.822	1	813 0845
3	VISCOUS ASSY.	18.845	1	813 0800
4	ROLLER, Pilot Bearing	18.850	1	813 0804
5	SEAL, "O" Ring	18.820	1	813 0843
6	SHAFT, Rear Output	18.850	1	813 0803
7	PUMP, Oil	18.890	1	813 0826
8	GEAR, Speedometer Drive	18.880	1	813 0827
9	SHIM KIT	18.845	1	813 0828
10	BEARING KIT, Input Thrust	18.812	1	813 0875
11	GEAR ASSY., Input (Incl. Bearing) ...	18.812	1	813 0877
12	BEARING, Input	18.820	1	813 0878
13	GEAR ASSY., Planetary	18.848	1	813 0862
14	WASHER, Input Gear Thrust	18.848	1	813 0863
15	GEAR ASSY., Annulus	18.848	1	813 0864
16	WASHER, Thrust	18.848	1	813 0865
17	RING, Retaining	18.848	1	813 0866
18	BEARING, Mainshaft Thrust	18.820	1	813 0879
19	SLEEVE, Front Sliding Mode	18.850	1	813 0840
20	MAINSHAFT	18.820	1	813 0842
21	WASHER, Mainshaft Thrust	18.820	1	813 0844
22	GEAR, Mode Clutch Side	18.850	1	813 0841
23	SPROCKET, Drive And Driven	18.820	2	813 0849
24	RING, Retaining	18.845	3	813 0802
25	GEAR, Viscous Clutch	18.845	1	813 0801
26	ROLLER, Side Gear (Kit of 85)	18.820	1	813 0846
27	SPACER	18.822	1	813 0847
28	PAD KIT	18.865	1	813 0859
29	FORK, Front Mode (Incl. Pads)	18.865	1	813 0860
30	SPRING, Front Mode Fork	18.865	1	813 0861
31	FORK, Range (Incl. Pads)	18.865	1	813 0858
32	SECTOR, Range	18.865	1	813 0852
33	BRACKET, Mode	18.865	1	813 0837
34	SPRING, Mode Bracket	18.865	1	813 0839
35	BEARING, Rear Output Inner	18.840	1	813 0835
36	WASHER, Rear Output Inner Bearing ...	18.840	1	813 0834
37	CLIP, Wiring	18.810	1	813 0980
38	CASE, Rear Half	18.800	1	813 0833
39	BOLT, 12 Point (M10 x 1.5-48mm) ...	18.810	1	813 0979
40	VENT	18.860	1	813 0985
41	BOLT, Rear Retainer	18.810	6	813 0984
42	SEAL, Output Oil	18.870	2	813 0808
43	YOKE ASSY., Rear (Incl. Nut & Washer)	18.870	1	813 0817
44	NUT	18.870	2	813 0816
45	WASHER, Seal	18.870	2	813 0815
46	BEARING, Rear Output Outer	18.840	1	813 0807
47	RETAINER, Rear	18.800	1	813 0806
48	PLUG ASSY.	18.810	2	813 0824
49	SEAL, Vent Chamber	18.860	1	813 0809
50	BOLT, Case Half	18.810	6	813 0810
51	BOLT, Case Half Dowel	18.810	2	813 0825
52	WASHER, Dowel Bolt	18.810	2	G120394
53	DOWEL, Case Half	18.810	2	813 0872
54	BEARING, Front Output Shaft Rear ...	18.845	1	813 0836
55	MAGNET	18.825	1	813 0823

◀ SEE ILLUSTRATION FACING PAGE

Chart Continued On Next Page

J-6292



SEE CHART FACING PAGE ►

KEY NO.	DESCRIPTION	GROUP NO.	PER CAR	PART NO.
MODEL 219				
	TRANSFER CASE ASSY. (* 18-9) ...	18.001	1	535 9846
56	BEARING ASSY., Front Output Shaft.	18.840	2	813 0819
57	CHAIN.....	18.830	1	813 0831
58	SHAFT, Front Output.....	18.840	1	813 0850
59	BEARING, Front Output Front.....	18.840	1	813 0869
60	WASHER.....	18.880	1	G120394
61	NUT, Lever.....	18.880	1	813 0813
62	LEVER.....	18.880	1	813 0811
63	RETAINER, "O" Ring.....	18.865	1	813 0853
64	SEAL, "O" Ring.....	18.865	1	813 0854
65	BALL.....	18.865	1	813 0855
66	SCREW.....	18.865	1	813 0857
67	SPRING.....	18.865	1	813 0856
68	YOKE, Front Output (Incl. Nut & Washer)	18.870	1	813 0818
69	BOLT, Low Range Plate.....	18.850	6	813 0874
70	SEAL, Input Shaft Oil.....	18.812	1	813 0870
71	BEARING, Input Shaft.....	18.812	2	813 0868
72	STUD.....	18.800	6	813 0805
73	CASE, Front Half.....	18.800	1	813 0867
74	GASKET, Lockout Switch.....	18.865	1	813 0830
75	SWITCH, Lockout.....	18.865	1	813 2843
76	PLATE, Lockout.....	18.850	1	813 0873
77	RAIL, Shift.....	18.865	1	813 0838

◀ SEE ILLUSTRATION FACING PAGE

TRANSFER CASE

18.010

GROUP NO.	DESCRIPTION	YEAR and MODEL	PAKS CODE	PRIMARY GROUP NO.	PER CAR	PART NO.	CODE
18.001-1	TRANSFER CASE ASSEMBLY (Complete)						
74/78	10 (V8-Used With 3.07 Ratio Only)				1	812 4453	
79	10 (Used With 4.09 Ratio)	(Use 813 0280)			1	813 0283	
74/78	10-20-40 (Used With 4.09 And Down-Except 3.07 Ratio)				1	991 736	
79	10-20-45 (Used With 3.07 Ratio)	(Use 813 0285)			1	813 0282	
79	10-20-40 (Used With 3.54 Ratio)				1	813 0285	
74/75	20-40 (Used With 4.27 Ratio And Up)				1	991 737	
79	20-40 (Used With 4.09 Ratio)				1	813 0280	
76/78	26-46 (Used With 4.88 Ratio)				1	991 737	
79	46 (Used With 4.88 Ratio)				1	813 0281	
74/75	80 (Used With 3.73 Ratio)				1	812 1811	
74/75	80 (Used With 4.27 Ratio)				1	812 1812	
76/78	80-90 (Used With 3.54 And 4.09 Ratio-* 18-7)				1	812 6943	
78	80-90 (W3ST-* 18-8)				1	812 9591	
79	80-90 (W3ST-Used With 3.07 And 3.54 Ratio)				1	813 0291	
79	80-90 (W3ST-Used With 4.09 Ratio)				1	813 0286	
79	80-90 (W4ST-Used With 3.07 And 3.54 Ratio)				1	813 0287	
79	80-90 (Six-W4ST-Used With 4.09 Ratio)				1	813 0284	
18.001-2	ATTACHING PARTS, Transfer Case To Transmission						
BOLT, Hexagon	74/79 (1" Long)			AR	535 0659		
BOLT, Hexagon	74/79 (Zinc Plated) ... (1-1/8" Long)		17.038	AR	G180123		
BOLT, Hexagon	74/79 (1-1/4" Long)		17.038	AR	G180124		
BOLT, Hexagon	74/79 (3/8"-24 x 1-1/2" Long)		17.038	1	G120677		
BOLT, Hexagon	74/75 (1-3/8" Long)		5.165	1	535 0658		
BOLT, Hexagon	76/79 (Nylok) ... (1-1/8" Long)		5.052	3	998 597		
BOLT, Hexagon	77/79 (1-3/8" Long)		5.165	1	535 0658		
BOLT, Hexagon	77/79 (3/8"-16 x 1-1/2" Long)		17.038	1	G180126		
BOLT, Hexagon	79 (3/8"-16 x 1-1/8")			2	G179840		
WASHER, Lock	77/79 (3/8"-16)		17.412	AR	G271190		
WASHER, Shake Proof	74/79		8.186	AR	649 704		
NUT, Hexagon	74/79 (3/8"-24) ... (Incl. Lockwasher)		17.412	AR	G271193		
NUT, Jam	74/79		17.410	AR	G124925		
18.001-3	GASKET, Transfer Case To Transmission (LQT)						
74/75	W4ST		6.053	1	936 615		
74/75	(WHT)(W3ST)		6.053	1	937 974		
76/79	10-25-40 (W3ST)		6.053	1	937 974		
76/79	10-25-40 (W4ST)		6.053	1	936 615		
76/79	80-90 (W4ST)			1	936 615		
76/78	80-90 (W3ST-* 18-7)		6.053	1	936 615		
78	80-90 (W3ST-* 18-8)			1	535 9022		
79	80-90 (W3ST)			1	535 9022		
80	W4ST (Except 46)			1	535 9411		
18.001-4	PLUG, Transfer Case Taper						
74/79	W4ST			1	913 145		
18.001-5	DECAL, Transfer Case Shifting						
74/77				1	940 823		
18.001-6	STUD, Transfer Case To Transmission						
74/79	W4ST			1	913 146		
18.002-1	GASKET AND SEAL SET, Transfer Case						
74/79		188		1	812 4624		
18.010-1	CASE, Transfer						
74/75				1	812 4657		
76/79	10-20-40			1	812 4657		
76/79	80-90 (W4ST)			1	812 7045		
76/78	80-90 (W3ST-* 18-7)			1	812 7045		
78	80-90 (W3ST-* 18-8)			1	812 9678		
79	80-90 (W3ST)			1	812 9678		

18.010-2 BREATHER, Transfer Case				
74/79	(Press In Type)	1	813 0999	
74/79	(Screw In Type)	18.340	1	A 934
18.010-3 PLUG, Transfer Case Filler				
74/79		17.512	1	G444831
18.010-4 PLUG, Transfer Case Drain				
74/79		17.512	1	G444831
18.010-5 COVER, Transfer Case Bottom				
74/79			1	A 953
18.010-6 ATTACHING PARTS, Cover To Case				
BOLT, Hexagon	74/79		10	937 298
18.010-7 GASKET, Transfer Case Bottom Cover				
74/79			1	A 954
18.015-1 CAP, Transfer Case Output Shaft Bearing (Front)				
74/76	10-20-40..... (Use 1-535 7006, 2-400 5682)		1	942 784
77/79	10-20-40.....		1	535 7006
74/76	80-90.....		1	999 670
77/79	80-90.....		1	535 7007
18.015-2 ATTACHING PARTS, Front Bearing Cap To Case				
BOLT, Hexagon	74/79		5	937 304
18.015-3 GASKET, Transfer Case Front Bearing Cap				
74/76			1	A 957
77/79			1	812 7829
18.015-4 OIL SEAL, Transfer Case Front Bearing Cap				
74/79			1	812 3077
18.025-1 SHAFT, Transfer Case Output Front				
74/78	(Stamped 18-362-43).....		1	999 853
79	(Stamped 18-362-46).....		1	813 0292
18.025-3 SEAL, Transfer Case Front Output Shaft Oil				
74/79			1	933 726
18.025-4 CONE AND ROLLER, Transfer Case Front Output Shaft				
74/79	(Timken No. 14116)		2	942 113
18.025-5 CUP, Transfer Case Front Output Shaft Cone And Roller				
74/79	 (Use 51 577)		2	52 883
18.025-6 SPACER, Transfer Case Front Output Shaft				
74/79			1	942 112
18.028-1 CAP, Transfer Case Front Output Shaft Rear Bearing (Cover Plate)				
74/79			1	933 721
18.028-2 ATTACHING PARTS, Cap To Transfer Case				
BOLT, Hexagon	74/79	18.080	4	937 303
18.028-3 SHIM, Transfer Case Front Output Shaft Rear Bearing Cap				
74/79	(.003 Thick).....	18.080	AR	A 982
74/79	(.010 Thick).....	18.080	AR	A 983
74/79	(.031 Thick).....		AR	A 984
18.028-4 SHIM SET, Transfer Case Front Output Shaft Rear Bearing Cap				
74/79		18.080	1	A 6753

TRANSFER CASE

18.085

18.030-1	GEAR, Transfer Case Front Output Shaft Sliding			
74/79	(31 Teeth).....	1	933	735
18.035-1	GEAR, Transfer Case Front Output Shaft			
74/79	(26 Teeth-Stamped 18-8-44).....	1	946	784
18.035-2	WASHER, Transfer Case Front Output Shaft Gear Thrust			
74/79	(.176 Thick).....	1	942	111
18.050-1	GEAR, Transfer Case Intermediate			
74/79	(34 Teeth-Stamped 18-5-16).....	1	946	786
18.050-2	SHAFT, Transfer Case Intermediate Gear			
74/79		1	942	115
18.050-3	BEARING, Transfer Case Intermediate Gear Shaft Needle			
74/79		48	809	294
18.050-4	SPACER, Transfer Case Intermediate Gear Shaft Bearing			
74/79		3	809	295
18.050-5	WASHER, Transfer Case Intermediate Gear Shaft Thrust			
74/75	10 (258-W3ST).....	2	812	1813
76/79	10-25-40 (Used With 4.09 Ratio).....	2	812	1813
74/79	80-90.....	2	812	1813
18.050-6	SEAL, Transfer Case Intermediate Gear Shaft ("O" Ring)			
74/79		1	942	114
18.050-7	PLATE, Transfer Case Intermediate Gear Shaft Lock			
74/79		1	A	1001
18.050-8	ATTACHING PARTS, Plate To Case			
	BOLT, Hexagon 74/79	1	942	185
18.060-1	SHAFT, Transfer Case Output (Rear)			
74/78	(Stamped 18-362-33).....	1	948	963
79	(Stamped 18-362-47).....	1	813	0293
18.065-1	GEAR, Transfer Case Rear Output Shaft Sliding			
74/79	(Stamped 18-8-26).....	1	933	742
18.070-1	GEAR, Transfer Case Mainshaft			
74/75	(Stamped 18-8-43)(WHT).....	1	946	785
74/75	(Stamped 18-8-46)(T15A)(W4ST).....	1	946	574
74/75	(Stamped 18-8-49)(T14A).....	1	947	339
76/79	(Stamped 18-8-55)(150T).....	1	535	4506
76/79	(Stamped 18-8-46).....	1	946	574
18.080-1	CAP, Transfer Case Rear Bearing			
74/79	 82	1	992	082
18.080-2	ATTACHING PARTS, Cap To Case			
	BOLT, Hexagon 74/79 (7/8" Long).....	4	937	303
	BOLT, Hexagon 74/79 (1-3/4" Long).....	1	937	305
18.080-3	BUSHING, Transfer Case Rear Bushing Cap (For Speedometer Driven Gear)			
74/79		1	A	985
18.080-4	GASKET, Transfer Case Rear Bearing Cap			
74/79	 18.305	1	A	7361
18.080-5	OIL SEAL, Transfer Case Rear Bearing Cap			
74/79	 18.015	1	812	3077
18.080-8	SHIM SET, Transfer Case Rear Output Shaft Bearing			
74/79	 146	1	933	743
18.085-1	CONE AND ROLLER, Transfer Case Rear Bearing Cap (Rear)			
74/79	(Timken No. 15117).....	1	933	737

TRANSFER CASE

18.085-2	CUP, Transfer Case Rear Bearing Cap Cone And Roller (Rear)			
74	 (Use 312 4570)		1	803 054
75/79		8.294	1	312 4570
18.088-1	CONE AND ROLLER, Transfer Case Rear Bearing Cap (Front)			
74/79	(Timken No. 25877)	8.300	1	52 799
18.088-2	CUP, Transfer Case Rear Bearing Cap Cone And Roller (Front)			
74/79		8.302	1	52 800
18.095-1	FORK, Transfer Case Shift			
74/79	(Front Wheel Drive)		1	A 959
74/79	(Rear Wheel Drive)		1	933 727
18.095-2	SCREW, Transfer Case Shift Fork To Rod Set			
74/79			2	935 727
18.100-1	ROD, Transfer Case Shift			
74/79	(Front Wheel) 10-20-40		1	940 163
74/79	(Rear Wheel) 10-20-40		1	940 162
74/79	(Front Wheel) 80-90		1	934 393
74/79	(Rear Wheel) 80-90		1	934 399
18.100-2	INTERLOCK, Transfer Case Shift Rod			
74/79			AR	A 965
18.100-3	PLUG, Transfer Case Shift Rod Interlock			
74/79			AR	933 729
18.100-4	SEAL, Transfer Case Shift Rod Oil			
74/79			2	A 974
18.100-5	COVER, Transfer Case Shift Rod (Thimble)			
74/79			2	934 281
18.100-6	BALL, Transfer Case Shift Rod Poppet			
74/79		17.018	2	G453593
18.100-7	SPRING, Transfer Case Shift Rod Poppet			
74/79			2	939 001
18.100-8	PLUG, Transfer Case Shift Rod Poppet Spring			
74/79			2	946 113
18.110-1	YOKE ASSEMBLY, Transfer Case To Universal Joint (Front)			
74/78	(Bolt Holes 1.407" Apart-3-1/32" Long-10 Splines)	113		1 933 734
74/78	(Bolt Holes 1.501" Apart-3" Long-10 Splines)	113		1 994 524
79	(Bolt Holes 1.407" Apart-3" Long-26 Splines)		1	813 0288
79	(Bolt Holes 1.501" Apart-3" Long-26 Splines)		1	813 0289
18.110-2	WASHER, Transfer Case Front Yoke To Shaft			
74/79	 (Use 400 4913)		1	A 1028
18.110-3	NUT, Transfer Case Front Yoke To Shaft			
74/79		9.380	1	801 367
18.115-1	YOKE ASSEMBLY, Transfer Case To Universal Joint (Rear)			
74/78	WMT (10 Splines)...(Incl. Dust Shield)	113		1 933 734
79	WMT (26 Splines)...(Incl. Dust Shield)		1	813 0288
18.115-2	WASHER, Transfer Case Rear Yoke To Shaft			
74/79		18.110	1	A 1028
18.115-3	NUT, Transfer Case Rear Yoke To Shaft			
74/79		9.380	1	801 367
18.115-4	FLANGE, Transfer Case Universal Joint End (Rear)			
74/78	(10 Splines)...(Incl. Dust Shield)...(2-5/8" Long)		1	940 471
79	(26 Splines)...(Incl. Dust Shield)		1	813 0290

TRANSFER CASE

18.128

18.125-1 LEVER, Transfer Case Shift

74/79	10-20-40 (WMT).....	1	535 1628
80	10-25-40 (WAT).....	1	536 0102
80	10-25-40 (W4ST).....	1	536 0197
74	80...(Incl. Fitting And Bearings).....	1	999 724
75	80...(Incl. Fitting And Bearings).....	1	535 4764
76/79	80-90 (WMT-LAC)...(Incl. Fitting And Bearings).....	1	535 3260
77/79	80-90 (WMT-WAC).....	1	535 6443
80	83-93 (Four-W4ST-Used With Transmission No. 535 9390).....	1	536 2033
80	80 (W4ST).....	1	536 0044
80	90 (WAT).....	1	536 0129
80	90 (W4ST-Except Six).....	1	536 0044
80	90 (Six-W4ST-Used With Transmission No. 535 9390).....	1	536 0044
80	90 (Six-W4ST-Used With Transmission No. 536 0957).....	1	536 0129

18.125-2 ATTACHING PARTS, Shift Lever

BOLT, Shoulder.....	80	10-25-40 (W4ST).....	1	400 6490
WASHER, Wave.....	80	10-25-40 (W4ST).....	1	400 6483

18.125-3 BUSHING, Transfer Case Shift Lever

74/79	80-90 (WMT).....	2	999 650
-------	------------------	---	---------

18.125-4 BRACKET, Shift Lever Support

80	10-25-40 (W4ST).....	1	536 1066
80	10-25-40 (W4ST).....	1	400 6489

18.125-8 FITTING, Transfer Case Shift Lever Lubricating

74/79	80-90.....	17.290	1	G271287
-------	------------	--------	---	---------

18.128-1 SEAL, Transfer Case Shift Lever (Boot)

74/79	10-20-40.....	1	545 4849
74/75	80.....	1	986 495
76/79	80-90.....	1	535 3263

18.128-1a BOOT, Transfer Case And Transmission Shift Lever

80	10-20-40 (W4ST).....	1	575 2011
80	80-90 (Four).....	1	575 2009
80	83-93 (Six-W4ST).....	1	575 2009
80	83-93 (V8-W4ST).....	1	575 2141
80	93 (WAT).....	1	575 2009

18.128-1b ATTACHING PARTS, Boot Assembly

SCREW.....	80	10-20-40.....	AR	400 6633
SCREW.....	80	80-90.....	29.052 AR	974 764

18.128-2 SEAL, Shift Lever Boot To Floor

80	10-20-40 (WMT).....	1	575 2447
----	---------------------	---	----------

18.128-6 GASKET, Transfer Case Shift Lever (Incl. Retainer)

76/78	(Berry) 10-20-40.....	1	545 9910
74/79	(Black) 10-20-40.....	1	545 3779
74/78	(Blue) 10-20-40.....	1	545 5542
79	(Blue) 10-20-40.....	1	546 4176
74	(Buff) 10-20-40..... (Use 545 5543)	1	545 3777
74	(Dark Green) 10-20-40..... (Use 545 5541)	1	545 3778
74/76	(Light Green) 10-20-40.....	1	545 5541
79	(Russet) 10-20-40.....	1	546 4177
74/77	(Tan) 10-20-40.....	1	545 5543
78/79	(Tan) 10-20-40.....	1	546 1713

18.128-7 RETAINER, Transfer Case Shift Lever Seal

74/75	80.....	1	986 496
76/79	80-90.....	1	535 3264

18.128-8 ATTACHING PARTS, Retainer To Floor Pan

SCREW, Tapping.....	74	10-20-40.....	17.660	5	G9426366
SCREW, Tapping.....	74/75	80.....	17.660	6	G161895
SCREW, Tapping.....	76/79	80-90.....		3	400 3088
FASTENER (Plastic)...	74/79	10-20-40.....		5	400 4919
WASHER, Plain.....	74	10-20-40.....	17.814	5	G131014

18.130-1 KNOB, Transfer Case Shift Lever					
80	10-25-40 (W4ST)		1	536	1063
74/79	10-20-40 (WMT)	 (Use 940 508)	1	946	857
80	10-25-40 (WPTU)		1	536	1065
80	10-25-40 (WFTU)		1	536	1064
74/75	80	 (Use 535 5941)	1	999	964
80	80-90		1	536	1403
76/79	80-90 (WMT)		1	535	5941
18.130-2 NUT, Transfer Case Shift Lever Knob					
74/79	10-20-40		1	941	076
74/79	80-90	 17.410	1	G124925	
80			1	400	6495
18.150-1 CASE, Transfer Case Shift Lever Control					
74/79	10-20-40	 69	1	943	512
18.150-2 BEARING, Transfer Case Shift Lever Control Case Shift Rod					
74/79	10-20-40		4	940	208
18.152-1 RETAINER AND PIN, Transfer Case Shift Lever (Fulcrum Ball)					
74/79	10-20-40		1	940	676
18.152-2 ATTACHING PARTS, Retainer And Pin To Control Case					
SCREW, Cap	74/79 10-20-40		4	940	694
WASHER, Lock	74/79 10-20-40	 17.820	4	G120380	
18.152-3 RETAINER, Transfer Case Shift Control Retainer And Pin (Shim)					
74/79	10-20-40		AR	940	914
18.152-4 COVER, Transfer Case Shift Lever Control Case Dust					
74/79	10-20-40		1	940	738
18.152-5 COVER, Transfer Case Shift Lever Control Case Bottom (Incl. Fitting)					
74/79	10-20-40	 91	1	998	552
18.152-6 ATTACHING PARTS, Bottom Cover To Control Case					
BOLT, Hexagon	74/79 10-20-40...(1/2" Long)	 17.038	4	G123316	
WASHER, Lock	74/79 10-20-40	 17.820	4	G120380	
18.152-7 GASKET, Transfer Case Shift Lever Control Case Bottom Cover					
74/79	10-20-40		1	940	223
18.152-8 FITTING, Transfer Case Shift Lever Control Case Bottom Cover Grease					
74/79	10-20-40	 17.290	1	G271287	
18.160-1 ROD, Transfer Case Shift Control (4WD And Neutral)					
74/79	10-20-40 (Used With Flat Type Link)		1	947	654
74/79	10-20-40 (Used With Rod Type Link)		1	940	209
18.160-2 PAWL, Transfer Case Shift Control Rod (4WD And Neutral)					
74/79	10-20-40		1	940	903
18.160-3 SCREW, Transfer Case Shift Control Rod Pawl Set					
74/79	10-20-40		1	940	239
18.165-1 ROD, Transfer Case Shift Control (Direct And Low Range)					
74/79	10-20-40 (Used With Flat Type Link)		1	947	655
74/79	10-20-40 (Used With Rod Type Link)		1	944	945
18.165-2 SPRING, Transfer Case Shift Control Rod Torsion (Direct And Low Range)					
74/79	10-20-40		1	535	1990
18.165-3 ROD, Transfer Case Shift Control Rod Torsion Spring Retaining					
74/79	10-20-40		1	943	513
18.165-4 ATTACHING PARTS, Rod To Control Case					
CLIP, Push On	74/79 10-20-40		2	940	565
18.165-5 ROD KIT, Transfer Case Shift Control (Direct And Low Range)					
74/79	10-20-40		1	945	447

TRANSFER CASE

18.180

18.167-1 SPRING, Transfer Case Shift Control Case Antirattle				
74/79	10-20-40	1	947	097
18.170-1 LINK, Transfer Case Shift Control Rod				
74	10-25-40...(Center To Center Is 6-3/32")	2	535	2158
74	10-25-45...(Center To Center Is 10-13/16")	2	535	2157
74/75	10-20-40...(Center To Center Is 5-3/4")	2	940	310
75	10-25-40...(Center To Center Is 23/32")	2	948	159
76/79	10-25-45 (Six-W3ST)	2	948	203
76/79	10-20-40 (W4ST)	2	940	310
76/79	16-17-18-25-40 (V8-W3ST)	2	948	159
74	25-40...(Center To Center Is 23/32")	2	948	159
74	26-46...(Center To Center Is 2")	2	948	203
18.170-2 ATTACHING PARTS, Link To Shift Rod				
PIN, Clevis	74/79 10-20-40	17.474	4	G138083
PIN, Cotter	74/79 10-20-40	17.460	4	G112726
18.175-1 TUBE, Transfer Case To Shift Control Case Support				
74/75	10-25-40...(6-13/32" Long)	1	948	158
76/79	10-25-45 (258-W3ST)	1	948	219
76/79	16-17-25-40 (360-W3ST)	1	948	158
76/79	10-20-40 (W4ST)	1	940	274
74	10-25-40...(11-25/32" Long)	1	535	2160
74/75	10-20-40...(11-1/2" Long)	1	940	274
74	10-25-45...(16-3/8" Long)	1	535	2161
74	26-46...(7-21/32" Long)	1	948	219
18.175-2 ATTACHING PARTS, Support Tube To Transfer And Control Case				
SCREW, Lock	74/76	AR	940	271
SCREW, Lock	77/79	AR	400	5682
18.180-1 LEVER, Transfer Case Shifting				
74/79	80-90	1	535	2966
18.180-2 ATTACHING PARTS, Shifting Lever To Support				
WASHER, Plain	74/75 80	17.814	1	G120394
NUT, Hexagon	74/75 80	17.416	1	G9412349
18.180-3 ATTACHING PARTS, Shifting Lever To Connecting Rod				
NUT, Hexagon	74/75 80	17.416	1	G9412349
18.180-4 BUSHING, Transfer Case Shifting Lever				
74/79	80-90	2	999	656
18.180-5 FITTING, Transfer Case Shifting Lever Lubricating				
74/79	80-90	17.290	1	G271287
18.180-6 SUPPORT, Transfer Case Shift Lever				
74/75	80 (W3ST)	1	535	2969
76/79	80-90 (W3ST)	1	535	5438
74/75	83 (W4ST)	1	535	2970
76/79	83-90 (W4ST)	1	535	5439
18.180-6a SHAFT, Transfer Case Shift				
80	80-90	1	536	0045
18.180-6b BUSHING, Shifter Shaft				
80	80-90	2	536	0135
18.180-6c ATTACHING PARTS, Shifter Shaft				
NUT, Hexagon	80 80-90	1	G120377	
WASHER, Wave	80 80-90	1	400	6483
WASHER, Plain	80 80-90	2	G121458	
PIN, Hitch	80 80-90	1	400	6486
18.180-7 ATTACHING PARTS, Support To Shift Lever				
BOLT, Hexagon	74/79 80-90	17.038	1	G181651
SPACER	74/79 80-90	1	999	651
WASHER, Lock	74/79 80-90	17.822	1	G138489

18.180-8 ROD, Transfer Case Shift Lever To Shifting Lever Connecting

74/75	80		1	999 652
76/79	80-90	 (Use 535 5434)	1	535 5779

18.180-9 ATTACHING PARTS, Connecting Rod To Shift Lever

WASHER, Plain	74/79	80-90	17.814	AR	G120394
NUT, Hexagon	74/75	80-90	17.416	AR	G9412349
NUT, Hexagon	76/79	80-90	17.416	AR	G9411783

18.180-10 LINK, Transfer Case Shifting Lever To Transfer Case

80	10-25-45 (W4ST)		1	536 0906
80	46 (W4ST)		1	536 0903
74/75	80 (W3ST)		1	999 658
76/79	80-90 (W3ST)		1	535 5435
74/79	83-90 (W4ST)		1	999 659

18.180-11 ATTACHING PARTS, Shifting Link To Shifting Lever

PIN, Cotter	74/79	80-90 (WMT)	17.460	1	G119117
PIN, Hitch	80	10-25-40 (W4ST)		AR	400 4295
WASHER, Plain	80	10-25-40 (W4ST)		AR	943 961
WASHER, Plain	74/79	80-90 (WMT)	17.814	1	G120394
WASHER, Spring	77/	80-90 (WMT)		1	815 535
WASHER, Wave	80	10-25-40 (W4ST)		AR	815 535

18.182-1 LINK, Transfer Case Shifting Lever

74/79	(Has 2 Holes For Clevis Pin) 80-90		18.137	2	924 338
74/79	(Has 3 Holes For Clevis Pin) 80-90		18.140	2	929 796
80	80-90			1	536 0065

18.182-2 ATTACHING PARTS, Links To Transfer Case Shift Rods

PIN, Clevis	74/79	80-90 ... (5/16" x 13/16")	18.137	2	339 043
PIN, Clevis	74/79	80-90 ... (5/16" x 1-3/16")	18.182	2	G274592
PIN, Cotter	74/79	80-90	17.460	4	G119117
WASHER, Plain	74/79	80-90	17.814	6	G120393
WASHER, Spring	74/79	80-90	7.130	4	674 993
BOLT, Hexagon	80	80-90		1	G180078

18.182-3 LINK ASSEMBLY, Shifter Control

80	80-90			1	536 0073
----	-------	-------	-------	---	----------

18.183-4 ATTACHING PARTS, Link Assembly

PIN, Cotter	80	80-90		2	G112726
PIN, Clevis	80	80-90		2	G454038

18.185-1 INSULATOR, Transfer Case

74	16-17-25-45 (258-WHT)			1	926 671
----	-----------------------	-------	-------	---	---------

18.185-2 SNUBBER, Transfer Case Insulator

74	16-17-25-45 (258-WHT)			1	801 042
----	-----------------------	-------	-------	---	---------

18.189-1 BRACKET, Transfer Case Support

74	83 (Six-W4ST)			1	942 717
75	83 (Six-W4ST)			1	535 4332

18.190-1 BRACKET, Transfer Case Insulator Support ("L" Shape)

74	83 (Six-W4ST)			1	942 635
75	83 (Six-W4ST)			1	535 4333

18.190-2 ATTACHING PARTS, Bracket To Transfer Case

BOLT, Hexagon	74	83 (Six-W4ST) ... (5/16-24 x 2-3/4")	17.038	1	G181623
BOLT, Hexagon	74	83 (Six-W4ST) ... (7/16-14 x 2-3/4")	17.038	1	G180159
BOLT, Hexagon	75	83 (Six-W4ST)	17.038	2	G180145
SCREW, Machine	75	83 (Six-W4ST)	17.629	2	G274195
WASHER, Plain	74	83 (Six-W4ST) ... (1/32" I.D.)	17.814	1	G120395
WASHER, Plain	74	83 (Six-W4ST) ... (5/16" I.D.)	17.814	1	G446363
WASHER, Special	74/75	83 (Six-W4ST)		2	944 842
WASHER, Lock	74	83 (Six-W4ST) ... (5/16" I.D.)	17.820	1	G120214
WASHER, Lock	74	83 (Six-W4ST) ... (7/16" I.D.)	17.820	1	G120383
WASHER, Lock	75	83 (Six-W4ST)	17.820	2	G120383
NUT, Hexagon	74	83 (Six-W4ST)	17.406	1	G120368
NUT, Lock	75	83 (Six-W4ST)	10.260	2	400 3909

18.190-3 ATTACHING PARTS, Support Bracket Bolt To Insulator			
WASHER, Plain.....	74	16-17-25-45 (258-WHT)	1 940 164
NUT, Lock.....	74	16-17-25-45 (258-WHT)	1 400 4311
18.190-4 SPACER, Transfer Case Torque Snubber (Tubing)			
74	25-45 (258-WHT)		1 940 161
18.190-5 SPACER, Transfer Case Support Bracket			
74	83 (Six-W4ST)		1 931 375
18.190-6 INSULATOR, Transfer Case Mounting			
74/75	83 (Six-W4ST)		2 941 400
18.190-7 SPACER, Transfer Case Mounting Insulator			
74/75	83 (Six-W4ST)	18.187	1 941 401
18.190-8 ATTACHING PARTS, Transfer Case Insulators And Spacer To Bracket			
BOLT, Hexagon	74	83 (Six-W4ST)	17.038 1 G124186
BOLT, Hexagon	75	83 (Six-W4ST)	17.038 1 G181709
WASHER, Plain.....	74/75	83 (Six-W4ST)	18.200 AR 941 399
NUT, Lock.....	74/75	83 (Six-W4ST)	1 400 4311
18.192-1 SHIELD, Transfer Case Torque Reaction Support			
74	16-17-25-45 (258-WHT)		1 535 2797
18.192-2 ATTACHING PARTS, Shield To Support			
BOLT, Hexagon	74	16-17-25-45 (258-WHT)	17.038 1 G181713
WASHER, Plain.....	74	16-17-25-45 (258-WHT)	
		...(1-1/16" O.D.)	17.814 1 G120396
WASHER, Plain.....	74	16-17-25-45 (258-WHT)	
		...(1-1/2" O.D.)	18.190 1 940 164
18.193-1 ADAPTER, Transfer Case And Transmission Mount			
74	25-40 (V8-WHT-LQT)		1 535 2366
80	(Upper) 10-20-40 (WAT)		1 535 9754
80	(Lower) 10-20-40 (WAT)		1 535 9753
80	93 (WAT)		1 535 9706
18.193-2 ATTACHING PARTS, Adapter To Transmission			
BOLT, Hexagon	74	25-40 (V8-WHT-LQT) ... (7/8" Long) ...	17.038 2 G180144
BOLT, Hexagon	74	25-40 (V8-WHT-LQT) ... (1" Long)	17.038 2 G180122
WASHER, Lock	74	25-40 (V8-WHT-LQT) ... (3/8" I.D.) ...	17.820 2 G120382
WASHER, Lock	74	25-40 (V8-WHT-LQT) ... (7/16" I.D.) ...	17.820 2 G120383
18.196-1 BRACKET, Transfer Case And Transmission Support Plate Insulator			
75/	16-17-25-45		1 535 4595
74	(Left) 16-17-25-45 (258-WHT-LQT)		1 535 2731
74	(Left) 25-45 (258-WHT-WQT)		1 535 2731
74	(Right) 16-17-25-45 (258-WHT-LQT)		1 535 2732
74	(Right) 25-45 (258-WHT-WQT)		1 535 3057
80	46 (W4ST)		1 535 9771
18.196-2 ATTACHING PARTS, Bracket To Plate And Crossmember			
SCREW, Machine.....	74/	16-17-25-45 (258-WHT) ... (3/4" Long) .	17.629 AR G273773
SCREW, Machine.....	74/	16-17-25-45 (258-WHT) ... (1" Long) ...	17.629 AR G274195
NUT, Lock.....	74/	16-17-25-45 (258-WHT)	10.260 AR 400 3909
BOLT, Hexagon	80	46 (W4ST)	9 G9419856
NUT, Hexagon.....	80	46 (W4ST)	6 400 3956
18.197-1 INSULATOR, Transfer Case (Plate And Bracket)			
74/79	10-25-45 (258-W3ST) ... (Less Stud)		1 137 0910
74/79	10-25-40 (V8-W3ST)(V8-WHT) ... (Less Stud)		1 137 0910
74/79	10-25-40 (360-W4ST)(401-W4ST) ... (Incl. Stud)		1 939 995
74	16-17-25-45 (258-WHT-LQT) ... (Incl. Stud)		1 939 995
74	16-17-25-45 (258-WHT-LQT) ... (Incl. Bracket And Plate)		1 941 634
75/79	16-17-25-45 (258-WHT)		1 137 0910
74/79	20-40 (258-W4ST) ... (Incl. Stud)		1 939 995
74	25-45 (258-WHT-WQT)		1 137 0910
74/79	80-90 ... (Less Stud)		1 137 0910
80	... (Less Stud)		1 137 0910

18.197

TRANSFER CASE

18.197-4 ATTACHING PARTS, Insulator To Transmission

BOLT, Hexagon	74	16-17-25-45 (258-WHT).....	17.626	2	G451976
WASHER, Special	74	16-17-25-45 (258-WHT).....	7.125	2	805 942

18.197-4a ATTACHING PARTS, Insulator To Transfer Case

BOLT, Hexagon	74/79	10-25-40 (V8-W4ST).....	17.626	2	G451976
WASHER, Special	74/79	10-25-40 (V8-W4ST).....	7.125	2	805 942

18.197-5 ATTACHING PARTS, Insulator To Crossmember

STUD.....	74/79	10-25-45 (258-W3ST)		2	948 622
STUD.....	74/79	10-25-40 (V8-W4ST).....		2	940 184
STUD.....	74/79	10-25-40 (V8-W3ST)(V8-WHT)		2	948 622
STUD.....	74	16-17 (258-WHT).....		2	940 184
STUD.....	75/79	16-17-25-45 (258-WHT)		2	948 622
STUD.....	74	25-45 (258-WHT-WQT)		2	948 622
STUD.....	74/79	20-40 (258-W4ST)(258-WHT-LQT)		2	940 184
STUD.....	74/79	80-90.....		2	948 622
STUD.....	80			2	400 4819
WASHER, Plain.....	74/75	10-25-40 (V8-W4ST).....	17.814	2	G120394
WASHER, Plain.....	76/77	10-25-40 (V8-WHT)	17.814	1	G120395
WASHER, Plain.....	76/79	16-17-25-45 (258-WHT)	17.814	1	G120395
WASHER, Plain.....	76/79	16-17-25-40 (360-W3ST)	17.814	1	G120395
WASHER, Plain.....	78/79	10 (V8-WHT)		1	G120395
WASHER, Plain.....	74	25-45 (258-WHT-WQT)	17.814	2	G120395
WASHER, Plain.....	76/79	20-40 (258-W4ST)	17.814	2	G120394
WASHER, Plain.....	78/79	20-40 (V8-WHT)		2	400 1120
WASHER, Plain.....	80	W4ST (Except 46)	17.814	2	400 1120
WASHER, Lock.....	74/75	20-40 (258-W4ST).....	17.820	2	G120382
WASHER, Lock.....	74	25-45 (258-WHT-LQT)	17.820	2	G120382
NUT, Hexagon.....	74/75	20-40 (258-W4ST).....	17.406	2	G120369
NUT, Hexagon.....	76/79	20-40 (258-W4ST)	8.001	2	994 925
NUT, Lock.....	74/75	10-25-45 (258-W3ST)	17.416	2	G9413215
NUT, Lock.....	74/	10-25-40 (V8-W3ST)(V8-WHT)	17.416	2	G9413215
NUT, Lock.....	74/75	10-25-40 (V8-W4ST)	8.001	2	994 925
NUT, Lock.....	75/	16-17-25-45 (258-WHT)	17.416	2	G9413215
NUT, Lock.....	74	16-17-25-45 (258-WHT-LQT)	10.488	2	400 3869
NUT, Lock.....	74	25-45 (258-WHT-WQT)	17.416	2	G9413215
NUT, Lock.....	74/79	80-90.....	17.416	2	G9413215
NUT, Lock.....	80	(7/16"-20)	17.416	2	G9413215
BOLT	80	(7/16"-14)		AR	400 6110

18.197-6 BRACKET, Torque Reaction Restrictor

79	10-20-40 (W4ST)		1	535 9370
----	-----------------------	-------	---	----------

18.197-7 ATTACHING PARTS, Torque Reaction Restrictor Bracket To Crossmember

BOLT, Hexagon	79	10-20-40 (W4ST)		2	G9419293
NUT, Lock.....	79	10-20-40 (W4ST)		2	G9413215
WASHER, Plain.....	79	10-20-40 (W4ST)		2	400 1118

18.200-1 BRACKET, Transfer Case Torque Reaction

74/75	10-25-40 (360-W4ST)(401-W4ST)		1	998 648
74/75	20-40 (258-W4ST)		1	998 648
74	25-45 (258-WHT-WQT)		1	535 1693
74	25-40 (V8-WHT-LQT)		1	998 648
74	16-17-25-45 (258-WHT-LQT)		1	535 2782
75	16-17-25-45 (258-WHT)		1	535 1693
74/79	10-25-45 (258-W3ST)		1	535 1781
74/79	16-17-25-40 (360-W3ST)(401-W3ST)		1	535 1781
74/79	10-25-40 (V8-WHT)		1	535 1693
76/79	16-17-25-45 (258-WHT)		1	535 5693
76/79	10-20-40 (W4ST)		1	535 6198
80	10-20-45 (W4ST)		1	535 9751
80	10-20-40 (W4T)		1	535 9752
80	46 (W4ST)		1	535 9776
80	80-90 (Four-W4ST)		1	535 9875
80	83-93 (Four-W4ST-4:09 Axle Ratio-Used With Transmission No. 535 9390)		1	536 2829
74	80 (Six-W3ST)		1	535 1782
74	83 (Six-W4ST)		1	535 1278
75	80 (Six-W3ST)		1	535 4375
75	83 (Six-W4ST)		1	535 4377

TRANSFER CASE

18.200

74/75	80 (V8)	1	535 1781
76/78	90 (WHT)	1	535 1693
76/78	80-90 (W3ST)	1	535 1781
77/78	83 (Six-W4ST-WHAC)	1	535 7639
79	93 (WHT) ... (Incl. Converter Bracket)	1	535 8716
79	80-90 (W3ST) ... (Incl. Converter Bracket)	1	535 8720
79	80-90 (V8-W3ST-Calif.)	1	535 1781
79	80-90 (W4ST) ... (Incl. Converter Bracket)	1	535 8725
80	83-93 (V8-W4ST)	1	536 1157
80	93 (Six-W4ST-Model 176 Transmission)	1	536 1157
80	93 (Six-W4ST-Model SR4 Transmission)	1	536 1322
80	93 (WAT)	1	536 1323

18.200-2 ATTACHING PARTS, Bracket To Transfer Case Or Transmission

SCREW, Machine	74	16-17-25-45 (258-WHT)	17.629	2	812 1353
SCREW, Machine	76/79	10-20-40 (W4ST)	17.629	2	G274902
BOLT, Hexagon	74/79	16-17-25-45 (258-WHT)	17.038	2	G180122
BOLT, Hexagon	74/79	10-25-45 (258-W3ST)	17.038	3	G180146
BOLT, Hexagon	74/	10-25-40 (V8-WHT) ... (1" Long)	17.038	2	G180122
BOLT, Hexagon	74	25-40 (V8-WHT-LQT) ... (7/8" Long) ...	17.038	2	G180144
BOLT, Hexagon	74/	16-17-25-40 (V8-W3ST) ... (1-1/8" Long) ...	17.038	3	G180146
BOLT, Hexagon	74/75	10-25-40 (V8-W4ST) ... (7/8" Long) ...	17.038	2	G180144
BOLT, Hexagon	74/75	20-40 (258-W4ST)	17.626	2	G451976
BOLT, Hexagon	76/	20-40 (258-W4ST)	17.029	2	G273773
BOLT, Hexagon	77/79	10-25-45 (258-W4ST) ... (1" Long)	17.038	3	G180145
BOLT, Hexagon	77/	10-25-40 (V8-W4ST) ... (1" Long)	17.038	3	G180145
BOLT, Hexagon	78/79	20-40 (V8-WHT) ... (2" Long)		2	400 6160
BOLT, Hexagon	74/75	80 (Six-WMT) ... (1-1/4" Long)	17.038	AR	G180147
BOLT, Hexagon	74/75	80 (Six-W3ST) ... (1-3/8" Long)	17.038	1	G180148
BOLT, Hexagon	74/75	80 (V8) ... (1" Long)	17.038	2	G180145
BOLT, Hexagon	76/79	90 (WHT)	17.038	1	G181635
BOLT, Hexagon	76/79	90 (WHT)	17.038	2	G180122
BOLT, Hexagon	76/79	80-90 (W3ST)	17.038	AR	G180145
BOLT, Hexagon	76/79	80-90 (Six-W4ST) ... (3/8"-16 x 1-1/4")	17.038	2	G180124
BOLT, Hexagon	77/	80-90 (W4ST) ... (7/16"-14 x 1-1/4")	17.038	2	G180147
BOLT, Hexagon	80	80-90 ... (1-1/4" Long)	17.038	2	G180147
BOLT	80	(7/16"-14)		AR	400 6110
WASHER, Lock	74	16-17 (258-WHT)	17.820	2	G180382
WASHER, Lock	74	25-45 (258-WHT-WQT)	17.820	2	G180382
WASHER, Lock	74/79	10-25-45 (258-W3ST)	17.820	3	G120383
WASHER, Lock	74	25-40 (V8-WHT-LQT)	17.820	2	G120383
WASHER, Lock	74/79	10-25-40 (V8-WHT-WQT)	17.820	2	G120382
WASHER, Lock	74/	16-17-25-40 (V8-W3ST)	17.820	3	G120383
WASHER, Lock	74/75	10-25-40 (V8-W4ST)	17.820	2	G120383
WASHER, Lock	75/79	16-17-25-45 (258-WHT)	17.820	2	G120382
WASHER, Lock	74/75	80	17.820	2	G120383
WASHER, Lock	76/	80-90 (W3ST)	17.820	AR	G120383
WASHER, Lock	76/79	80-90 (W4ST) (WHT) ... (3/8" x 11/16") ..	17.820	2	G120382
WASHER, Lock	77/	80-90 (W4ST) ... (7/16" x 25/32")	17.820	2	G120383
WASHER, Lock	80	93 (WAT)	17.038	2	G120383
WASHER, Special	74/75	20-40 (258-W4ST)	7.125	2	805 942
NUT, Hexagon	74/79	16-17-25-40 (V8-W3ST)	17.406	1	G271501
NUT, Hexagon	76/	16-17-25-45 (258-W3ST)	17.406	1	G271501
NUT, Hexagon	80	93 (WAT)	17.406	2	G271501

18.200-3 ATTACHING PARTS, Bracket To Crossmember

STUD	74/75	10-20-40	(Use 535 4923)	1	947 213
STUD	76/77	10-20-40-90		1	535 4923
STUD	78/79	10-20-40-90 (WHT-Except V8)		1	535 4923
STUD	78/79	10-20-40 (V8-WHT)		1	535 8879
INSULATOR	74/79	10-20-40-90		2	945 266
WASHER, Plain	74/79	10-20-40-90		1	945 269
WASHER, Plain	74/79	10-20-40-90		1	945 269
WASHER, Plain	74/	10-20-40-90		AR	941 399
WASHER, Plain	74/	10-20-40-90		1	400 1104
WASHER	78/	10-20-40-90 ... (17/32" I.D. x 1" O.D.) ..		1	400 1134
NUT, Lock	74/79	10-20-40-90	8.001	2	994 925

18.200-4 ATTACHING PARTS, Bracket To Insulator

BOLT, Hexagon	74	25-45 (258-WHT-WQT)	17.038	1	G181635
BOLT, Hexagon	74/79	10-25-40 (V8-WHT-WQT)	17.038	1	G181635
BOLT, Hexagon	75/79	16-17-25-45 (258-WHT)	17.038	1	G181635
BOLT, Hexagon	74/75	80 (Six-W3ST)	17.038	1	G180147
BOLT, Hexagon	74/75	80 (304-W3ST)	17.038	1	G180145
BOLT, Hexagon	76/79	80-90 (W3ST)	17.038	AR	G180145
BOLT, Hexagon	76/79	90 (WHT)	17.038	1	G181635
BOLT, Hexagon	80	80-90... (7/16"-14 x 1-1/4")	17.038	1	G180147
WASHER, Lock	74/79	80-90 (W3ST)	17.820	1	G120383
WASHER, Lock	80	80-90... (7/16")	17.820	1	G120383
NUT, Lock	74/79	10-25-40 (V8-WHT-WQT)	8.001	1	994 925
NUT, Lock	75/79	16-17-25-45 (258-WHT)	8.001	1	994 925
NUT, Lock	74	25-45 (258-WHT-WQT)	8.001	1	994 925
NUT, Lock	76/79	90 (WHT)		1	994 925
NUT, Hexagon	74/79	10-25-45 (258-W3ST)	17.406	1	G271501
NUT, Hexagon	74/79	80-90 (W3ST)	17.406	1	G271501
NUT, Hexagon	80	80-90... (7/16"-14)	17.406	1	G271501

18.200-5 SPACER, Transfer Case And Transmission Torque Reaction Bracket

79	20-40 (V8-WHT)	..	1	535 8877
80	46 (W4ST)	..	1	535 9785
74/75	80 (LHD-Six-W3ST)	..	1	535 1780
74	80 (RHD-Six-W3ST)	..	1	999 235
74	83 (RHD-Six-W4ST)	..	1	999 236
76	83-90 (LHD-Six-W4ST)	..	1	999 236
77/78	83 (Six-W4ST-LHAC)	..	1	999 236
77/78	83 (Six-W4ST-WHAC)	..	1	535 7638
77/78	90 (Six-W4ST)	..	1	999 236
79	84-93 (Six-W4ST)	..	1	999 236
79	83 (Six-W4ST-50 States)	..	1	535 7638
79	80-90 (RHD-W4ST)	..	1	999 236
80	W4ST	..	1	536 1885

18.200-6 PLATE, Torque Reaction

74	25-45 (258-WHT-WQT)	..	1	535 3058
75	16-17-25-45 (258-WHT)	..	1	535 4593
76/79	16-17-25-45 (258-WHT)	..	1	535 5692

18.200-7 BRACKET, Transfer Case Torque Reaction Insulator Stud

74	25-45 (258-WHT-WQT)	18.196	1	535 3057
75/79	16-17-25-45 (258-WHT)	..	1	535 4594
80	46 (W4ST)	..	1	535 9770

18.205-1 PLATE, Transfer Case And Transmission Support

74	16-17-25-45 (258-WHT-LQT)	..	1	535 2375
75/79	16-17-25-45 (258-WHT)	..	1	535 4596
74	25-45 (258-WHT-WQT)	..	1	535 2729
80	46 (W4ST)	..	1	535 9757

18.210-1 INSULATOR, Transfer Case And Transmission Torque Reaction (Round)

76/79	10-20-40 (258)	18.200	2	945 266
74/79	16-17-25-40 (360-W3ST)	18.200	2	945 266
74/79	10-25-40 (V8-W4ST)(V8-WHT)	18.200	2	945 266
74/75	80 (W3ST)	18.200	2	945 266
76/79	80-90	18.200	2	945 266
80		18.200	2	945 266

18.210-2 ATTACHING PARTS, Insulator To Transfer Case Or Crossmember

STUD	74	16-17-25-40 (360-W3ST)	18.200	1	947 213
STUD	74	10-25-40 (V8-W4ST)(V8-WHT)	18.200	1	947 213
STUD	75/79	16-17-25-40 (360-W3ST)	..	1	535 4923
STUD	75/77	10-25-40 (V8-W4ST)(V8-WHT)	..	1	535 4923
STUD	76/79	10-20-40 (258)	..	1	535 4923
STUD	74	80 (W3ST)	18.200	1	947 213
STUD	75	80 (W3ST)	..	1	535 4923
STUD	76/79	80-90 (WMT)	..	1	535 4923
STUD	80		..	1	535 8879
WASHER, Plain	74/79	16-17-25-40 (360-W3ST)... (13/32" I.D.)	18.200	1	945 269
WASHER, Plain	74/79	16-17-25-40 (360-W3ST)... (17/32" I.D.)	18.200	1	941 399

TRANSFER CASE

18.500

WASHER, Plain.....	74/79	16-17-25-40 (360-W3ST)...(13/16" I.D.)	17.814	2	G120394
WASHER, Plain.....	74/75	10-25-40 (V8-W3ST)(V8-WHT) ...(7/16" I.D.)	17.814	1	G120395
WASHER, Plain.....	74/79	10-25-40 (V8-W4ST)(V8-WHT) ...(17/32" I.D.)	18.200	AR	941 399
WASHER, Plain.....	74/79	10-25-40 (V8-W4ST)(V8-WHT) ...(13/32" I.D.)	18.200	AR	945 269
WASHER, Plain.....	74/79	10-25-40 (V8-WHT-WQT) ...(13/32" I.D.)	17.814	1	400 1104
WASHER, Plain.....	74/75	10-25-40 (V8-WHT-WQT) ...(7/16" I.D.)	17.814	1	G120395
WASHER, Plain.....	76/79	10-20-40 (258)...(13/32" I.D.)	18.200	1	945 269
WASHER, Plain.....	76/79	16-17-25-45 (258-WHT)...(17/32" I.D.)	18.200	1	941 399
WASHER, Plain.....	76/79	10-25-45 (258-W3ST)...(17/32" I.D.)	18.200	1	941 399
WASHER, Plain.....	76/79	20-40 (258-W4ST)...(17/32" I.D.)	18.200	2	941 399
WASHER, Plain.....	76/79	10-25-40 (360-W4ST)...(13/32" I.D.)	17.814	1	400 1104
WASHER, Plain.....	74	80 (W3ST)...(17/32" I.D.)	18.200	1	941 399
WASHER, Plain.....	74	80 (W3ST)...(13/32" I.D.)	18.200	1	945 269
WASHER, Plain.....	74	80 (W3ST)...(13/16" I.D.)	17.814	2	G120394
WASHER, Plain.....	75	80...(13/16" I.D.)	17.814	2	G120394
WASHER, Plain.....	75/	80-90...(13/32" I.D.)	18.200	1	945 269
WASHER, Plain.....	75/	80-90...(17/32" I.D.)	18.200	1	941 399
WASHER, Plain.....	76/	80-90...(13/32" I.D.)	17.814	AR	400 1104
WASHER, Plain.....	76/79	83-90 (W4ST)...(17/32" I.D.)	17.814	1	G120396
WASHER, Plain.....	80	80-90 (Four-W4ST)...(17/32" x 1/2")	17.814	1	400 1134
WASHER, Plain.....	80	(13/32 I.D. x 7/8" O.D.)	17.814	AR	400 1104
WASHER, Plain.....	80	(13/32 I.D. x 1-5/8" O.D.)	18.200	1	945 269
WASHER, Plain.....	80	(17/32 I.D.)	18.200	1	941 399
NUT, Hexagon.....	80	(7/16"-14)		AR	400 3975
NUT, Lock.....	74/79	10-25-40 (V8-W4ST)(V8-WHT)	8.001	2	994 925
NUT, Lock.....	74/79	16-17-25-40 (360-W3ST)	8.001	2	994 925
NUT, Lock.....	76/79	10-20-40 (258)	8.001	2	994 925
NUT, Lock.....	74	80 (W3ST)	8.001	2	994 925
NUT, Lock.....	75/79	80-90	8.001	2	994 925
NUT, Lock.....	80	(3/8"-24)	17.416	1	G9411783
NUT, Lock.....	80	(7/16"-14 x 1-1/4")		AR	400 3956
18.210-5 PLATE, Transfer Case And Transmission Reinforcing (1" x 2.62")					
74/79	16-17-25-45 (258-WHT)		AR	998	715
18.215-1 BRACKET, Transfer Case And Transmission Mounting (Rear)					
74	83 (Six-W4ST)		1	992	687
18.215-2 ATTACHING PARTS, Bracket To Crossmember And Frame					
BOLT, Hexagon.....	74	83 (Six-W4ST)... (3/4" Long)	17.038	1	G180120
BOLT, Hexagon.....	74	83 (Six-W4ST)... (1" Long)	17.038	2	G181637
WASHER, Lock.....	74	83 (Six-W4ST)	17.820	3	G120382
NUT, Hexagon.....	74	83 (Six-W4ST)	17.406	2	G120369
18.240-1 GEAR, Transmission Speedometer Drive (LQT)					
74/75	(3.07 Ratio)		6.240	1	535 2816
74/75	(4.09 Ratio And Down-Except 3.07 Ratio)		6.440	1	931 381
74/79	(4.27 Ratio And Up)		6.640	1	910 086
76/79	10-25-40 (4.09 Ratio)		6.440	1	931 381
76/79	10-25-40 (3.07, 3.54 And 3.73 Ratio)		6.240	1	535 2816
76/79	80-90 (3.54 And 4.09 Ratio)			1	931 381
18.500-1 TRANSFER CASE ASSEMBLY (WQT)					
74/77	10-25-40-90 (* 18-4)			1	535 0735
77/79	10-20-40-90 (* 18-5)			1	812 8994
18.500-2 ATTACHING PARTS, Transfer Case To Transmission					
BOLT, Hexagon.....	74/79	10-25-40-90	17.038	4	G180148
18.500-3 GASKET, Transfer Case To Transmission (WQT)					
74/78	10-25-40-90		18.001	1	998 315
18.500-3a "O" RING, Transfer Case To Transmission (WQT)					
78/79				1	535 9090

18.500

TRANSFER CASE

18.500-4	GASKET AND SEAL SET, Transfer Case (WQT)				
74/79	10-25-40-90.....	183		1	812 5030
18.500-5	LUBRICANT (WQT)				
74/79	(8 Oz.) 10-25-40-90.....			1	812 3004
80	(Qt. -10W-30)			AR	899 7323
18.510-2	TRANSFER CASE AND PIN ASSEMBLY (WQT)				
74/79	10-25-40-90.....			1	812 2386
18.510-3	COVER, Transfer Case (WQT)				
74/79	10-25-40-90 (* 18-6)			1	812 2388
18.510-5	ATTACHING PARTS, Transfer Case To Transfer Case Cover				
BOLT, Hexagon	74/79 10-25-40-90.....	18.510	7		G9419690
BOLT, Hexagon	74/79 10-25-40-90.....	17.038	1		G179840
18.510-8	GASKET, Transfer Case To Transfer Case Cover (WQT)				
74/79	10-25-40-90 (* 18-6)			1	812 2389
18.510-10	PLUG, Transfer Case Drain (WQT)				
74/79	10-25-40-90.....	17.512	1		G444577
18.515-1	COVER, Power Takeoff Transfer Case Cover (WQT)				
74/79	10-25-40-90.....			1	812 2407
18.515-2	ATTACHING PARTS, Power Takeoff Cover To Transfer Case Cover				
BOLT, Hexagon	74/79 10-25-40-90.....	17.038	1		G179838
BOLT, Hexagon	74/79 10-25-40-90.....	17.038	2		G179847
BOLT, Hexagon	74/79 10-25-40-90.....	17.038	2		G179814
WASHER	74/79 10-25-40-90.....	17.820	2		G120214
18.515-3	RING, Power Takeoff Cover To Transfer Case Cover Sealing (WQT)				
74/79	10-25-40-90.....			1	812 2406
18.515-6	PLUG, Transfer Case Cover Filler (WQT)				
74/79	10-25-40-90.....	17.512	1		G444592
18.515-9	PLUG, Transfer Case Cover Magnetic (WQT)				
74/79	10-25-40-90..... (Use 315 5923)			1	318 2340
18.515-10	TUBE, Transfer Case Oil (WQT)				
74/75	10-25-40.....	18.562	1		812 2405
18.515-11	PLUG, Transfer Case Cover Oil Tube (WQT)				
74/79	10-25-40-90.....	18.510	1		812 2997
18.520-1	SPROCKET, Drive (WQT)				
74/79	10-25-40-90.....			1	812 2400
18.520-2	HUB, Drive (WQT)				
74/79	10-25-40-90.....			1	812 2401
18.520-3	SLEEVE, Drive (WQT)				
74/79	10-25-40-90.....			1	812 2403
18.520-5	SNAP RING, Drive Sleeve To Drive Hub (WQT)				
74/79	10-25-40-90.....			1	812 2711
18.520-7	BEARING, Drive Sprocket Front (WQT)				
74/79	10-25-40-90.....			1	812 2390
18.520-9	SEAL, Transfer Case Oil (WQT)				
74/79	(Inner) 10-25-40-90			1	812 5199
74/79	(Outer) 10-25-40-90			1	812 2404
18.520-11	WASHER, Thrust (WQT)				
74/79	10-25-40-90.....			1	812 2710
18.520-13	BEARING, Drive Sprocket Rear (WQT)				
74/79	10-25-40-90.....	18.510	1		812 2395

TRANSFER CASE

18.565

18.530-1	CHAIN, Drive (WQT)				
74/79	10-25-40-90.....	1	812	2392	
18.540-1	SHAFT, Front Output (WQT)				
74/79	10-25-40-90 (* 18-4).....	18.550	1	812	2393
78/79	10-25-40-90 (* 18-5).....	1	812	9362	
18.540-3	WASHER, Front Output Shaft Thrust (WQT)				
74/79	10-25-40-90.....	1	812	2412	
18.540-5	SNAP RING, Bearing Inner (WQT)				
74/79	10-25-40-90.....	2	812	2396	
18.540-7	SNAP RING, Bearing Outer (WQT)				
74/79	(.060 Thick)...10-25-40-90.....	1	812	2396	
74/79	(.064 Thick)...10-25-40-90.....	1	812	2397	
74/79	(.067 Thick)...10-25-40-90.....	1	812	2402	
74/79	(.070 Thick)...10-25-40-90.....	1	812	2411	
18.540-9	BEARING, Output Shaft Annular (WQT)				
74/79	10-25-40-90.....	2	812	2391	
18.545-1	DIFFERENTIAL ASSEMBLY (WQT)				
74/79	10-25-40..... (Use 812 5197) 174.....	1	812	2394	
75/79	10-25-40-90.....	1	812	5197	
18.545-2	BEARING, Differential Needle (WQT)				
74/79	10-25-40-90.....	18.520	2	812	2390
18.550-1	SHAFT, Rear Output (WQT)				
74/79	10-25-40-90.....	18.540	1	812	2398
18.550-3	HUB, Lockup Coupling (WQT)				
74/79	10-25-40-90.....	1	812	2709	
18.560-1	COVER, Shift Fork Vent (WQT)				
74/79	10-25-40-90.....	1	812	3022	
18.560-2	ATTACHING PARTS, Vent Cover				
SCREW, Tapping.....	74/79 10-25-40-90.....	17,670	2	G172431	
18.560-3	GASKET, Vent Cover (WQT)				
74/79	10-25-40-90.....	1	812	3023	
18.560-4	BREATHER ASSEMBLY (WQT)				
74/79	10-25-40-90.....	18.561	1	812	2399
18.560-4a	TUBE, Vent (WQT)				
78	10-20-40 (Six)..... (Use 535 8486)	1	535	8488	
78	10-20-40 (V8).....	1	535	8486	
78/79	90.....	1	535	8486	
18.560-4b	CLIP, Vent Tube (WQT)				
78/79	10-20-40-90.....	8,101	4	400	6034
18.560-4c	FITTING, Vent Tube (WQT)				
78/79	10-20-40-90.....	1,067	1	321	6517
18.560-4d	HOSE, Vent Tube (WQT)				
78/79	10-20-40-90 (Bulk-Order In Feet).....	15,440	AR	812	5811
18.565-1	CONTROL, Diaphragm (WQT)				
74/79	10-25-40-90.....	1	812	2991	
18.565-2	"O" RING, Diaphragm Control (WQT)				
74/79	10-25-40-90.....	1	812	3024	
18.565-3	RING, Retaining Diaphragm Control To Shift Fork (WQT)				
74/79	10-25-40-90.....	2	812	3031	
18.565-4	SHIFT FORK (WQT)				
74/79	10-25-40-90.....	1	812	3026	

18.565

TRANSFER CASE

18.565-5	SHOE, Shift Fork (WQT)				
74/79	10-25-40-90.....	1	812	3025	
18.565-6	BALL, Poppet (WQT)				
74/79	10-25-40-90.....	17.018	1	G147485	
18.565-7	SPRING, Poppet (WQT)				
74/79	10-25-40-90.....	1	812	3027	
18.565-8	SPRING, Diaphragm Control (WQT)				
74/79	10-25-40-90.....	1	812	3099	
18.565-9	SWITCH, Lockout Indicator (WQT)				
74/79	10-25-40-90.....	6.010	1	321 1322	
18.570-1	YOKE ASSEMBLY, Transfer Case To Universal Joint Front (WQT)				
74/79	10-25-40-90 (* 18-4).....	18.110	1	535 1145	
78	10-20-40-90 (* 18-5).....	1	812	9363	
18.570-2	WASHER, Transfer Case Yoke To Output Shaft				
74/79	10-25-40-90.....	18.110	2	400 4913	
18.570-3	NUT, Transfer Case Yoke To Output Shaft				
74/79	10-25-40-90.....	9.380	2	801 367	
18.570-4	SEAL, Output Shaft Oil (WQT)				
74/79	10-25-40-90.....	18.015	2	812 3077	
18.570-6	SEAL, Output Shaft Front And Rear (WQT)				
74/79	10-25-40-90.....	2	535	3347	
18.575-1	YOKE ASSEMBLY, Transfer Case To Universal Joint Rear (WQT)				
74/79	10-25-40-90.....	1	535	4060	
18.580-1	GEAR, Speedometer Drive (WQT)				
74/75	10 (Stamped SW-447711)...(2-9/32" O.D.).....	1	535	2818	
76/79	10-25-40-90 (Stamped SW-447711)...(2-9/32" O.D.).....	1	535	2818	
75	10-25-40...(2-1/4" O.D.).....	6.440	1	535 1123	
76/79	16-17-25-40-90...(2-1/4" O.D.).....	6.440	1	535 1123	
74	25-40...(2-1/4" O.D.).....	6.440	1	535 1123	
18.580-5	BUSHING, Speedometer Driven Gear (WQT)				
74/79	10-25-40-90.....	18.080	1	A 985	
18.585-1	VALVE ASSEMBLY, Remote Control At Glove Box (WQT)(Incl. Nut And Washer)				
74/75	10-25-40..... (Use 535 5895).....	1	535	1838	
76/79	10-25-40-90.....	1	535	5895	
18.585-1a	GUARD, Valve Assembly (WQT)				
76/79	10-25-40-90.....	1	535	5920	
18.585-2	WASHER, Valve Assembly To Glove Box (WQT)				
74/75	(Lock-External Tooth) 10-25-40.....	17.824	1	G115550	
18.585-3	KNOB, Remote Control Valve Assembly (WQT)				
74/79	10-25-40-90.....	1	535	1837	
18.585-4	DECAL, Quadra Trac				
74/	10-25-40-90 (On Glove Box Door).....	1	535	4423	
76/79	10-25-40-90 (Behind Switch).....	1	545	9845	
18.585-5	HOSE, Valve To Diaphragm Control (WQT)(Bulk-Order In Feet)				
74/79	10-25-40.....	18.570	AR	956 295	
76/79	10-25-40-90...(1/8" I.D.).....	AR	812	5810	
18.585-5a	CLIP, Vacuum Line (WQT)				
76/79	10-25-40-90 (Closed Type).....	17.	1	G140580 NA	
76/79	10-25-40-90 ("S" Type).....	5	316	8875	
18.585-5b	TUBE, Vacuum (Quadra Trac Lockup)				
76/79	10-20-40 (Six-Color Coded Red).....	1	535	5614	
76/79	10-20-40 (Six-Color Coded White).....	1	535	5615	

TRANSFER CASE

18.615

76/79	10-20-40-90 (V8-Color Coded Red).....	1	535	5548
76/79	10-20-40-90 (V8- Color Coded White).....	1	535	5549
18.585-6	HOSE, Valve Assembly To Tee (WQT)(Bulk-Order In Feet)			
74	10-20-40.....	18.570	AR	956 295
75/79	10-20-40-90...(1/8" I.D.)	15.440	AR	812 5810
18.585-7	TEE, Vacuum Connection At Engine (WQT)			
74/79	10-25-40.....	18.570	1	535 1463
76	90.....		1	535 6165
18.585-7a	CONNECTOR, Tee To Vacuum Hose (WQT)			
76/79	90.....		1	535 5566
18.585-8	HOSE, Vacuum Tee To Diaphragm On Engine (WQT)(Bulk-Order In Feet)			
74	10-25-40.....	4.141	AR	320 6752
75	10-25-40.....	22.050	AR	812 5813
76/79	10-25-40-90.....		1	812 5810
18.585-9	GROMMET, Vacuum Tubes And Reduction Unit Cable (At Firewall)(WQT)			
74/79	10-25-40-90.....		1	535 1743
18.585-10	STRAP, Vacuum Tube To Speedometer Cable (WQT)			
74	10-25-40.....	3.196	2	318 1008
75/76	10-25-40-90.....	3.165	2	322 3227
77/79	10-25-40.....	3.165	2	322 3227
18.585-11	CONDUIT, Vacuum Hose Protective (WQT)			
74/79	10-25-40-90.....	13.020	1	321 9681
18.585-12	CLAMP, Conduit (WQT)			
74/79	10-25-40-90.....		2	400 4864
18.600-1	REDUCTION UNIT ASSEMBLY (Less Baffle Assembly)(WQT)			
74/79	10-25-40-90.....		1	812 4831
18.600-2	ATTACHING PARTS, Reduction Unit To Quadra Trac Assembly			
BOLT, Hexagon	74/79 10-25-40-90...(1" Long)		2	535 1708
BOLT, Hexagon	74/79 10-25-40-90...(1-1/4" Long)	17.	1	G181024 NA
BOLT, Hexagon	74/79 10-25-40-90...(2-1/4" Long)	17.038	2	G186277 NA
18.600-5	BAFFLE ASSEMBLY, Reduction Unit (Incl. Oil Tube)(WQT)			
74/75	10-25-40.....		1	812 2979
18.610-1	HOUSING, Reduction Unit (Incl. Spring Pin)(WQT)			
74/79	10-25-40-90.....		1	812 2686
18.610-3	PLUG, Reduction Unit Drain (WQT)			
74/79	10-25-40-90.....	17.512	1	G444588
18.610-7	COVER, Reduction Unit Power Takeoff (WQT)			
74/79	10-25-40-90.....		1	812 2706
18.610-8	ATTACHING PARTS, Rear Cover To Housing			
BOLT, Hexagon	74/79 10-25-40-90 (WQT).....	17.038	4	G179837 NA
WASHER, Lock	74/79 10-25-40-90 (WQT).....	17.820	4	G120382
18.610-9	GASKET, Reduction Unit Power Takeoff Cover To Housing (WQT)			
74/79	10-25-40-90.....		1	812 2707
18.615-1	PINION CAGE ASSEMBLY, Reduction Unit (WQT)			
74/79	10-25-40-90.....		1	812 2704
18.615-2	SNAP RING, Reduction Unit Mainshaft Rear (Select Fit)			
	V8 (WHT - WQT)			
74/79	(.087 Thick)...10-25-40-90.....	6.337	1	639 441
74/79	(.090 Thick)...10-25-40-90.....	6.068	1	639 442
74/79	(.093 Thick)...10-25-40-90.....	6.337	1	639 443
74/79	(.096 Thick)...10-25-40-90.....	6.068	1	639 444
74/79	(.100 Thick)...10-25-40-90.....		1	812 2907

74/79	(.103 Thick)...	10-25-40-90		1	812 2908
74/79	(.108 Thick)...	10-25-40-90		1	812 2909
18.615-3	SPACER, Reduction Unit (WQT)				
74/79	(.052 Thick)...	10-25-40-90		1	812 2911
74/79	(.060 Thick)...	10-25-40-90	6.284	1	646 569
18.615-4	MAINSHAFT, Reduction Unit (WQT)				
74/79	10-25-40-90			1	812 2705
18.615-5	GEAR, Reduction Unit Planetary Sun (WQT)				
74/79	10-25-40-90			1	812 2708
18.615-6	SNAP RING, Reduction Unit (Sun Gear To Shaft)(WQT)				
74/79	10-25-40-90		6.337	1	639 441
18.615-7	BEARING, Needle (WQT)				
74/79	10-25-40-90			4	812 2690
18.615-8	PLATE, Reduction Unit Pinion Cage Lockup (WQT)				
74/79	10-25-40-90			1	812 2712
18.615-9	SNAP RING, Reduction Unit (To Reduction Collar Plate Hub)(WQT)				
74/79	10-25-40-90			1	812 2698
18.615-10	GEAR, Reduction Unit Ring (WQT)				
74/79	10-25-40-90			1	812 2696
18.615-11	PLATE, Reduction Unit Ring Gear Collar (WQT)				
74/79	10-25-40-90			1	812 2695
18.615-12	SNAP RING, Reduction Unit Collar Plate To Ring Gear (WQT)				
74/79	10-25-40-90			1	812 2697
18.615-13	COLLAR, Reduction Unit Shift (WQT)				
74/79	10-25-40-90		(Use 812 6227)	1	812 2692
18.615-14	HUB, Reduction Unit Collar Plate (WQT)				
74/79	10-25-40-90			1	812 2694
18.615-15	HUB, Reduction Unit Collar (WQT)				
74/79	10-25-40-90			1	812 2693
18.615-16	HUB, Reduction Unit Collar Shift (WQT)				
74/79	10-25-40-90			1	812 2691
18.615-17	SLEEVE, Reduction Unit Direct Drive (WQT)				
74/79	10-25-40-90			1	812 2689
18.615-18	SNAP RING, Reduction Unit Holding Plate (WQT)				
74/79	10-25-40-90			1	812 2688
18.615-19	GEAR, Reduction Unit Holding Plate (WQT)				
74/79	10-25-40-90			1	812 2687
18.615-20	SNAP RING, Reduction Unit Mainshaft Rear Bearing (WQT)				
74/79	(.087 Thick)...	10-25-40-90	6.056	1	91 942
74/79	(.090 Thick)...	10-25-40-90	6.056	1	91 943
74/79	(.093 Thick)...	10-25-40-90	6.056	1	91 944
74/79	(.096 Thick)...	10-25-40-90	(Use 91 944)	1	91 945
74/79	(.099 Thick)...	10-25-40-90		1	812 2910
18.615-21	BEARING, Reduction Unit Mainshaft Rear (WQT)				
74/79	10-25-40-90			1	812 2912
18.620-1	PLUG, Reduction Unit Housing Expansion (At Shift Fork)(WQT)				
74/79	10-25-40-90			1	812 2913
18.620-2	PLUG, Reduction Unit Housing Taper (At Shift Rail)(WQT)				
74/79	10-25-40-90		(Use 991 083)	2	812 2914

TRANSFER CASE

18.650

18.620-3	PIN, Reduction Unit Spring (Shift Fork To Shift Rail)(WQT)				
74/79	10-25-40-90	17.472	1	G273503	
18.620-4	RAIL, Reduction Unit Shift (WQT)				
74/79	10-25-40-90		1	812 2700	
18.620-5	FORK, Reduction Unit Shift Lever (WQT)				
74/79	10-25-40-90		1	812 2699	
18.620-6	BALL, Reduction Unit Shift Rail Poppet (WQT)				
74/79	10-25-40-90	17.018	1	G453593	
18.620-7	SPRING, Reduction Unit Shift Rail Poppet (WQT)				
74/75	10-25-40-90	6.100	1	912 336	
76/79	10-25-40-90		1	812 7262	
18.620-8	PLUG, Reduction Unit Housing Taper (At Poppet Spring)(WQT)				
74/79	10-25-40-90	6.265	1	642 759	
18.630-1	LEVER, Reduction Unit Control (WQT)				
74/75	10-25-40		1	812 2702	
76/79	10-25-40-90		1	535 5523	
18.630-2	ATTACHING PARTS, Reduction Unit Shift Lever To Housing				
PIN, Spring	74/79 10-25-40-90 (WQT)	17.470	1	G103565	
NUT, Hexagon	74/79 10-25-40-90 (WQT)	17.406	1	G120369	
WASHER, Lock	74/79 10-25-40-90 (WQT)	17.820	1	G120382	
WASHER, Plain	74/79 10-25-40-90 (WQT)	17.814	1	G120394	
18.630-3	"O" RING, Reduction Unit Shift Lever (WQT)				
74/79	10-25-40-90	6.190	1	912 399	
18.630-4	LEVER ASSEMBLY, Reduction Unit Shift (WQT)				
74/79	10-25-40	18.620	1	812 2701	
18.630-5	BRACKET, Reduction Unit Control Cable Clamp (WQT)				
74/75	10-25-40		1	812 2916	
18.630-6	ATTACHING PARTS, Reduction Unit Bracket Clamp To Housing				
BOLT, Hexagon	74/75 10-25-40 (WQT)	17.038	2	G179793	
WASHER, Lock	74/75 10-25-40 (WQT)	17.820	2	G120380	
18.630-7	CLAMP, Reduction Unit Control Cable Bracket (WQT)				
74/75	10-25-40		1	812 2915	
18.630-8	ATTACHING PARTS, Reduction Unit Clamp To Control Cable Bracket				
BOLT, Hexagon	74/75 10-25-40 (WQT)	17.038	1	G179793	
WASHER, Lock	74/75 10-25-40 (WQT)	17.820	1	G174916	
NUT, Hexagon	74/75 10-25-40 (WQT)	17.406	1	G120375	
18.650-1	CABLE, Reduction Unit (Incl. Handle)(WQT)				
74	10-25-40	(Use 535 4422)	1	535 3333	
75	10-25-40	(Use 535 4552)	1	535 4422	
18.650-1a	BOOT, Reduction Unit Cable				
75	10-25-40		1	535 4551	
18.650-2	ATTACHING PARTS, Reduction Unit Cable At Control Lever				
BOLT, Swivel Head	74/75 10-25-40 (WQT)		1	535 2956	
NUT, Lock	74/75 10-25-40 (WQT)	17.412	1	G271187	
WASHER, Plain	74/75 10-25-40 (WQT)	17.814	1	G120393	
18.650-3	ATTACHING PARTS, Reduction Unit Cable At Instrument Panel				
SCREW, Tapping	74/75 10-25-40 (WQT)	18.650	2	G9415482	
18.650-4	GROMMET, Reduction Unit Cable (At Firewall)(WQT)				
74/75	10-25-40	3.570	1	321 3963	
18.650-5	STRAP, Reduction Unit Cable To Instrument Panel Support Bracket (WQT)				
74	10-25-40	13.050	1	318 5027	


18.650-7 CLIP, Reduction Unit Cable To Brake Tube (WQT)				
74/75	10-25-40	23.028	2	400 0021
18.650-8 SPRING, Reduction Unit Cable To Power Brake Master Cylinder (WQT)				
74/75	10-25-40	5.190	1	803 358
18.660-1 LEVER, Reduction Unit Shift (WQT)(Incl. Bearing And Knob)				
76/77	10-25-40 (* 18-2)		1	535 5570
77/79	10-20-40 (* 18-3)		1	535 7402
76/77	90 (*18-2)		1	535 5567
77/79	90 (* 18-3)		1	535 7404
18.660-1a SHIFT LEVER KIT, Quadra Trac Reduction Unit				
74/75	10-20-40 (WQT-* 18-1)		1	812 7453
18.660-2 BUSHING, Reduction Unit Shift Lever (WQT)				
76/79			2	535 5521
80	10-25-40 (WAT)		2	400 6487
18.660-2a RETAINER, Lever Pivot Bushing				
80	10-25-40 (WAT)		2	536 0114
18.660-3 KNOB, Reduction Unit Shift Lever (WQT)				
76/77	10-25-40 (* 18-2)		1	535 5517
77/79	10-20-40 (* 18-3)		1	535 7415
76/77	90 (* 18-2)		1	535 5516
77/79	90 (* 18-3)		1	535 7414
18.660-4 GASKET, Bearing Retainer Cover (WQT)				
76/79			1	535 5525
18.660-4a GASKET, Retainer				
80	10-25-40 (WAT)		1	536 0134
18.660-5 ATTACHING PARTS, Bearing Retainer				
SCREW, Hexagon	76/79	23.402	2	400 4648
PUSHNUT	76		2	400 5041
NUT, Spring	76		2	400 4201
CLAMP	76/79	2.025	1	322 3128
18.660-6 ATTACHING PARTS, Retainer				
SCREW, Torx	80 10-25-40 (WAT)		3	400 5765
NUT, Push On	80 10-25-40 (WAT)		3	400 5041
18.670-1 ROD, Reduction Unit Shift Lever (WQT)				
76/79	10		1	535 5547
76/79	25-45 (Six)		1	535 5557
76/78	25-40 (V8)		1	535 5556
79	25-40 (V8)		1	535 5547
76/79	90		1	535 5546
18.670-2 ATTACHING PARTS, Rod To Shift Lever And Reduction Unit				
PIN, Self-Locking	76/79	29.162	2	400 0407
WASHER, Spring	76/79	7.125	4	815 535
WASHER, Plain	76/79	17.814	2	G446363
18.680-1 BRACKET, Bellcrank Support				
80	10-25-40 (WAT)		1	536 0052
18.685-1 STRAP, Support				
80	10-25-40 (WAT)		1	536 0072
18.690-1 ROD, Shift (Upper)				
80	10-25-45 (V8-WAT)		1	536 0053
80	10-25-40 (Six-WAT)		1	536 0051

TRANSFER CASE

18.700


18.690-3	GROMMET, Gear Shift Rod				
	80	10-25-40 (W4ST)	1	318	7697
18.690-4	BUSHING, Gear Shift Rod				
	80	10-25-40 (W4ST)	1	318	7696
18.695-1	LEVER, Bellcrank				
	80	10-25-40 (WAT)	1	536	0084
18.695-2	ATTACHING PARTS, Bellcrank Lever				
	WASHER, Wave	80 10-25-40 (WAT)	1	400	6483
	BOLT, Shoulder	80 10-25-40 (WAT)	1	400	6482
	NUT, Hexagon	80 10-25-40 (WAT)	1	G9413534	
	BUSHING	80 10-25-40 (WAT)	1	400	6488
18.700-1	ROD, Shift (Lower)				
	80	10-25-40 (WAT)	1	536	0113
18.700-2	ATTACHING PARTS, Shift Rod				
	PIN, Hitch	80 10-25-40 (WAT)	AR	400	4295
	WASHER, Plain	80 10-25-40 (WAT)	AR	943	961
	WASHER, Wave	80 10-25-40 (WAT)	AR	815	535
	NUT, Hexagon	80 10-25-40 (WAT)	AR	G124824	
18.700-3	SWIVEL, Lower Shift Rod				
	80	10-25-40 (WAT)	1	536	0930

J-4440




BODY SIDE PANELS . . . 14-15-18

J-5860




BODY SIDE PANELS . . . 16-17




BODY SIDES SHEET METAL . . . 83

J-5828




BODY SIDES SHEET METAL . . . 84

J-5829




BODY SIDES SHEET METAL . . . 93

J-6019




J-6171




J-6172

J-4456




FLOOR PANS AND COWL TOP . . . 10




FLOOR PANS AND BODY PANELS . . . 20-40

J-4266




UNDERBODY PANELS . . . 1974/1975 83



J-6081


UNDERBODY PANELS . . . 1976/ 83

J-6083




UNDERBODY PANELS . . . 93

J-4262




UNDERBODY PANELS . . . 1974/1975 84




J-5803

ROOF PANEL AND SUPPORTS . . . 20-40




J-5802

ROOF PANEL AND SUPPORTS . . . 10




J-6080

BODY STEP . . . 1976/ 80-90




J-4267

BODY STEP . . . 1974/1975 80




BODY HOLD DOWN PARTS ... 1974/1975 10

J-5956




BODY HOLD DOWN PARTS ... 1976/ 10

J-6106




BODY HOLD DOWN PARTS . . . 1974/1975 20-40

J-5957




BODY HOLD DOWN PARTS . . . 1976/ 20-40

J-6107



BODY HOLD DOWN PARTS . . . 1974/1975 80

J-5841



BODY HOLD DOWN PARTS . . . 1976/ 83-90

J-6078

SPECIAL INFORMATION



The Engine Build Code Number, the Vehicle Identification Number and the information provided on the Trim Plate are often necessary when determining the proper replacement parts for your vehicle. For their location refer to the General Information Section found at the front of this catalog.

NOTES

20-1 Roof Supports are numbered from the front to the rear of the Vehicle.

20-2 Refer to Type 1 Illustration below.

20-3 Refer to Type 2 Illustration below.



20-4 Letter J in the name Jeep is 1-1/2" high.

20-5 Letter J in the name Jeep is 2" high.

20-6 Includes Tailgate opening side Reinforcement.

20-7 Does not include Tailgate opening side Reinforcement.

20-8 Used with an 8" high Wheelhouse Panel.

20-9 Used with an 11" high Wheelhouse Panel.

20-10 ... Used on Vehicles that have a 13-5/8" lower Cutout on the Body rear center lower Panel (20.330-1).

20-11 ... Used on Vehicles that have a 36-1/8" lower Cutout on the Body rear center lower Panel (20.330-1).

20-12 ... The Body rear center lower Panel (20.330-1) is 36" long.

20-13 ... The Body rear center lower Panel (20.330-1) is 49-5/16" long.

20-14 ... The Body rear center lower Panel (20.330-1) is 35-7/8" long.

20-15 ... Used with Panel Assembly, Body Rear (20.325-1) that does not have a lower inner 3-1/2" Flange Cutout.

20-16 ... Used with Panel Assembly, Body Rear (20.325-1) that has a lower inner 3-1/2" Flange Cutout.

20-17 ... Panel has a 3" diameter hole for the Gasoline Filler Neck opening.

20-18 ... Panel has a 4-1/4" diameter hole for the Gasoline Filler Neck opening.


SPECIAL INFORMATION

20-19 ... Heater Blower Motor and its electrical connections are in the Passenger Compartment.


20-20 ... Heater Blower Motor and its electrical connections extend into the Engine Compartment.

20-21 ... Refer to Brake Pedal Type 1 Illustration below.

20-22 ... Refer to Brake Pedal Type 2 Illustration below.



TYPE 1




TYPE 2

20-23 ... Used with a Domelamp that is round.


20-24 ... Used with a Dome and Reading Lamp combination.

20-25 ... Refer to Type 1 Illustration below.

20-26 ... Refer to Type 2 Illustration below.




TYPE 1



TYPE 2


20-27 ... Used with Type 1 Front Door Latch. See Illustration below.

20-28 ... Used with Type 2 Front Door Latch. See Illustration below.



20-29 ... Used on vehicles without Weldnuts on the Body Bracket in the location shown below (see arrow).

20-30 ... Used on vehicles having 4 Weldnuts on the Body Bracket in the location shown below (see arrow).



20-31 ... This part is used in conjunction with the Front Seat Belt Buckle not having a Full Holster.

20-32 ... This part is used in conjunction with the Auto-Lock Seat Belt that can be identified by the Full Holster on the Buckle End of the Front Seats.

BODY SHEET METAL

20.001

GROUP NO. — DESCRIPTION — YEAR and MODEL	PAKS CODE	PRIMARY GROUP NO.	PER CAR	PART NO.	CODE
20.001-1 SHELL ASSEMBLY, Body (Less Front End Sheet Metal, Doors And Tailgate)					
10 SERIES					
74/75 14-15.....			1	545 1049	
76 14-15..... (Use 546 1464)			1	545 8013	
77 15.....			1	546 1464	
78/79 15 (* 20-27).....			1	546 4667	
79 15 (* 20-28).....			1	575 1289	
80 15.....			1	575 1519	
74/75 16-17 (Except Cherokee Chief).....			1	545 1050	
76 16-17 (Except Cherokee Chief)..... (Use 546 1470)			1	545 8014	
75/76 16-17 (Cherokee Chief).....			1	545 7730	
77 16.....			1	546 1470	
78/79 16 (* 20-27).....			1	546 4672	
80 16.....			1	575 1528	
79 16 (* 20-28).....			1	575 1298	
77 17.....			1	546 1474	
78/79 17 (* 20-27).....			1	546 4676	
79 17 (* 20-28).....			1	575 1305	
80 17.....			1	575 1535	
77 18..... (Use 546 1400)			1	546 1460	
78/79 18 (* 20-27).....			1	546 4662	
79 18 (* 20-28).....			1	575 1354	
80 18.....			1	575 1510	
20-40 SERIES					
74/75 20-40.....			1	545 1051	
76 20-40.....			1	545 8015	
77 20-40.....			1	546 1478	
78 20-40..... (Use 546 4779)			1	546 3778	
79 20-40 (* 20-27).....			1	546 4779	
79 20-40 (* 20-28).....			1	575 1312	
80 20-40.....			1	575 1542	
80 SERIES (Used With Tailgate)					
74 83 (LHD)..... (Ord. 545 3905)			1	545 0438	
75 83 (LHD-W3ST).....			1	545 3905	
75 83 (LHD-W4ST).....			1	545 7375	
76 83 (LHD-Used With 8" Wheelhouse Panel).....			1	545 9783	
76 83 (LHD-Used With 11" Wheelhouse Panel)..... (Use 546 1335)			1	545 6917	
76 83 (RHD-Used With 8" Wheelhouse Panel)..... (Use 546 1400)			1	545 9784	
76 83 (RHD-Used With 11" Wheelhouse Panel)..... (Use 546 1396)			1	545 7798	
77 83 (LHD-Used With 8" Wheelhouse Panel).....			1	546 1391	
77 83 (LHD-Used With 11" Wheelhouse Panel-* 20-19).....			1	546 1335	
77 83 (LHD-Used With 11" Wheelhouse Panel-* 20-20).....			1	546 4355	
77 83 (RHD-Used With 8" Wheelhouse Panel).....			1	546 1400	
77 83 (RHD-Used With 11" Wheelhouse Panel).....			1	546 1396	
78 83 (LHD-Used With 8" Wheelhouse Panel).....			1	546 3690	
79 83 (LHD-Used With 8" Wheelhouse Panel).....			1	546 9126	
80 83 (Used With 8" Wheelhouse Panel).....			1	575 1458	
78 83 (LHD-Used With 11" Wheelhouse Panel).....			1	546 3686	
79 83 (LHD-Used With 11" Wheelhouse Panel-* 20-29).....			1	546 9122	
79 83 (LHD-Used With 11" Wheelhouse Panel-* 20-30).....			1	813 0708	
80 83 (Used With 11" Wheelhouse Panel).....			1	575 1454	
78 83 (RHD-Used With 8" Wheelhouse Panel).....			1	546 3699	
79 83 (RHD-Used With 8" Wheelhouse Panel).....			1	546 9135	
78 83 (RHD-Used With 11" Wheelhouse Panel).....			1	546 3695	
79 83 (RHD-Used With 11" Wheelhouse Panel-* 20-29)..... (Use 813 0709)			1	546 9131	
79 83 (RHD-Used With 11" Wheelhouse Panel-* 20-30).....			1	813 0709	
74 84 (LHD)..... (Ord. 545 3907)			1	545 0439	
75 84 (LHD).....			1	545 3907	
75 84 (LHD).....			1	545 3918	
76 84 (LHD-Export-Used With 8" Wheelhouse Panel)..... (Use 546 1404)			1	545 9785	
76 84 (LHD-Export-Used With 11" Wheelhouse Panel)..... (Use 546 1412)			1	545 6919	
76 84 (RHD-Used With 8" Wheelhouse Panel)..... (Use 546 1408)			1	545 9786	

BODY SHEET METAL

77	84 (LHD-Used With 8" Wheelhouse Panel).....	1	546 1404
77	84 (LHD-Used With 11" Wheelhouse Panel).....	1	546 1412
77	84 (RHD-Used With 8" Wheelhouse Panel).....	1	546 1408
77	84 (RHD-Used With 11" Wheelhouse Panel).....	1	546 1416
78	84 (LHD-Used With 8" Wheelhouse Panel).....	1	546 3703
79	84 (LHD-Used With 8" Wheelhouse Panel).....	1	546 9139
78	84 (LHD-Used With 11" Wheelhouse Panel)..... (Use 546 9147)	1	546 3711
79	84 (LHD-Used With 11" Wheelhouse Panel).....	1	546 9147
78	84 (RHD-Used With 8" Wheelhouse Panel).....	1	546 3707
79	84 (RHD-Used With 8" Wheelhouse Panel).....	1	546 9143
78	84 (RHD-Used With 11" Wheelhouse Panel).....	1	546 3715
79	84 (RHD-Used With 11" Wheelhouse Panel).....	1	546 9151

80 SERIES (Used With Solid Back Panel)

74	83 (LHD)..... (Use 545 3917)	1	545 0440
75	83 (LHD-W3ST).....	1	545 3917
75	83 (LHD-W4ST).....	1	545 7376
76	83 (LHD-Used With 11" Wheelhouse Panel)..... (Use 546 1442)	1	545 6943
77	83 (LHD-* 20-19).....	1	546 1442 MR
77	83 (LHD-* 20-20).....	1	546 4361
78	83 (LHD)..... (Use 546 9176)	1	546 3741
79	83 (LHD-* 20-29)..... (Use 813 0714)	1	546 9176
79	83 (LHD-* 20-30).....	1	813 0714
80	83.....	1	575 1505
74	84 (LHD)..... (Ord. 545 3918)	1	545 0441

90 SERIES

76	LHD (WMT)..... (Use 546 1447)	1	545 7793
76	RHD (WMT)..... (Use 546 1452)	1	545 7792
76	LHD (WHT)..... (Use 546 1457)	1	545 7794
77	LHD (WMT-* 20-19).....	1	546 1447 MR
77	LHD (WMT-* 20-20).....	1	546 4362
77	LHD (WHT-* 20-19).....	1	546 1457 MR
77	LHD (WHT-* 20-20).....	1	546 4363
77	RHD (W3ST).....	1	546 1452
77	RHD (WHT-Used With Swing Out Spare Tire).....	1	546 1433
77	RHD (WHT-Used With Side Mounted Spare Tire).....	1	546 1429
78	LHD (WMT)..... (Use 546 9155)	1	546 3719
79	LHD (WMT-* 20-29).....	1	546 9155
79	LHD (WMT-* 20-30).....	1	813 0715
80	WMT.....	1	575 1487
78	LHD (WHT).....	1	546 3736
79	LHD (WHT-* 20-29)..... (Use 813 0716)	1	546 9171
79	LHD (WHT-* 20-30).....	1	813 0716
80	WAT.....	1	575 1500
78	RHD (WMT).....	1	546 3724
79	RHD (WMT-* 20-29)..... (Use 813 0717)	1	546 9160
79	RHD (WMT-* 20-30).....	1	813 0717
78	RHD (WHT).....	1	546 3728
79	RHD (WHT-* 20-29)..... (Use 813 0718)	1	546 9164
79	RHD (WHT-* 20-30).....	1	813 0718

20.001-2 ATTACHING PARTS, Body To No. 1 Body Bracket**BOLT, Hexagon**

74	10-20-40.....	2	400 4910
75	10..... (Use 812 1785)	4	400 4952
75	20-40.....	2	400 4910
76/77	10-20-40..... 17.038	2	G180161
78/	10-20-40..... 17.038	2	G9419091
74/75	80..... 17.038	2	G9429969
76	80-90.....	2	400 5624
77/78	80-90.....	2	400 5828
79/	80-90.....	2	400 6182

SHIM

78/	10-20-40...(1/32" Thick).....	AR	400 6114
78/	10-20-40...(1/16" Thick).....	AR	400 6115

BODY SHEET METAL

20.001

SPACER (Rubber)

74	(Upper) 10.....	2	545 1596
74	(Lower) 10-20-40	2	545 1597
75	(Upper) 10.....	4	545 6732
75	(Lower) 10	4	545 6733
76/	(Upper) 10-20-40.....	2	545 9184
76/	(Lower) 10-20-40	2	545 9515
74/75	(Upper) 20-40.....	2	545 5163
75	(Lower) 20-40	2	545 1597
74/75	(Upper) 80.....	2	545 5119
74/75	(Lower) 80	2	545 5120
76	(Upper) 80-90.....	2	545 1596
76/78	(Lower) 80-90	2	545 9542
77/	(Upper) 80-90.....	2	546 2447
79/	(Lower) 80-90	2	545 9515

WASHER, Lock

76/	10-20-40.....	11.170	2	400 4809
-----	---------------	--------	---	----------

WASHER, Plain

74/75			2	545 1769
74	10-20-40... (1-1/2" O. D.)	8.350	2	964 764
74	10-20-40... (1-3/4" O. D.)		2	545 1769
75	10... (1-1/4" O. D.)	35.250	4	G120389
75	10... (2" O. D.)		4	400 4947
76/78	10-20-40		2	975 497
79/	10		2	975 497
79/	10-20-40 (Concave)		2	400 5633
79/	10-20-40... (2" O. D.)		2	400 6419
74/75	20-40... (2-3/4" O. D.)		2	400 4890
75	20-40... (1-1/2" O. D.)	8.350	2	964 764
75	20-40... (1-3/4" O. D.)		2	545 1769
79/	20-40		2	400 4947
74/75	80		2	642 339
76/78	80-90		2	400 5697
79/	80-90		2	400 5641

WASHER, Conical Toothed

77/	80-90.....	10.455	AR	400 4711
-----	------------	--------	----	----------

WASHER AND TUBE

74	10-20-40.....	2	545 1591
75	10.....	4	545 6734
76/	10-20-40.....	2	545 9181
75	20-40.....	2	545 1591
74/75	80.....	2	545 5123
76/78	80-90.....	2	545 1591
79/	80-90.....	2	575 0008

NUT, Lock

74	10-20-40.....	17.416	2	G442828
75	10.....	11.100	4	400 3975
75	20-40.....	17.416	2	G442828
74/75	80.....		2	918 288

NUT, Hexagon

76/	20-40.....	10.055	2	400 4005
-----	------------	--------	---	----------

20.001-3 ATTACHING PARTS, Body To No. 2 Body Bracket

BOLT, Hexagon

74	10.....		2	400 4910
76/77	10.....	17.038	2	G180161
78/	10.....	17.038	2	G9419091
74/75	80.....	17.038	2	G120640
76	80-90.....		2	400 5624
77/	80-90.....		2	400 5828

BODY SHEET METAL

SHIM

78/	10... (1/32" Thick)		AR	400 6114
78/	10... (1/16" Thick)		AR	400 6115

SPACER (Rubber)

74	(Upper) 10.....		2	545 1596
74	(Lower) 10.....		2	545 1597
75	10.....		4	545 6113
76/	(Upper) 10-20-40.....		2	545 9184
76/	(Lower) 10.....		2	545 9515
74/75	80.....		2	965 888
76	(Upper) 80-90.....		2	545 5290
76	(Lower) 80-90.....		2	545 9543
77/	(Upper) 80-90.....		2	546 2447
77/	(Lower) 80-90.....		2	546 2446

WASHER, Lock

76/	10.....	11.170	2	400 4809
-----	---------	--------	---	----------

WASHER, Plain

74	10.....	8.350	2	964 764
74	10... (1-3/4" O.D.).....		2	545 1769
76/	10.....		2	975 497
76/	20-40 (Flat).....		2	400 6423
79/	10-20-40 (Concave).....		2	400 5633
74/75	80... (1" O.D.).....	17.814	4	G120388
74/75	80... (2" O.D.).....		2	976 871
76/	80-90.....		2	400 5697

WASHER, Conical Toothed

77/	80-90.....	10.455	AR	400 4711
-----	------------	--------	----	----------

WASHER AND TUBE

74	10.....		2	545 1591
76/	10.....		2	545 9181
76/	20-40.....		2	400 9524
76/	80-90.....		2	545 5291

20.001-4 ATTACHING PARTS, Body To No. 3 Body Bracket**BOLT, Hexagon**

74	10.....		2	400 4910
75	10..... (Use 812 1785)		4	400 4952
76/77	10.....	17.038	2	G180161
78/	10.....	17.038	2	G9419091
74/75	20-40.....	17.038	2	G9428218
76/	20-40.....		2	400 5667
74/75	80.....	17.038	2	G120640
76	80-90.....		2	400 5624
77/	80-90.....		2	400 5828

SHIM

78/	10... (1/32" Thick)		AR	400 6114
78/	10... (1/16" Thick)		AR	400 6115

SPACER (Rubber)

74	(Upper) 10.....		2	545 1596
74	(Lower) 10-20-40.....		2	545 1597
74/75	(Center) 20-40.....		2	545 5163
75	(Upper) 10.....		4	545 6732
75	(Lower) 10.....		4	545 6733
76/	(Upper) 10-20-40.....		2	545 9184
76/	(Lower) 10-20-40.....		2	545 9515
74/75	(Upper) 20-40.....		2	545 5119
75	(Lower) 20-40.....		2	545 1597

BODY SHEET METAL

20.001

74/75	80.....	2	965 888
76	(Upper) 80-90.....	2	545 5290
76	(Lower) 80-90.....	2	545 9543
77/	(Upper) 80-90.....	2	546 2447
77/	(Lower) 80-90.....	2	546 2446

WASHER, Plain

74	10.....	8.350	2	964 764
74	10-20-40... (1-3/4" O.D.).....		2	545 1769
74/75	20-40... (2-3/4" O.D.).....		2	400 4890
75	20-40... (1-3/4" O.D.).....		4	545 1769
75	10... (1-1/4" O.D.).....	35.250	4	G120389
75	10... (2" O.D.).....		4	400 4947
76/78	10.....		2	975 497
76/78	10-20-40.....	11.170	2	400 4809
76/78	20-40.....		2	400 5641
79/	10.....		2	400 6419
79/	10-20-40 (Concave).....		2	400 5633
79/	20-40... (2" O.D.).....		2	400 4947
79/	20-40... (2-3/8" O.D.).....		2	400 6423
74/75	80... (1" O.D.).....	17.814	4	G120388
74/75	80... (2" O.D.).....		2	976 871
76/	80-90.....		2	400 5697

WASHER, Conical Toothed

77/	80-90.....	10.455	AR	400 4711
-----	------------	--------	----	----------

WASHER AND TUBE

74	10-20-40.....	2	545 1591
75	10.....	4	545 6734
76/	10.....	2	545 9181
75	20-40.....	2	545 1591
76/	20-40.....	2	545 9524
76/	80-90.....	2	545 5291

NUT, Lock

74	10-20-40.....	17.416	2	G442828
75	10.....	11.100	4	400 3975
75	20-40.....	17.416	2	G442828
74/75	80.....		2	918 288

NUT, Hexagon

76/	20-40.....	10.055	2	400 4005
-----	------------	--------	---	----------

REINFORCEMENT

76/	20-40.....	11.068	2	994 165
-----	------------	--------	---	---------

20.001-5 ATTACHING PARTS, Body To No. 4 Body Bracket

BOLT, Hexagon

74	10.....		2	400 4910
75	10..... (Use 812 1785)		2	400 4952
74/75	83.....	20.001	2	G120668
74/75	84.....	17.038	2	G189329
76	80-90.....		2	400 5624
77/78	80-90.....		2	400 5828
79/	80-90.....		2	400 6420

PLATE ASSEMBLY

74	10.....	2	545 5296
75	10.....	2	545 6735

SPACER (Rubber)

74	(Upper) 10.....	2	545 5290
74	(Lower) 10.....	2	545 5211
75	(Upper) 10.....	2	545 6732
75	(Lower) 10.....	2	545 6729
76/	(Upper) 10.....	2	545 9184
76/	(Lower) 10.....	2	545 9515
76/	10 (Body Rest).....	2	545 9186
74	83.....	2	965 888
75	80.....	2	545 7720
76	(Upper) 80-90.....	2	545 5290
76	(Lower) 80-90.....	2	545 9543
77/	(Upper) 80-90.....	2	546 2447
77/	(Lower) 80-90.....	2	546 2446

SPACER (Wood)

74/75	84.....	2	971 381
-------	---------	---	---------

WASHER, Plain

74	10.....	8.350	2	964 764
75	10.....	35.250	2	G120389
76/	10 (Concave).....		2	400 5633
76/	10... (2" O. D.).....		2	400 6419
74/75	80... (1" O. D.).....	17.814	4	G120388
76/78	80-90.....		2	400 5697
74/75	83... (2" O. D.).....		2	976 871

WASHER, Conical Toothed

77/	80-90.....	10.455	AR	400 4711
-----	------------	--------	----	----------

NUT, Push

79/	80-90.....	8.590	2	400 0235
-----	------------	-------	---	----------

WASHER AND TUBE

74	10.....		2	545 5291
75	10.....		2	545 6734
76/	10.....		2	545 9181
76/	80-90.....		2	545 5291

NUT, Lock

74/75	80.....		2	918 288
-------	---------	-------	---	---------

20.001-5a BRACKET ASSEMBLY, Body Hold Down Stabilizer

79/	80-90.....		2	575 0923
-----	------------	-------	---	----------

20.001-5b ATTACHING PARTS, Bracket Assembly To Body

BOLT, Hexagon	79/	80-90... (3/8"-16 x 1").....	1.802	2	998 593
BOLT, Hexagon	79/	80-90... (7/16"-14 x 2-1/2").....		1	400 5625
WASHER	79/	80-90 (Conical Toothed).....	10.455	2	400 4711

20.001-6 ATTACHING PARTS, Body To No. 5 Body Bracket**BOLT, Hexagon**

74	10.....		2	400 4911
76/77	10.....	17.038	2	G180161
78/	10.....	17.038	2	G9419091
74/75	84.....	20.001	2	G120668
76/78	84.....		2	400 5624
79/	84.....		2	400 5828

PLATE ASSEMBLY

74	10.....		2	545 5296
----	---------	-------	---	----------

SHIM

78/	10... (1/32" Thick).....		AR	400 6114
78/	10... (1/16" Thick).....		AR	400 6115

BODY SHEET METAL

20.001

SPACER (Rubber)

74	(Lower) 10		2	545 5212
74	(Upper) 10		2	545 5290
75	10		4	545 6113
76/	(Lower) 10		2	545 9515
76/	(Upper) 10		2	545 9184
74	84		2	965 888
75	80		2	545 7720
76	(Lower) 84		2	545 9543
76	(Upper) 84		2	545 5290
77/	(Lower) 84		2	546 2446
77/	(Upper) 84		2	546 2447

WASHER, Lock

76/	10		11.170	2	400 4809
-----	----	-------	--------	---	----------

WASHER, Plain

74	10		8.350	2	964 764
76/	10			2	975 497
79/	10... (2" O.D.)			2	400 6419
79/	10-80-90 (Concave)			2	400 5633
74/75	84... (1" O.D.)		17.814	4	G120388
74/75	84... (2" O.D.)			2	976 871
76/	84			2	400 5697

WASHER AND TUBE

74	10			2	545 5291
76/	10			2	545 9181
76/	84			2	545 5291

NUT, Lock

74/75	84			2	918 288
-------	----	-------	-------	---	---------

20.001-7 ATTACHING PARTS, Body To No. 6 Body Bracket

BOLT, Hexagon

74	10			2	400 4910
75	10		(Use 812 1785)		2 400 4952

SCREW, Machine

74	80			2	984 057
----	----	-------	-------	---	---------

SCREW, Hexagon

75	80			2	400 4951
----	----	-------	-------	---	----------

SPACER (Rubber)

74	(Upper) 10			2	545 1596
74	(Lower) 10			2	545 1597
75	(Upper) 10			2	545 6732
75	(Lower) 10			2	545 6733
74/75	80			2	965 888

WASHER, Lock

74	10		17.820	2	G120382
----	----	-------	--------	---	---------

WASHER, Plain

74	10			2	545 1769
75	10			2	400 4947
74/75	80... (2" O.D.)			2	976 871
74/75	80		17.814	2	G446363

WASHER, Lock

75	10		11.170	2	400 4809
----	----	-------	--------	---	----------

WASHER AND TUBE

74	10.....	2	545 1591
75	10.....	2	545 6734

20.001-8 ATTACHING PARTS, Body To Outer End Bracket**BOLT, Hexagon**

74	80.....	17.038	2	G122040
75	80.....	20.001	2	G120668
76/	80-90.....	2.050	2	400 5625

SPACER (Rubber)

74/	80.....	2	965 888
76	(Upper) 80-90.....	2	545 5290
76/78	(Lower) 80-90.....	2	545 9543
77/	(Upper) 80-90.....	2	546 2447
79/	(Lower) 80-90.....	2	546 2446

WASHER, Plain

74	80.....	17.814	4	G446363
74/78	80... (2" O.D.).....		2	976 871
75	80... (7/8" O.D.).....	17.814	2	400 1104
76/	80-90 (Concave).....		2	400 5633
76/78	80-90.....		2	400 5697
79/	80-90.....		2	400 6419

WASHER AND TUBE

76	80-90.....	2	545 5291
----	------------	---	----------

NUT, Lock

74	80.....	31,400	2	816 055
75	80.....		2	918 288

20.001-9 ATTACHING PARTS, Body To Inner End Bracket

BOLT, Hexagon	74	80	17.038	2	G123814
BOLT, Hexagon	76/	90		2	400 5625
SCREW, Hexagon	75	80		2	400 4935
SPACER (Rubber)	74/75	80		2	965 888
SPACER (Rubber)	76/			2	545 9070
WASHER, Plain	74/75	80	25.107	2	973 300
WASHER, Plain	74/75	80.. (2" O. D.)		2	976 871
WASHER, Plain	76/	90		2	400 5697
NUT, Lock	74/75	80	8.350	2	973 144
PLATE ASSEMBLY	76/			2	545 6735

20.001-10 ATTACHING PARTS, Body Front End To Frame

BOLT, Hexagon	74	10-20-40	2	966 326	
BOLT, Hexagon	75	10-20-40	2	400 4803	
BOLT, Hexagon	76/78	10	2	400 5610	
BOLT, Hexagon	76/78	20-40	2	400 4803	
SCREW, Hexagon	79/	10	2	400 6418	
SCREW, Hexagon	79/	20-40	2	400 6417	
WASHER AND TUBE	79/	10	2	575 0380	
WASHER AND TUBE	79/	20-40	2	575 0381	
SPACER (Rubber)	74/78	(Upper) 10-20-40	2	545 5126	
SPACER (Rubber)	79/	(Upper) 10-20-40	2	575 0373	
SPACER (Rubber)	74/75	(Lower) 10-20-40	2	545 5127	
SPACER (Rubber)	76/78	(Lower) 10	2	545 9188	
SPACER (Rubber)	79/	(Lower) 10	2	575 0374	
SPACER (Rubber)	76/78	(Lower) 20-40	2	545 5127	
SPACER (Rubber)	79/	(Lower) 20-40	2	575 0382	
WASHER, Plain	74/77	10-20-40... (1-1/4" O.D.)	35.250	2	G120389
WASHER, Plain	74/78	10-20-40... (1-7/8" O.D.)	2	400 4891	
WASHER, Plain	79/	10-20-40... (1/32" Thick)	2	400 6411	
WASHER, Plain	79/	10-20-40... (1/16" Thick)	2	400 6412	
NUT, Hexagon	74	10-20-40	17.416	2	G9413215
NUT, Hexagon	75/77	10-20-40	11.100	2	400 3975
NUT, Hexagon	78/	10-20-40	2	400 6165	

BODY SHEET METAL

20.005

20.001-11 LINER, Body Sill

74/	80... (1/8" Thick)		AR	A 4414
74/	80... (1/4" Thick)	31.001	AR	670 540

20.005-1 PANEL ASSEMBLY, Front Floor

LESS DASH AND TOE RISER

76/79	80 (LHD-* 20-29)		1	545 7121
76/79	80 (RHD-* 20-29)		1	545 7122
79	80 (LHD-* 20-30)		1	813 0677
79	80 (RHD-* 20-30)		1	813 0678
80	83		1	575 1843
76/79	90 (WMT-* 20-29)		1	545 4105
79	90 (WMT-* 20-30)		1	813 0679
76	90 (WHT)		1	545 6953
77/79	90 (LHD-WHT-* 20-29)		1	545 6953
77/79	90 (RHD-WHT-* 20-29)		1	546 1019
79	90 (LHD-WHT-* 20-30)		1	813 0681
79	90 (RHD-WHT-* 20-30)		1	813 0680
80	90		1	575 1842

INCL. DASH AND TOE RISER

74	10 (LHD)	(Use 545 6710)	1	545 1095
75	10 (LHD)		1	545 6710
74/75	10 (RHD)		1	545 1096
76/77	14-15	(Use 545 7983)	1	545 8019
78	15-16-18		1	546 2492
79	15-16-18		1	575 0002
80	15-16-18		1	575 1855
76/77	16-17 (Except Cherokee Chief)	(Use 545 7983)	1	545 8019
76/77	16-17 (Cherokee Chief)		1	545 7754
78	17		1	546 2498
79	17		1	575 0004
80	17		1	575 1861
74	20-40 (LHD)		1	545 1125
75	20-40 (LHD)		1	545 6706
74/75	20-40 (RHD)		1	545 1126
76/77	20-40	(Use 545 7984)	1	545 8032
78	20-40		1	546 2495
79	20-40		1	575 0003
80	20-40		1	575 1858
74	80 (LHD-W3ST)		1	989 291
75	80 (LHD-W3ST)		1	545 4944
74	80 (RHD-W3ST)		1	987 708
75	80 (RHD-W3ST)		1	545 7386
74	83 (RHD-W4ST)		1	987 709
75	83 (RHD-W4ST)		1	545 7388
74	83 (LHD-W4ST)		1	989 289
75	83 (LHD-W4ST)		1	545 4946

20.005-2 HEAT SHIELD, Front Floor And Dash

76/	80-90 (V8)		1	545 7155
79/	80-90 (Six)		1	575 0399

20.005-3 COVER, Front Floor Pan Transmission Access

W3ST

74/	10 (258)		1	545 0086
74/	10 (LHD-360)(LHD-401)		1	545 0087
74	80		1	986 248
75	80		1	545 5351
76/79	80-90		1	545 4012

W4ST

74/	(Front) 10 (LHD)	1	545 0476
74/	(Rear) 10 (LHD)	1	545 0478
74/	10 (258)	1	545 0086
74/	20-40	1	545 0086
80	10-20-40	1	575 1813
74/75	80	1	987 002
76/79	83-90	1	545 4012
80	83-90 (Four-Transmission No. 5359390)	1	575 8356
80	83-90 (Four-Transmission No. 5360956)	1	575 1814
80	83 (Six)	1	575 1817
80	83-90 (V8)	1	575 1817
80	90 (Six)	1	575 1816

WHT

74	10-20-40 (LHD)	1	968 685
75/79	10-20-40 (LHD)	1	545 0084

WAT

80	10-20-40	1	575 1812
80	90	1	575 1815

20.005-4 ATTACHING PARTS, Cover To Floor Pan

SCREW, Machine.....	74/	10-20-40	12.001	AR	673 600
SCREW, Hexagon	74/79	80-90	AR	400 4832	
SCREW, Pan	74/	80-90	12.125	AR	400 3088
WASHER, Plain.....	74/	10	2.050	AR	G120386

20.005-5 COVER, Front Floor Pan Master Cylinder Inspection

74/75	80	1	663 462
-------	----------	---	---------

20.005-5a SEAL, Front Floor Pan Transmission Access Cover

74/75	10 (W4ST)	2	981 031
74/	80-90 (Bulk-Order In Feet)	AR	669 709

20.005-7 COVER, Front Floor Pan Drain Hole

74/76	80-90	2	682 197
-------	-------------	---	---------

20.005-8 ATTACHING PARTS, Cover To Floor Pan

RIVET (Plastic)	74/76	80-90	12.360	2	400 4822
-----------------------	-------	-------------	--------	---	----------

20.005-12 COVER, Front Floor Pan**W3ST**

74	(Upper) 80 (Cover Bolted To Body)	1	985 720
74	(Lower) 80 (Cover Has 11 Weldnuts)	1	986 247
74/75	(Upper) 80 (Cover Welded To Body)	1	545 5953
74/75	(Lower) 80 (Cover Has 6 Weldnuts)	1	545 5377

W4ST

74	(Upper) 80 (Cover Bolted To Body)	1	985 720
74	(Lower) 80 (Used When Upper Cover Is Bolted To Body)	1	987 003
74/75	(Upper) 80 (Cover Welded To Body)	1	545 5953
74/75	(Lower) 80 (Used When Upper Cover Is Welded To Body)	1	545 6015

20.005-13 ATTACHING PARTS, Cover To Floor Pan

SCREW, Tapping.....	74	80 ... (1/4"-20)	7.017	AR	672 846
SCREW, Tapping.....	74	80 ... (10-12 x 1/2")	17.660	AR	G161895

20.006-1 PANEL, Front Floor Pan Tool Compartment

74/75	80 (LHD)	1	968 358
74/75	80 (RHD)	1	816 326

20.006-2 LID, Front Floor Pan Tool Compartment Panel

74/75	80	1	670 946
-------	----------	---	---------

BODY SHEET METAL

20.040

20.006-3	PIN, Front Floor Pan Tool Compartment Lid Hinge			
74/75	80.....	2	663	476
20.006-5	RING AND RETAINER, Front Floor Pan Tool Compartment			
74/75	80.....	1	670	926
20.006-6	LATCH, Front Floor Pan Tool Compartment Lid			
74/75	80.....	1	670	993
20.006-7	WEATHERSTRIP, Front Floor Pan Tool Compartment Lid			
74/75	80.....	1	953	549
20.007-1	PAN ASSEMBLY, Center Floor			
74	84 (LHD)..... (Ord. 545 7381)	2	545	1945
75	84 (LHD).....	1	545	7381
74/75	84 (RHD).....	1	545	1946
76/79	84.....	1	545	7131
20.035-1	PAN ASSEMBLY, Rear Floor			
74/75	10..... (Use 545 9178)	1	545	1114
76/	10.....	1	545	9178
74	83 (LHD-Used With Tailgate)..... (Use 545 6536)	1	545	1955
75	83 (LHD-Used With Tailgate).....	1	545	6536
74	83 (RHD-Used With Tailgate)..... (Use 545 3990)	1	545	1956
75	83 (RHD-Used With Tailgate).....	1	545	3990
74	83 (LHD-Used With Solid Back Panel)..... (Use 545 6537)	1	545	1957
75	83 (LHD-Used With Solid Back Panel).....	1	545	6537
76	83 (* 20-12).....	1	545	7135 MR
76	83 (Used With Tailgate-* 20-13)..... (Use 813 0682)	1	546	1102 MR
76	83 (Used With Solid Back Panel-* 20-13).....	1	546	1328 MR
77/78	83 (Used With Tailgate)..... (Use 813 0682)	1	546	1017
79	83 (Used With Tailgate-* 20-29)..... (Use 813 0682)	1	546	5775
79	83 (Used With Tailgate-* 20-30).....	1	813	0682
80	83 (Used With Tailgate).....	1	575	1863
77/78	83 (Used With Solid Back Panel).....	1	546	1018
79	83 (Used With Solid Back Panel-* 20-29).....	1	546	5777
79	83 (Used With Solid Back Panel-* 20-30).....	1	813	0683
80	83 (Used With Solid Back Panel).....	1	575	1864
74	84 (Used With Tailgate)..... (Use 545 6538)	1	545	1954
75	84 (Used With Tailgate).....	1	545	6538
74	84 (LHD-Used With Solid Back Panel).....	1	545	1959
75	84 (LHD-Used With Solid Pack Panel).....	1	545	6539
76	84 (* 20-12).....	1	545	7136 MR
76	84 (* 20-13)..... (Use 546 1016)	1	546	1101 MR
77/78	84.....	1	546	1016
79	84.....	1	546	5774
76	90 (* 20-13)..... (Use 546 1015)	1	546	1099 MR
76	90 (* 20-14).....	1	545	3989 MR
77/78	90.....	1	546	1015
79	90 (* 20-29).....	1	546	5771
79	90 (* 20-30).....	1	813	0685
80	90.....	1	575	1851
20.035-2	EXTENSION, Rear Floor Pan			
74/77	(Left) 10.....	1	989	889
78/	(Left) 10.....	1	546	2799
74/	(Right) 10.....	1	957	702
20.035-5	PANEL, Rear Floor Pan To Side Sill Extension			
74/	(Left) 10.....	1	545	1551
74/	(Right) 10.....	1	545	1552
20.035-6	COVER, Rear Floor Pan Sending Unit Access Hole Plate			
80	10.....	1	575	2636
20.035-7	ATTACHING PARTS, Cover To Floor Pan			
RIVET, Blind	80 10.....	4	400	5899
20.040-1	SILL, Rear Cross			
74/	10.....	1	545	1015

20.040

BODY SHEET METAL

20.040-2 REINFORCEMENT, Rear Cross Sill

74/	10-48	5755348	1	545 1121
-----	-------	---------	---	----------

20.070-1 SILL, Front Side

LEFT

74/77	10 (Except Cherokee Chief)	1	952 595
75/77	16-17 (Cherokee Chief)	1	545 7369
78/	17	1	546 5035
78/	10 (Except Cherokee Chief)	1	546 5031
74/77	20-40	1	952 783
78/	20-40	1	546 5033

RIGHT

74/77	10 (Except Cherokee Chief)	1	952 596
75/77	16-17 (Cherokee Chief)	1	545 7370
78/	17	1	546 5036
78/	10 (Except Cherokee Chief)	1	546 5032
74/77	20-40	1	952 784
78/	20-40	1	546 5034

20.115-1 SUPPORT AND BAFFLE ASSEMBLY, Radiator Grille

74	10-20-40 (Six)	1	545 2002
75/77	10-20-40 (Six) (Use 546 2762)	1	545 6097
78	10-20-40 (Six)	1	546 2762
79/	10-20-40 (Six)	1	546 6517
74	10-20-40 (LHD-V8) (Use 545 6098)	1	545 2001
75/77	10-20-40 (LHD-V8) (Use 546 4351)	1	545 6098
78	10-20-40 (LHD-V8) (Use 546 6505)	1	546 4351
79/	10-20-40 (LHD-V8)	1	546 6505

20.115-2 ADAPTER, Carburetor Air Intake

75/77	10-20-40 (V8)	1	545 7181
78/		1	546 3866

20.115-3 ATTACHING PARTS, Adapter To Radiator Support And Baffle

SCREW, Tapping.....	75/	10-20-40 (V8)	17.660	3	812 0052
---------------------	-----	---------------	--------	---	----------

20.115-4 DEFLECTOR, Carburetor Air Intake

78	10-20-40 (Six)	1	546 5063
----	----------------	---	----------

20.116-1 PANEL, Grille Face Assembly (Incl. Stone Shield)

74/78	10-20-40 (Six)	1	545 1509
79/	10-20-40 (Six)	1	546 6522
74/78	10-20-40 (LHD-V8) (Use 545 1509)	1	545 1510
79/	10-20-40 (LHD-V8)	1	546 6509

20.116-2 ATTACHING PARTS, Grille Face Panel To Radiator Baffle

SCREW, Machine.....	80	10-20-40... (1-1/8" Long)	12.075	2	400 4455
BOLT, Hexagon	74/	10-20-40... (3/4" Long)	3.082	4	962 398
WASHER, Plain	74/	10-20-40	3.082	4	961 070

20.116-3 ATTACHING PARTS, Grille Face Panel To Front Fender

BOLT, Hexagon	74/	10-20-40	3.082	2	962 398
WASHER, Plain	74/	10-20-40	3.082	2	961 070
NUT, Hexagon	74/	10-20-40	3.095	4	961 069

20.116-4 BRACKET, Grille To Grille Face Panel

79/	10-20-40 (Center)	1	546 5789
79/	10-20-40 (Ends)	2	546 9813

29.116-5 ATTACHING PARTS, Bracket To Grille Face Panel

SCREW, Hexagon	79	10-20-40	12.075	5	400 4455
----------------------	----	----------	--------	---	----------

20.117-1 PANEL, Front Stone Shield			
74/77	10-20-40 (Six)	1	545 1512
78	10-20-40 (Six)	1	545 1515
79/	10-20-40 (Six)	1	546 6525
74/77	10-20-40 (LHD-V8)	1	545 1513
78	10-20-40 (LHD-V8)	1	545 1514
79/	10-20-40 (LHD-V8)	1	546 6511
20.117-2 ATTACHING PARTS, Stone Shield To Radiator Baffle			
BOLT, Hexagon	74/ 10-20-40	3.082	8 962 398
WASHER, Plain	74/ 10-20-40	3.082	8 961 070
20.117-3 ATTACHING PARTS, Stone Shield To Grille Face Panel And Fender			
SCREW, Hexagon	74/ 10-20-40...(5/16"-18)	12.075	12 400 4455
STUD	74/ 10-20-40...(5/16"-24)	2.045	2 958 166
WASHER, Plain	74/ 10-20-40	3.082	2 961 070
NUT, Hexagon	74/77 10-20-40...(5/16"-24)	2.045	2 968 417
NUT, Hexagon	78/ 10-20-40...(5/16"-18)	17.412	2 G271184
NUT, Spring	74/ 10-20-40...(5/16"-18)	20.117	4 400 4208
20.120-1 DASH ASSEMBLY			
74	10-20-40 (LHD)..... (Use 545 6618)	1	545 1111
74/75	14-15-20-40 (RHD).....	1	545 1112
75	10-20-40 (LHD).....	1	545 6618
76/77	10-20-40 (* 20-21)	1	545 9614
77/78	10-20-40 (* 20-22)	1	546 2494
79/	10-20-40.....	1	575 0001
76/77	80-90 (LHD-* 20-19)	(Use 546 2489)	1 546 0085
76	80-90 (RHD)..... (Use 546 1013)	1	545 6942
77/79	80-90 (LHD-* 20-20)	1	546 2489
77/79	80-90 (RHD).....	1	546 1013
80	83-90.....	1	575 1849 MR
20.120-2 COVER, Heater Motor Opening (Less Heater)			
74/	(Upper) LHD 10-20-40.....	1	959 734
74/	(Lower) LHD 10-20-40.....	1	959 737
74/75	10-20-40 (RHD).....	1	963 284
77/	80-90 (* 20-20).....	1	546 2728
20.120-3 ATTACHING PARTS, Cover To Dash (Less Heater)			
SCREW, Pan	77/ 80-90 (* 20-20)	29.052	4 974 674
SCREW, Tapping	74/ 10-20-40 (LHD)	17.672	8 G149501
SCREW, Machine	74/75 10-20-40 (RHD) .. (1/2" Long)	17.626	4 G186491
SCREW, Machine	74/75 10-20-40 (RHD) .. (3/8" Long)	17.598	2 G159908
WASHER, Lock	74/ 10-20-40 (LHD)	17.820	8 G120380
NUT, Speed	74/75 10-20-40 (RHD)	2	819 795
20.120-4 COVER, Brake Cylinder Hole Plate			
74/76	10-20-40.....	1	959 691
20.120-6 ATTACHING PARTS, Cover To Dash			
BOLT, Hexagon	74/76 10-20-40.....	1	961 086
WASHER, Lock	74/76 10-20-40.....	12.035	1 961 127
WASHER, Plain	74/76 10-20-40.....	3.082	1 961 070
NUT, Hexagon	74/76 10-20-40.....	3.082	1 961 128
20.120-7 COVER, Transfer Case Shift Lever Opening			
74/79	10-25-40 (WQT).....	1	968 543
80	10-20-40 (WMT).....	1	575 1841
80	10-20-40 (WAT).....	1	575 1826
20.120-8 ATTACHING PARTS, Cover To Dash			
SCREW, Tapping	74 10-25-40 (WQT).... (1" Long)	17.654	5 G163618
SCREW, Tapping	74/79 10-25-40 (WQT).... (3/4" Long)	27.005	5 545 0073
RIVET.....	80 10-20-40.....	12.360	2 400 5300

20.120

BODY SHEET METAL

20.120-9 GASKET, Transfer Case Shift Lever Opening Cover					
74/	10-25-40 (WQT).....		1	968 856	
20.120-10 COVER, Clutch Push Rod					
74/	10-20-40 (WHT) ... (Less Stud)		1	535 1625	
74/	10-20-40 (WHT) ... (Incl. Stud)		1	535 3006	
76/	90 (WHT).....		1	545 9147	
80	80-90 (Four).....		1	545 9147	
20.120-11 ATTACHING PARTS, Cover To Dash					
SCREW, Tapping.....	74/ 10-20-40 (WHT).....	17.672	2	G451824	
SCREW, Tapping.....	76/ 80-90.....	17.660	3	G163210	
WASHER, Lock.....	74/ 10-20-40 (WHT).....	17.822	2	G138479	
20.120-14 COVER, Steering Column Access Plate					
74/75	10-20-40 (RHD)		1	970 503	
74/75	80.....	20.005	1	816 339	
20.120-15 ATTACHING PARTS, Cover To Dash					
SCREW, Tapping.....	74/75 80.....	29.052	2	974 764	
BOLT, Hexagon	74/75 10-20-40.....	3.082	6	962 398	
WASHER, Plain	74/75 10-20-40.....	17.814	6	G120393	
20.120-16 PLATE, Steering Column Access Plate Cover Filler					
74/76	10-20-40.....		1	968 556	
20.120-17 ATTACHING PARTS, Plate To Cover					
SCREW, Tapping.....	74/76 10-20-40.....	17.616	2	G451715	
20.120-18 COVER, Air Conditioning Hose Hole					
74/			1	545 3638	
20.120-19 ATTACHING PARTS, Cover To Dash					
SCREW, Tapping.....	74/	29.120	2	448 9487	
20.120-20 GUSSET, Body Side Panel And Dash To No. 1 Body Bracket					
74/75	(Left) 80.....		1	989 829	
74/75	(Right) 80.....		1	987 006	
20.120-21 COVER, Hydramatic Transmission Adapter Plate					
77/79	90 (RHD).....		1	546 1503	
20.120-22 ATTACHING PARTS, Cover To Dash					
BOLT, Hexagon	77/79 90 (RHD).....	17.038	2	G180079	
NUT, Hexagon	77/79 90 (RHD).....	3.303	2	400 1457	
20.130-1 ROD, Dash To Radiator Air Deflector					
74/	80-90.....	20.120	2	987 122	
20.130-2 ATTACHING PARTS, Rod To Dash					
SCREW, Hexagon	74/ 80-90.....		2	808 319	
NUT, Hexagon.....	74/ 80-90.....	17.406	2	G120368	
20.130-3 ATTACHING PARTS, Rod To Radiator Air Deflector					
WASHER, Plain.....	74/ 80-90.....	17.814	4	G120394	
NUT, Hexagon.....	74/ 80-90.....	17.406	2	G120369	
NUT, Lock.....	74/ 80-90.....	8.350	2	804 975	
20.130-4 BRACKET, Dash Panel Rod Mounting					
74/	80-90.....		2	987 066	
20.150-1 PANEL, Cowl Top (Outer)					
74/	10-20-40.....		1	545 1063	
74/75	80 (LHD).....		1	989 846	
74/75	80 (RHD).....		1	989 845	
76/77	80-90 (LHD-* 20-19)		1	545 3927	
77/	80-90 (LHD-* 20-20)		1	546 2703	
76/79	80-90 (RHD)		1	545 3928	

20.150-1a REINFORCEMENT, Cowl Top Panel

74/75	80.....	(Use 545 3808)	1	989 742
76/77	80-90 (* 20-19).....	(Use 546 3634)	1	545 3808
77/	80-90 (* 20-20).....		1	546 3634

20.150-2 SUPPORT, Cowl Top Inner (To Dash)

74/	10-20-40.....		1	981 310
-----	---------------	--	---	---------

20.150-3 FILLER, Cowl Top Panel To Front Body Pillar

74/	(Left) 10-20-40.....		1	960 097
74/	(Right) 10-20-40.....		1	960 098

20.150-4 PANEL, Windshield Header

74/	(Upper) 10.....		1	955 332
74/	(Upper) 20-40... (Less Riser).....		1	955 332
74/	(Upper) 20-40... (Incl. Riser).....		1	957 423
74/	(Lower) 10-20-40.....		1	545 1430

20.150-5 PANEL ASSEMBLY, Inner Cowl Top

74/	10-20-40 (LHD).....	(Ord. 545 4966)	1	545 1419
74/	14-15-20-40 (RHD).....		1	545 1420

20.155-1 PANEL, Cowl Side Outer

74/	(Left) 10-20-40.....		1	956 635
74/	(Right) 10-20-40.....		1	956 636

20.155-2 PANEL, Front Cowl Side Outer

74	(Left) 10-20-40.....	(Use 545 0135)	1	957 467
75/	(Left) 10-20-40.....		1	545 0135
74/	(Right) 10-20-40.....		1	957 468

20.155-3 PANEL, Cowl Side Inner**LEFT**

74	10-20-40.....		1	959 401
75/79	10-20-40.....		1	545 6547 MR
80	10-20-40.....		1	575 1925
74	80.....	(Use 545 6525)	1	987 973
75	80.....		1	545 6525
76/	80-90.....		1	545 3805

RIGHT

74	10-20-40.....	(Ord. 545 6546)	1	959 402
75/79	10-20-40.....		1	545 6546 MR
80	10-20-40.....		1	575 1926
74/75	80.....		1	987 974
76/	80-90.....		1	545 3806

20.155-4 BRACKET, Cowl Side Front Outer Splash Apron

74/	(Left) 10-20-40.....		1	960 073
74/	(Right) 10-20-40.....		1	960 074

20.172-1 PANEL ASSEMBLY, Body Side**LEFT**

74/75	14-15.....	(Use 546 1062)	1	545 1565
74/75	16-17 (Except Cherokee Chief).....	(Use 546 8195)	1	545 1135
75/76	16-17 (Cherokee Chief).....		1	545 7731
76	14-15.....		1	545 8183
76	16-17 (Except Cherokee Chief).....		1	545 8195

BODY SHEET METAL

77	15.....	1	546 1062
77	16.....	1	546 1060
77	17..... (Use 546 6059)	1	546 1061
77	18.....	1	546 1063
78	15.....	1	546 4657
78	16.....	1	546 4647
78	17.....	1	546 4651
78	18.....	1	546 4661
79	15 (* 20-27).....	1	546 6061
79	15 (* 20-28).....	1	575 0128
79	16 (* 20-27).....	1	546 6057
79	16 (* 20-28).....	1	575 0114
79	17 (* 20-27).....	1	546 6059
79	17 (* 20-28).....	1	575 0116
79	18 (* 20-27).....	1	546 6063
79	18 (* 20-28).....	1	575 0129
80	15.....	1	575 1713
80	16.....	1	575 1697
80	17.....	1	575 1705
80	18.....	1	575 1723
74/75	20-40.....	1	545 2419
76	20-40.....	1	545 8201
77/78	20-40.....	1	546 1577
79	20-40 (* 20-27).....	1	546 6073
79	20-40 (* 20-28).....	1	575 0138
80	20-40.....	1	575 1729
74	83 (* 20-4)..... (Use 545 5949)	1	986 249
74	83 (* 20-5)..... (Use 545 6542)	1	545 5949 MR
74	84 (* 20-4).....	1	986 250
74	84 (* 20-5)..... (Use 545 6543)	1	545 5943
75	83.....	1	545 6542 MR
75	84.....	1	545 6543
76	83 (* 20-8)..... (Use 812 8401)	1	812 7041
76	84 (* 20-8)..... (Use 812 8403)	1	812 7047
76/77	83 (* 20-9 And * 20-25) USE 8133112	1	812 6327
76/77	84 (* 20-9 And * 20-25).....	1	812 6339
77/	83 (* 20-8) USE 8133695	1	812 8401
77/	83 (* 20-9 And * 20-26) USE 8133112	1	812 8295
77/79	84 (* 20-8).....	1	812 8403
77/79	84 (* 20-9 And * 20-26).....	1	812 8297
76/	90.....	1	812 6845
RIGHT			
74/75	14-15.....	1	545 1566
74/75	16-17 (Except Cherokee Chief).....	1	545 1136
75/76	16-17 (Cherokee Chief).....	1	545 7732
76	14-15.....	1	545 8184
76	16-17 (Except Cherokee Chief).....	1	545 8196
77/78	15.....	1	546 0620
77/78	16.....	1	545 8196
77/78	17.....	1	545 7732
77/78	18.....	1	546 0622
79	15 (* 20-27).....	1	546 6062
79	15 (* 20-28).....	1	575 0134
79	16 (* 20-27).....	1	546 6058
79	16 (* 20-28).....	1	575 0122
79	17 (* 20-27).....	1	546 6060
79	17 (* 20-28).....	1	575 0124
79	18 (* 20-27).....	1	546 6064
79	18 (* 20-28).....	1	575 0135
80	15.....	1	575 1714
80	16.....	1	575 1698
80	17.....	1	575 1706
80	18.....	1	575 1724

BODY SHEET METAL

20.172

74/75	20-40.....	1	545 2420
76	20-40..... (Use 546 1578)	1	545 8202
77/78	20-40.....	1	546 1578
79	20-40 (* 20-27).....	1	546 6074
79	20-40 (* 20-28).....	1	575 0141
80	20-40.....	1	575 1730
74	83 (LHD-Used With Solid Back Panel-* 20-4)..... (Ord. 545 5952)	1	986 251 MR
74	84 (LHD-Used With Solid Back Panel-* 20-4).....	1	986 252
74	83 (Used With Tailgate-* 20-4) (Ord. 1-545 5952, 1-994 021, 2-G162402)	1	545 2585 MR
74	84 (Used With Tailgate-* 20-4) (Ord. 1-986 252, 1-994 021, 2-G162402)	1	545 2584 MR
74	83 (Used With Tailgate-* 20-5) (Ord. 1-545 5952, 1-994 021, 2-G162402)	1	545 5950 MR
74	84 (Used With Tailgate-* 20-5) (Ord. 1-545 5946, 1-994 021, 2-G162402)	1	545 5944 MR
74/75	83 (LHD-Used With Solid Back Panel-* 20-5).....	1	545 5952 MR
74/75	84 (LHD-Used With Solid Back Panel-* 20-5).....	1	545 5946
75	83 (Used With Tailgate).....	1	545 6900
75	84 (Used With Tailgate).....	1	545 6902
76	83 (* 20-8)..... (Use 812 8400)	1	812 7042
76	84 (* 20-8)..... (Use 812 8402)	1	812 7048
76/77	83 (Used With Solid Back Panel-* 20-25).....	1	812 6332
76/77	83 (Used With Tailgate-* 20-9 And * 20-25)..... (Use 812 8294)	1	812 6328
76/77	84 (* 20-9 And * 20-25)..... (Use 812 8296)	1	812 6340
77/	83 (* 20-8).....	1	812 8400
77/	84 (* 20-8).....	1	812 8402
77/	83 (Used With Solid Back Panel-* 20-26).....	1	812 8298
77/	83 (Used With Tailgate-* 20-9 And * 20-26).....	1	812 8294
77/	84 (* 20-9 And * 20-26).....	1	812 8296
76/77	90.....	1	812 6844
78/	90.....	1	812 9346 MR
20.172-2 PANEL, Body Side			
74/75	(Left) 20-40..... (Use 546 1579)	1	545 2421
74/75	(Right) 20-40..... (Use 546 1580)	1	545 2422
76	(Left) 20-40..... (Use 546 1579)	1	545 8203
76	(Right) 20-40..... (Use 546 1580)	1	545 8204
77/79	(Left) 20-40 (* 20-27).....	1	546 1579
77/79	(Right) 20-40 (* 20-27).....	1	546 1580
79/	(Left) 20-40 (* 20-28).....	1	575 0137
79/	(Right) 20-40 (* 20-28).....	1	575 0140
20.172-3 PANEL, Body Side Upper Rear Inside			
74/75	(Left) 20-40.....	1	952 773
74/75	(Right) 20-40..... (Use 545 9240)	1	952 774
76	(Left) 20-40.....	1	545 9239
76	(Right) 20-40.....	1	545 9240
77/	(Left) 20-40.....	1	546 1573
77/	(Right) 20-40.....	1	546 1574
20.172-8 PLATE, Lock Striker Tapping			
74/79	10-20-40 (* 20-27).....	AR	957 755
79/	10-20-40 (* 20-28).....	AR	575 0091
20.172-9 RETAINER, Lock Striker Tapping Plate			
74/79	10-20-40 (* 20-27).....	AR	956 651
79/	10-20-40 (* 20-28).....	AR	575 0092
20.172-10 STRAINER, Body Side Panel To Rear Wheelhouse Panel			
76/	(Left) 90 (Lower).....	1	545 9079
76/	(Right) 90 (Lower).....	1	545 9080
76/77	(Left) 90 (Upper).....	1	545 6781
76/77	(Right) 90 (Upper).....	1	545 6782
78/	(Left) 90 (Upper).....	1	546 4533
78/	(Right) 90 (Upper).....	1	546 4534

20.173

BODY SHEET METAL

20.173-1 EXTENSION, Rear Fender

74	83 (Renegade-* 20-2).....	12.075	2	989 423
74/	(Left) 83-90 (Renegade-* 20-3).....		1	545 5073
74/	(Right) 83-90 (Renegade-* 20-3).....		1	545 5074

20.173-1a REINFORCEMENT, Rear Fender Extension

74	(Inner) 83 (Renegade-* 20-2).....		2	989 681
74	(Outer) 83 (Renegade-* 20-2).....		2	989 680

20.173-2 ATTACHING PARTS, Extension To Fender

SCREW, Hexagon.....	74	83 (Renegade-* 20-2).....	12.060	14	987 145
SCREW, Tapping.....	74/	83-90 (Renegade-* 20-3).....	12.075	14	400 2337
NUT (Nylon).....	74/	83-90 (Renegade-* 20-3).....	12.075	14	400 4868
"J" NUT.....	74	83 (Renegade-* 20-2).....	12.075	14	989 668

20.175-1 PANEL, Rocker Assembly

LEFT

74/78	10 (Except Cherokee Chief).....	(Use 546 5045)		1	545 1425
75/78	16-17 (Cherokee Chief).....	(Use 546 5049)		1	545 7391
79/	17.....			1	546 5049
79/	10 (Except Cherokee Chief).....			1	546 5045
74/78	20-40.....			1	957 303
79/	20-40.....			1	546 5047

RIGHT

74/78	10 (Except Cherokee Chief).....			1	545 1426
75/78	16-17 (Cherokee Chief).....			1	545 7392
79/	17.....			1	546 5050
79/	10 (Except Cherokee Chief).....			1	546 5046
74/78	20-40.....			1	957 304
79/	20-40.....			1	546 5048

20.176-1 STEP ASSEMBLY, Body

76/	80-90.....		2	546 0002
-----	------------	-------	---	----------

20.176-2 STEP, Body

LEFT

74/75	(Painted) 80.....		1	975 667
74	(Chrome) 80.....		1	961 599

RIGHT

74/75	(Painted) 80.....		1	975 668
74	(Chrome) 80.....		1	961 620

20.176-3 ATTACHING PARTS, Step To Floor Pan

BOLT, Hexagon.....	74/75	80.....	17.038	2	G123473
BOLT, Hexagon.....	76/	80-90.....	17.038	8	G180122
WASHER, Plain.....	76/	80-90.....	20.001	4	400 4947
NUT, Hexagon.....	74/75	80.....	2.045	2	968 417
NUT, Hexagon.....	76/	80-90.....	17.412	8	G271190

20.176-4 ATTACHING PARTS, Step To Frame

BOLT, Hexagon.....	74/75	80.....	17.473	2	G123473
NUT, Hexagon.....	74/75	80.....	3.095	2	961 069

20.176-5 ATTACHING PARTS, Step To Cross Sill

BOLT, Hexagon.....	74/75	80.....	17.626	4	G451975
WASHER, Plain.....	74/75	80.....	17.814	4	G120393
NUT, Hexagon.....	74/75	80.....	3.095	4	961 069

BODY SHEET METAL

20.220

20.176-6 ATTACHING PARTS, Step To Support

BOLT, Hexagon	74/75	80	12.035	2	961 126
WASHER, Plain	74/75	80	17.814	4	G446363 NA
NUT, Hexagon	74/75	80	3.095	4	961 069

20.177-1 SUPPORT STEP

74/75	(Painted) 80	2	666 719
74/75	(Chrome) 80	2	961 631

20.195-1 PILLAR ASSEMBLY, Body Front

74/78	(Left) 10-20-40	1	956 775
74/78	(Right) 10-20-40	1	956 776
79	(Left) 10-20-40	1	546 6071
79	(Right) 10-20-40	1	546 6072
80	(Left) 10-20-40	1	575 1647
80	(Right) 10-20-40	1	575 1648

20.195-2 PILLAR, Upper Body Front

LEFT

74/	(Inner) 10-20-40	1	959 547
74/	(Outer) 10-20-40	1	956 777

RIGHT

74/	(Inner) 10-20-40	1	959 548
74/	(Outer) 10-20-40	1	956 778

20.195-3 PILLAR, Lower Body Front

74	(Left) 10-20-40	(Use 545 6625)	1	956 781
74	(Right) 10-20-40		1	956 782
75/78	(Left) 10-20-40		1	545 6625
75/78	(Right) 10-20-40		1	545 6624
79	(Left) 10-20-40	(Use 575 1277)	1	575 0033
79	(Right) 10-20-40	(Use 575 1276)	1	575 0034
80	(Left) 10-20-40		1	575 1277
80	(Right) 10-20-40		1	575 1276

20.205-1 PILLAR ASSEMBLY, Body Lock

74/79	(Left) 16-17 (* 20-27)	1	545 1137
74/79	(Right) 16-17 (* 20-27)	1	545 1138
79/	(Left) 16-17 (* 20-28)	1	575 0113
79/	(Right) 16-17 (* 20-28)	1	575 0121

20.205-3 PILLAR, Lower Body Lock

74/79	(Left) 20-40 (* 20-27)	(Use 987 463)	1	545 2423
74/79	(Right) 20-40 (* 20-27)		1	545 2424
79/	(Left) 20-40 (* 20-28)		1	575 0136
79/	(Right) 20-40 (* 20-28)		1	575 0139

20.205-4 PANEL, Body Lock Pillar Finish

74/75	20-40	2	957 786
76/79	(Left) 20-40	1	545 9225
76/79	(Right) 20-40	1	545 9226
80	20-40	2	575 1733

20.220-1 PILLAR ASSEMBLY, Body Center

74/75	(Left) 14-15	(Use 545 8185)	1	970 769
74/75	(Right) 14-15		1	970 770
76/78	(Left) 14-15-18		1	545 8185
76/78	(Right) 14-15-18		1	545 8186
79	(Left) 15-18 (* 20-27)		1	546 4987
79	(Right) 15-18 (* 20-27)		1	546 4986
79	(Left) 15-18 (* 20-28)		1	575 0126
79	(Right) 15-18 (* 20-28)		1	575 0132
80	(Left) 15-18		1	575 1715
80	(Right) 15-18		1	575 1716

20.220

BODY SHEET METAL

20.220-2 FILLER, Body Center Pillar Lower

74/	(Left) 14-15-18	1	958 567
74/	(Right) 14-15-18	1	958 568

20.230-1 REINFORCEMENT, Body Center Upper Pillar

74/75	(Left) 14-15	1	957 441
74	(Right) 14-15	1	960 928
76/	(Left) 14-15-18	1	545 8187
75	(Right) 14-15 (Use 545 8188)	1	545 6126
76/	(Right) 14-15-18	1	545 8188

20.230-2 REINFORCEMENT, Body Center Lower Pillar

74/75	(Left) 14-15	1	970 485
74/75	(Right) 14-15 (Use 545 9164)	1	970 486
76/77	(Left) 14-15-18	1	545 9163
76/78	(Right) 14-15-18	1	545 9164
78/79	(Left) 15-18	1	546 5093
80	(Left) 15-18	1	575 1725
80	(Right) 15-18	1	575 1726
79	(Right) 15-18	1	575 0970

20.230-3 ATTACHING PARTS, Filler To Body

SCREW, Tapping.....	74/79	14-15-18...(8-18 x 3/8").....	17.660	6	G161857
SCREW, Tapping.....	79/	15-18...(10-16 x 1/2").....	29.052	6	974 764

20.230-4 RETAINER, Body Wire Harness Thru Pillar Reinforcement

74/		3.163	2	961 477
-----	-------	-------	---	---------

20.230-5 ATTACHING PARTS, Body Wire Harness Retainer

SCREW, Tapping.....	74/		17.660	4	G161857
---------------------	-----	-------	--------	---	---------

20.235-1 PILLAR, Rear Quarter Body Upper Lock

74/79	(Left) 14-15-18 (* 20-27)	1	956 767
74/79	(Right) 14-15-18 (* 20-27)	1	956 768
79/	(Left) 15-18 (* 20-28)	1	575 0127
79/	(Right) 15-18 (* 20-28)	1	575 0133

20.235-2 PILLAR, Rear Quarter Body Lower Lock

74/	(Left) 14-15-18	1	956 687
74/	(Right) 14-15-18	1	956 688

20.255-1 RAIL, Side Roof

LEFT

74/	10.....	1	965 551
74/	20-40.....	1	966 037

RIGHT

74/	10.....	1	965 552
74/	20-40.....	1	966 038

20.260-1 REINFORCEMENT, Side Roof Rail

LEFT

74/76	10..... (Use 546 1047)	1	545 4863
77/	10.....	1	546 1047
74/	20-40.....	1	545 2425

RIGHT

74/	10.....	1	545 4864
74/	20-40.....	1	545 2426

20.265-1 PANEL ASSEMBLY, Rear Quarter Inner**LEFT**

74/77	14-15.....	1	545 1567
74/75	16-17 (Except Cherokee Chief).....	1	545 1141
75/77	16-17 (Cherokee Chief).....	1	545 7737
76/77	16-17 (Except Cherokee Chief).....	1	545 9047
78/79	15-18 (* 20-27).....	1	546 4659
78/79	16 (* 20-27).....	1	546 4649
78/79	17 (* 20-27).....	1	546 4653
79	15-18 (* 20-28).....	1	575 0147
79	16 (* 20-28).....	1	575 0111
79	17 (* 20-28).....	1	575 0115
80	15-18.....	1	575 1721
80	16.....	1	575 1699
80	17.....	1	575 1707

RIGHT

74/79	14-15-18 (* 20-27).....	1	545 1568
74/75	16-17 (Except Cherokee Chief).....	1	545 1142
75/79	16-17 (Cherokee Chief-* 20-27).....	1	545 7738
76/79	16-17 (Except Cherokee Chief-* 20-27).....	1	545 7898
79/	15-18 (* 20-28).....	1	575 0130
79	16 (* 20-28).....	1	575 0119
79	17 (* 20-28).....	1	575 0123
80	16.....	1	575 1700
80	17.....	1	575 1708

20.266-1 PANEL, Rear Quarter Upper Inner

74/77	(Left) 16-17.....	(Use 546 3936)	1	545 1017
78/	(Left) 16-17.....		1	546 3936
74/	(Right) 16-17.....	(Use 545 6522)	1	545 1018

20.267-1 PANEL, Rear Quarter Center Inner

74/77	(Left) 16.....		1	545 2301
78/	(Left) 16-17.....		1	546 4259
74/77	(Right) 16.....	(Use 546 4260)	1	545 2302
78/	(Right) 16-17.....		1	546 4260

20.268-1 PANEL, Rear Quarter Lower Inner

74/77	(Left) 16.....		1	545 2303
78/	(Left) 16-17.....		1	546 4261
74/77	(Right) 16.....		1	545 2304
78/	(Right) 16-17.....		1	546 4262

20.269-1 PANEL, Rear Quarter Lower Front Inner

74	(Left) 16-17.....	(Use 545 7891)	1	545 1021
74	(Right) 16-17.....		20.266	1 545 1022
75	(Left) 16-17.....	(Use 545 7891)	1	545 6515
75	(Right) 16-17.....		1	545 6514
76/79	(Left) 16-17.....		1	545 7891
76/79	(Right) 16-17.....		1	545 7886
80	(Left) 16-17.....		1	575 1701
80	(Right) 16-17.....		1	575 1702

20.269-2 COVER, Rear Quarter Lower Front Inner

74/	16-17.....		2	545 1165
-----	------------	--	---	----------

20.269-3 ATTACHING PARTS, Cover To Rear Quarter Lower Panel

RIVET.....	74/	16-17.....	12.708	12	400 4800
------------	-----	------------	--------	----	----------

20.269-4 ATTACHING PARTS, Rear Quarter Inner Panels To Body

SCREW, Tapping.....	74/	16-17.....	29.302	AR	400 4642
---------------------	-----	------------	--------	----	----------

20.272-1 PANEL ASSEMBLY, Rear Wheelhouse

LEFT

74/77	10 (Except Cherokee Chief)	1	545 1149
75/77	16-17 (Cherokee Chief) (Use 546 4656)	1	545 7735
78/	17.....	1	546 4655 MR
78/	15-16-18.....	1	546 4635 MR
74/75	83 (LHD-Used With Solid Back Panel) (Ref. Pr. List)	1	545 1961
74/75	83 (Used With Tailgate-* 20-6)	1	545 1967 MR
74/75	84 (LHD-Used With Solid Back Panel)	1	545 1965
74/75	84 (Used With Tailgate-* 20-6)	1	545 1963
76	83 (Used With Solid Back Panel) (Use 546 2387)	1	545 6983
76	83 (Used With Tailgate-* 20-7, * 20-9 And * 20-25) (Use 546 2391)	1	545 6979
76/	83 (* 20-7 And * 20-8)..... (Use 546 1107)	1	545 9793
76	84 (* 20-9)	1	545 6981
76/	84 (* 20-8) (Use 546 1115)	1	545 9795
77/79	83 (Used With Solid Back Panel-* 20-29).....	1	546 2387
79/	83 (Used With Solid Back Panel-* 20-30 And * 20-31)	1	813 0701
80	83 (Used With Solid Back Panel-* 20-32).....	1	575 7063
77/79	80 (Used With Tailgate-* 20-9, * 20-26 And * 20-29).....	1	546 2391
79/	80 (Used With Tailgate-* 20-9, * 20-30 And * 20-31).....	1	813 0697
80	80 (Used With Tailgate-* 20-9 And * 20-32)	1	575 7061
76/79	90 (* 20-29) (Use 546 1093)	1	545 6999 MR
79/	90 (* 20-30).....	1	813 0705

RIGHT

74/	10 (Except Cherokee Chief)	1	545 1150
75/	16-17 (Cherokee Chief)	1	545 7736
74	83 (Used With Tailgate-* 20-6) (Use 545 4730)	1	545 1968
74	84 (Used With Tailgate-* 20-6)	1	545 1964
74/75	83 (LHD-Used With Solid Back Panel) (Use 546 2386)	1	545 1962
74/75	84 (LHD-Used With Solid Back Panel)	1	545 1966
75	83 (Used With Tailgate-* 20-6)	1	545 4730 MR
75	84 (Used With Tailgate-* 20-6)	1	545 4734
76	83 (Used With Solid Back Panel) (Use 546 2386)	1	545 6984
76	83 (Used With Tailgate-* 20-7 And * 20-9) (Use 546 2390)	1	545 6980
76/	83 (* 20-7 And * 20-8)..... (Use 546 1304)	1	545 9794
76	84 (* 20-9)	1	545 6982
76/	84 (* 20-8) (Use 546 1324)	1	545 9796
77/79	83 (Used With Solid Back Panel-* 20-29).....	1	546 2386
79/	83 (Used With Solid Back Panel-* 20-30 And * 20-31)	1	813 0700
80	83 (Used With Solid Back Panel-* 20-32).....	1	575 7062
77/79	80 (Used With Tailgate-* 20-9 And * 20-29)	1	546 2390
79/	80 (Used With Tailgate-* 20-9, * 20-30 And * 20-31).....	1	813 0696
80	80 (Used With Tailgate-* 20-9 And * 20-32)	1	575 7060
76/79	90 (* 20-29) (Use 546 1094)	1	545 7000 MR
79/	90 (* 20-30)	1	813 0704

20.272-2 REINFORCEMENT, Tailgate Opening Side

76	(Left) 80 (Used With Tailgate-* 20-15).....	1	663 087
76	(Right) 80 (Used With Tailgate-* 20-15).....	1	545 9525
76/	(Left) 80 (Used With Tailgate-* 20-16).....	1	546 1109
76/	(Right) 80 (Used With Tailgate-* 20-16).....	1	546 1110

20.275-1 BRACKET, Liquid Check Valve

74/	10.....	1	989 669
74	80..... (Use 545 6138)	1	989 671
75	80.....	1	545 6138

20.275-2 ATTACHING PARTS, Bracket To Wheelhouse Panel

WASHER, Plain.....	74/75	80.....	17. 814	3	G120393
NUT, Hexagon.....	74/75	80.....	17. 412	3	G271172

20.315-1 PILLAR ASSEMBLY, Tailgate Opening

74/79	(Left) 10 (* 20-27)	1	545 1151
74/79	(Right) 10 (* 20-27)	1	545 1152
79/	(Left) 10 (* 20-28)	1	575 0110
79/	(Right) 10 (* 20-28)	1	575 0118


BODY SHEET METAL

20.325

20.315-2 PILLAR, Upper Tailgate Outer Opening				
74/	(Left) 10	1	956 649	
74/	(Right) 10	1	956 650	
20.315-3 PILLAR, Upper Tailgate Inner Opening				
74/	(Left) 10	1	545 1143	
74/	(Right) 10	1	545 1144	
20.315-4 PANEL, Tailgate Opening Lower Pillar Closing				
74/	(Left) 10	1	958 617	
74/	(Right) 10	1	958 618	
20.315-5 PANEL, Tailgate Opening Side Pillar Closing				
74/	(Left) 10	1	545 1163	
74/	(Right) 10	1	545 1164	
20.315-6 ATTACHING PARTS, Panel To Pillar				
SCREW, Tapping.....	74/ 10.....	17.660	2	G161895
20.315-7 EXTENSION, Upper Tailgate Inner Rear Pillar Opening				
74/	(Left) 10	1	959 409	
74/	(Right) 10	1	959 410	
20.315-8 FILLER, Tailgate Pillar Lower				
74/	(Left-Upper) 10	1	956 631	
74/	(Right-Upper) 10	1	956 632	
74/	(Lower) 10	2	981 426	
20.315-9 BRACKET, Tailgate Pillar Lower Filler Extension				
74/	(Left) 10	1	960 161	
74/	(Right) 10	1	960 162	
20.315-10 PLATE, Tailgate Lock Striker Tapping				
79/	10 (* 20-28)	2	575 0363	
20.315-11 RETAINER, Tailgate Lock Striker Tapping Plate				
79/	10 (* 20-28)	2	545 2448	
20.325-1 PANEL ASSEMBLY, Body Rear				
LEFT				
74	80 (Used With Tailgate)	(Use 545 4735)	1	982 015
75	80 (Used With Tailgate)		1	545 4735
76	80 (Used With Tailgate-* 20-15)	(Use 812 7455)	1	812 6329
76	80 (Used With Tailgate-* 20-16)		1	812 7455
77	80 (Used With Tailgate)		1	546 1069
78/	80 (Used With Tailgate)		1	546 3647
76	90		1	812 7043 MR
77/	90		1	546 1043
RIGHT				
74	80 (Used With Tailgate)	(Use 545 4736)	1	981 624
75	80 (Used With Tailgate)		1	545 4736
76	80 (Used With Tailgate-* 20-15)	(Use 812 7454)	1	812 6330
76	80 (Used With Tailgate-* 20-16 And * 20-17)		1	812 7454
76/77	80 (Used With Tailgate-* 20-18)		1	546 1068
78/	80 (Used With Tailgate)		1	546 3648
76	90 (* 20-17)		1	812 7044 MR
76/77	90 (* 20-18)		1	546 1048
78/	90		1	546 3612



20.330-1 PANEL, Body Rear Center Lower			
74/75	80 (Used With Tailgate)	1	663 415
76	80 (Used With Tailgate-* 20-12)	1	663 123
76/	80 (Used With Tailgate-* 20-13)	1	546 0667
74	80 (Used With Solid Back Panel)	20.325	1 986 346
75	80 (Used With Solid Back Panel)	1	545 4668
76	(Upper) 83 (Used With Solid Back Panel-* 20-10)	1	545 7342
76	(Upper) 83 (Used With Solid Back Panel-* 20-11 And * 20-17)	1	546 1074
76/77	(Upper) 83 (Used With Solid Back Panel-* 20-11 And * 20-18)	1	546 0689
78/	(Upper) 83 (Used With Solid Back Panel)	1	546 3659
76/	(Lower) 83 (Used With Solid Back Panel-* 20-13)	1	546 0668
76/	90 (* 20-13)	1	546 0666
76	90 (* 20-14)	1	545 4155
20.335-1 PANEL, Body Rear Center Lower Closing			
76/	80-90	1	546 0669
20.350-1 FRAME, Rear Quarter Window Upper			
74/	(Left) 14-15-18	1	956 669
74/	(Right) 14-15-18	1	956 670
20.350-2 FRAME, Rear Quarter Window Lower			
74/77	(Left) 14-15-18	1	957 749
78/	(Left) 15-18	1	546 4215
74/	(Right) 14-15-18	1	957 750
20.390-1 HEADER, Rear Opening			
74/	10	1	545 5370
20.395-1 MOULDING, Side Roof Rail Drip			
74/	(Left) 10	1	965 539
74/	(Right) 10	1	965 540
20.395-2 MOULDING, Front Body Pillar Drip			
74/	(Left) 10-20-40	1	968 209
74/	(Right) 10-20-40	1	968 210
20.395-3 CAP, Front Body Pillar Drip Moulding			
74/	10-20-40 (Except Cherokee Chief)	2	968 201
20.397-1 FRAME, Rear Window			
74/76	20-40	1	976 508
77/	20-40	1	546 1576
20.420-1 PANEL ASSEMBLY, Roof			
74/	10 (Used Less Sun Roof)	1	965 537
80	10 (Used With Sun Roof)	1	575 1799
74/	20-40	1	965 821
20.420-2 SUPPORT, Roof Panel (* 20-1)			
74/78	(No. 1) 10 (* 20-23)	1	957 426
74/78	(No. 2) 10 (* 20-23)	1	964 174
74/78	(No. 3) 10 (* 20-23)	1	545 2307
78/	10 (* 20-24)	3	546 9863 MR
20.420-2a SILENCER ROOF BOW			
74/	10...(6" Long)	3	545 4867
20.420-3 ATTACHING PARTS, Support To Side Roof Rail Reinforcement			
SCREW, Tapping.....	74/ 10...(1/4"-20 x 3/4")	12	400 4884
SCREW, Tapping.....	80 10...(10-16 x 1/2")	29.052 4	974 764
20.420-4 PAD, Roof Panel Silencer			
74/77	10	1	953 931
78/	10	7	546 6338
74/77	20-40	1	960 305
78/79	20-40	1	546 6484
80	20-40	3	546 6338

J-4739




TWO-SPEED WIPER MOTOR AND WASHER . . . 1974 10-20-40

1.5967




TWO-SPEED WIPER MOTOR AND WASHER . . . 1975/ 10-20-40




WINDSHIELD WIPER ARMS AND BLADES . . . 10-20-40

J-4387




ELECTRIC OPERATED WINDSHIELD WASHERS . . . 80-90

J-4889



J-4258


ELECTRIC WINDSHIELD WIPERS . . . 1974/1975 80



J-6164


ELECTRIC WINDSHIELD WIPERS . . . 1976/ 80-90

J-5689




INSTRUMENT PANEL, GLOVE BOX AND OVERLAYS . . . 14-15, 1974/1978 20-40


J-5935



INSTRUMENT PANEL, GLOVE BOX AND OVERLAYS . . . 16-17-18, 1979/ 20-40

J-4252

**INSTRUMENT PANEL AND COWL . . . 1974/1975 80**



INSTRUMENT PANEL AND COWL . . . 1976/ 80–90